






| 2024

effective 04/01/24  
revised 06/07/24



- ice machines 
- ice and water dispensers 
- ice and beverage dispensers 
- ice storage and transport 

# Contents

<b>TERMS AND POLICIES</b> .....	<b>5</b>
<b>ICE MACHINES</b> .....	<b>6</b>
Maestro Plus ice machine bins – 400 series .....	7
Maestro Plus flake ice machines for ice storage bins – 400 series .....	8
Maestro Plus Chewblet ice machines for ice storage bins – 400 series .....	9
Maestro Plus Chewblet ice machines for countertop ice and beverage dispensers – 400 series .....	10
Top kits for top mount model Maestro Plus 400 series ice machines used with countertop ice and beverage dispensers .....	11
Top kits for RIDE model Maestro Plus and Horizon Elite series ice machines for use with countertop ice and beverage dispensers .....	11
Maestro Plus Chewblet ice machines for Vision dispensers – 400 series .....	12
Maestro Plus Chewblet ice machines for drop-in beverage dispensers – 400 series .....	12
Horizon Elite Chewblet ice machines for ice storage bins – 710, 1010, 1400, 1810, 2110 series .....	13
Horizon Elite Chewblet ice machines for countertop ice and beverage dispensers – 710, 1010, 1400, 1810, 2110 series .....	15
Horizon Elite Chewblet ice machines for Vision dispensers – 710, 1010, 1400, 1810, 2110 series .....	17
Horizon Elite Chewblet ice machines for drop-in beverage dispensers – 710, 1010, 1400, 1810, 2110 series .....	18
Horizon Elite Chewblet ice machines for marine ice and beverage dispensers – 1012, 1412 series .....	19
Ice Manager diverter valve system .....	20
Horizon Elite Chewblet ice machines for Ice Manager diverter valve – 1010, 1400, 1810, 2110 series .....	21
Top kits for RIDE model Horizon Elite ice machines for use with countertop ice and beverage dispensers .....	22
Top kits for Horizon Elite 710, 1000, 1400, 1810 and 2110 series ice machines for use with countertop ice and beverage dispensers .....	23
Ice transport tube .....	24
<b>ICE MACHINE ACCESSORIES</b> .....	<b>25</b>
Water treatment accessories for ice machines .....	25
Other accessories for ice machines .....	25
<b>ICE AND WATER DISPENSERS</b> .....	<b>27</b>
Champion ice and water dispensers .....	28
Champion ice and water dispenser accessories .....	29
Symphony Plus ice and water dispensers – 12 series .....	30
Symphony Plus ice-only dispensers – 12 series .....	30
Symphony Plus ice and water dispensers with removable ice machine – 25 and 50 series .....	31
Symphony Plus ice-only dispensers – 25 and 50 series .....	32
Symphony Plus ice and water dispensers with removable ice machine – 110 series .....	33
Symphony Plus manual load ice and water dispensers – 110 series .....	33
Symphony Plus ice-only dispensers – 110 series .....	34
Symphony Plus base stand options .....	34
<b>ICE AND WATER DISPENSER ACCESSORIES</b> .....	<b>35</b>
Water treatment accessories for Symphony Plus ice and water dispensers .....	35
Cleaning and sanitizing accessories for Symphony Plus ice and water dispensers .....	35
Other accessories for Symphony Plus ice and water dispensers .....	35
Replacement ice machine for use in existing Symphony and Symphony Plus dispensers .....	36
Replacement ice machine ordering matrix .....	36

<b>ICE AND BEVERAGE DISPENSERS</b> .....	<b>37</b>
Vision ice and beverage dispensers – VU155B series with integral ice water bath beverage cooling .....	38
Vision ice and chilled water dispensers – VU155N series .....	38
Vision ice and water dispensers for marine applications – CVU series .....	39
Vision ice and beverage dispensers – VU300B series with integral ice water bath beverage cooling .....	39
Vision ice and beverage dispensers – VU300M series dual-sided for connection to remote mechanical beverage cooling system .....	40
Vision ice and beverage dispenser accessories .....	40
QuickCARB beverage manifold .....	40
 <b>ICE STORAGE, ICE TRANSPORT AND ICE HANDLING</b> .....	 <b>41</b>
Upright ice storage bins – single door and double door with SmartGATE® ice shield .....	42
Ice•Devlce ice storage and dispensing systems – single door with cart or bagger .....	43
Ice•Devlce ice storage and dispensing systems – low-profile single door with Totes ice carrier .....	44
Ice•Devlce ice storage and dispensing systems – double door with (2) SmartCART 75 ice carts .....	44
Ice storage and transport systems (ITS) .....	45
Ice Pro automatic ice bagging and dispensing systems .....	46
Slope front bins .....	46
Replacement stainless steel tops for ice storage bins .....	47
Replacement ABS bin tops for ice storage bins .....	47
Flexi-Top ice bin top systems .....	47
Ice handling accessories .....	48



## Terms and policies

### Terms

- Products for sale meet all regulatory compliances as noted in the appropriate Follett Product Specification Sheet at the time of sale. Customer understands and accepts these products as meeting the designated regulatory compliances.
- Net 30 day terms on approved accounts
- Prices subject to change without notice
- Specifications subject to change without notice
- This price list supersedes all others
- **Pricing is in USD**
- **Products priced with EX Works (EXW) terms**
- **Other shipping terms available upon request**

### Return Policy

**Non-standard equipment cannot be returned. Orders for non-standard equipment cannot be cancelled.**

Follett equipment may be returned for credit under the following conditions:

- The equipment is new and unused
- A return authorization number has been issued by customer service within 45 days after shipment
- Follett receives the equipment at the factory in Easton, PA within 30 days after issuance of the return authorization number
- The equipment must be returned in Follett packaging. If the packaging has been damaged or discarded, Follett will forward new packaging at the customer's expense.

**Note: Return freight charges are the responsibility of the customer. If equipment is returned and is damaged because of improper packaging, Follett Products, LLC will not be held responsible.**

Credit will be issued when the equipment has been inspected by Follett and deemed suitable to be returned to stock.

**Note: A 20% restocking charge will be deducted from the credit. If the cost to return the product to stock exceeds 20%, the actual cost will be deducted.**

## Ice machines

Compact, reliable Chewblet® extruded ice and flake ice machines in a variety of sizes to meet your needs. Choose from top mount or RIDE® remote ice delivery equipment (extruded only). Follett's unique Ice Manager™ diverter valve system allows the use of ONE Horizon Elite™ (1010 and larger) with TWO storage units each up to 75 ft (22.8 m) away.

### Warranty

#### Maestro Plus™ and Horizon Elite ice machines, Ice Manager diverter valve system

Follett Products, LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 3 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 3 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated territory.

The compressor shall be covered for an additional 2 years (parts only), for a total of 5 years from the date of installation.

**Note:** Marine units carry 2 year parts warranty and a limited 2 year labor warranty. Labor will be covered provided Follett receives 72 hours notice to perform service and service is provided at a port located in the 48 contiguous states.

### WARRANTY CONDITIONS

- Warranty labor must be performed by the local Follett authorized service provider
- The equipment has been installed and operated in compliance with instructions provided by Follett
- Customer has documented record of preventive maintenance and cleaning of the machine every 6 months according to the instructions in the Installation, Operations and Service Manual
- Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond the control of Follett are expressly excluded from this warranty
- Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination
- Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
- Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett Products, LLC and are the responsibility of the equipment owner

**This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship.**

Follett Products, LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett Products, LLC, technical service at +1 (877) 612-5086 or +1 (610) 252-7301.


## Maestro Plus ice machine bins – 400 series

Flake (UF) or Micro Chewblet™ (UM) ice machines with 75 lb (34 kg) of bin storage for undercounter or freestanding applications.

Ice machines use R290a refrigerant. Stainless steel exterior with moderate production and storage capacity in a small footprint.

For additional product information, request form# 1004 for UFD and UMD models or 1006 for UFE and UME models.

See page 25 for additional accessory information.



Undercounter ice machine bin

Item number	Width in (cm)	Depth in (cm)	Height <sup>2</sup> in (cm)	Production capacity lb (kg)		Condensing unit <sup>3</sup>	Voltage	Approx. ship wt lb (kg)	List price
				90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
UFD414A80	23.50 (59.7)	26.00 (66.0)	33.00 (83.8)	325 (148)	425 (193)	A – SC	115/60/1	194 (88)	\$12,965
UFE414A80 <sup>1</sup>	23.50 (59.7)	26.00 (66.0)	33.00 (83.8)	325 (148)	425 (193)	A – SC	230/50/1 <sup>1</sup>	194 (88)	\$13,180
UMD414A80 <sup>†</sup>	23.50 (59.7)	26.00 (66.0)	33.00 (83.8)	325 (148)	425 (193)	A – SC	115/60/1	194 (88)	\$12,965
UME414A80 <sup>1</sup>	23.50 (59.7)	26.00 (66.0)	33.00 (83.8)	325 (148)	425 (193)	A – SC	230/50/1 <sup>1</sup>	194 (88)	\$13,180

<sup>†</sup> ENERGY STAR<sup>®</sup> certified.

<sup>1</sup> Models not for use in the United States. Model ships EXW Incoterms 2010 – Wislina, Poland.

<sup>2</sup> 33.00" (83.8 cm) with leveling feet for undercounter use. 39.00" (99.1 cm) with bullet legs for freestanding application.

<sup>3</sup> Condensing unit: A – SC = Air – self-contained

## Maestro Plus Model Number Configurations

### Example: MCD425ABT

<b>MC</b>	<b>D</b>	<b>4</b>	<b>25</b>	<b>A</b>	<b>B</b>	<b>T</b>
Ice Type	Voltage	Ice Production (approx.)	Refrigerant Type	Condenser	Application	Configuration
<b>MC</b> Maestro Plus Chewblet	<b>C</b> 220/60/1 (icemaking head) <i>Self-contained only.</i>	<b>4</b> 400 lb (181 kg)	<b>14</b> R290 <b>25</b> R404a	<b>A</b> Air-cooled, self-contained <b>W</b> Water-cooled, self-contained	<b>V</b> Vision™ <b>H</b> Harmony™ <b>B</b> Ice storage bin <b>J</b> Drop-in	<b>S</b> RIDE <i>(RIDE remote ice delivery equipment)</i> <b>T</b> Top-mount
<b>MF</b> Maestro Plus Flake	<b>D</b> 115/60/1 (icemaking head) <i>Self-contained only.</i> <b>E</b> 230/50/1 (icemaking head) <i>Self-contained only.</i>					

### Maestro Plus flake ice machines for ice storage bins – 400 series

Flake ice machines for top mount on ice storage bins.

MFD425 and MFC425 models use R404a refrigerant. MFE414 models use R290a refrigerant. MFC425 and MFE414 models are not for use in the United States.

For additional product information, request form# 7015 for MFD425 models, 6950 or 6955 for MFC425 models, or 1002 for MFE414 models.

Refer to page 41 of the price list for capacities and sizes of bins available.

See page 25 for additional accessory information.



Top mount

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)		Condensing unit <sup>1</sup>	Voltage	Approx. ship wt lb (kg)	List price
					90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
<b>425 series</b>										
MFD425ABT	Top mount	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	115/60/1	170 (77)	\$10,890
MFC425ABT <sup>2</sup>	Top mount	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	220/60/1 <sup>2</sup>	170 (77)	\$11,095
MFD425WBT	Top mount	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	115/60/1	170 (77)	\$10,890
MFC425WBT <sup>2</sup>	Top mount	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	220/60/1 <sup>2</sup>	170 (77)	\$11,095
<b>414 series</b>										
MFE414ABT <sup>2</sup>	Top mount	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	230/50/1	170 (77)	\$11,095

<sup>1</sup> Condensing unit: A – SC = Air – self-contained    W – SC = Water – self-contained

<sup>2</sup> Models not for use in the United States.



## Maestro Plus Chewblet ice machines for ice storage bins – 400 series

Ice machines for top mount or RIDE (ice-through-a-tube) configurations.

MCD425 and MCC425 models use R404a refrigerant. MCE414 and MME414 models use R290a refrigerant. MCC425 and MCE414 models are not for use in the United States.

RIDE ice machines include 10' (3 m) of insulated ice transport tube. Factory approval required for lengths over 20' (6.1 m).

For additional product information, request form# 7015 for MCD425 models, 6945, 6950 or 6955 for MCC425 models, or 1001, 1002 or 1003 for MCE/MME414 models.

Refer to page 41 of the price list for capacities and sizes of bins available.

See page 25 for additional accessory information.



Top mount



RIDE model

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)		Condensing unit <sup>1</sup>	Voltage	Approx. ship wt lb (kg)	List price
					90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
<b>425 series</b>										
MCD425ABT <sup>1</sup>	Top mount	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	115/60/1	170 (77)	\$10,890
MCD425ABS <sup>1</sup>	RIDE	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	115/60/1	170 (77)	\$11,715
MCC425ABT <sup>2</sup>	Top mount	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	220/60/1 <sup>2</sup>	170 (77)	\$11,095
MCC425ABS <sup>2</sup>	RIDE	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	220/60/1 <sup>2</sup>	170 (77)	\$11,925
MMC425ABT <sup>2,3</sup>	Top mount	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	220/60/1 <sup>2</sup>	170 (77)	\$11,330
MMC425ABS <sup>2,3</sup>	RIDE	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	220/60/1 <sup>2</sup>	170 (77)	\$12,160
MCD425WBT	Top mount	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	115/60/1	170 (77)	\$10,890
MCD425WBS	RIDE	18.80 (47.8)	20.75 (52.7)	17.10 (43.4)	408 (185)	486 (221)	W – SC	115/60/1	170 (77)	\$11,715
MCC425WBT <sup>2</sup>	Top mount	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	220/60/1 <sup>2</sup>	170 (77)	\$11,095
MCC425WBS <sup>2</sup>	RIDE	18.80 (47.8)	20.75 (52.7)	17.10 (43.4)	408 (185)	486 (221)	W – SC	220/60/1 <sup>2</sup>	170 (77)	\$11,925
MMC425WBT <sup>2,3</sup>	Top mount	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	220/60/1 <sup>2</sup>	170 (77)	\$11,330
MMC425WBS <sup>2,3</sup>	RIDE	18.80 (47.8)	20.75 (52.7)	17.10 (43.4)	408 (185)	486 (221)	W – SC	220/60/1 <sup>2</sup>	170 (77)	\$12,160
<b>414 series</b>										
MCE414ABT <sup>2</sup>	Top mount	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	230/50/1 <sup>2</sup>	170 (77)	\$11,095
MCE414ABS <sup>2</sup>	RIDE	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	230/50/1 <sup>2</sup>	170 (77)	\$11,925
MME414ABT <sup>2,3</sup>	Top mount	22.70 (57.7)	24.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	230/50/1 <sup>2</sup>	170 (77)	\$11,330

<sup>†</sup> ENERGY STAR® certified.

<sup>1</sup> Condensing unit: A – SC = Air – self-contained      W – SC = Water – self-contained

<sup>2</sup> Models not for use in the United States.

<sup>3</sup> Produces Micro Chewblet ice approximately 3/8" long.

## Maestro Plus Chewblet ice machines for countertop ice and beverage dispensers – 400 series

Ice machines for top mount or RIDE (ice-through-a-tube) configurations.

MCD425 and MCC425 models use R404a refrigerant. MCE414 models use R290a refrigerant. MCC425 and MCE414 models are not for use in the United States.


Top mount ice machine **requires stainless steel top kit**, sold separately. See top kit charts on page 11 for top kit numbers.

RIDE ice machines include 10' (3 m) of insulated ice transport tube and universal RIDE model adapter kit (item# 01054444). Factory approval required for ice transport tube lengths over 20' (6.1 m). See page 11 for approved dispensers.

All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

For additional product information, request form# 7015 for MCD425 models, 6945, 6950 or 6955 for MCC425 models, or 1001, 1002 or 1003 for MCE414 models.

See page 25 for additional accessory information.



Top mount



RIDE model

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)		Condensing unit <sup>1</sup>	Voltage	Approx. ship wt lb (kg)	List price
					90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
<b>425 series</b>										
MCD425AHT <sup>†</sup>	Top mount	22.70 (57.7)	22.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	115/60/1	170 (77)	\$10,890
MCD425AHS <sup>†</sup>	RIDE	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	115/60/1	170 (77)	\$11,715
MCC425AHT <sup>2</sup>	Top mount	22.70 (57.7)	22.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	220/60/1 <sup>2</sup>	170 (77)	\$11,095
MCC425AHS <sup>2</sup>	RIDE	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	220/60/1 <sup>2</sup>	170 (77)	\$11,925
MCD425WHT	Top mount	22.70 (57.7)	22.25 (61.6)	21.25 (54.0)	408 (185)	486 (221)	W – SC	115/60/1	170 (77)	\$10,890
MCD425WHS	RIDE	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	408 (185)	486 (221)	W – SC	115/60/1	170 (77)	\$11,715
<b>414 series</b>										
MCE414AHT <sup>2</sup>	Top mount	22.70 (57.7)	22.25 (61.6)	21.25 (54.0)	325 (148)	425 (193)	A – SC	230/50/1 <sup>2</sup>	170 (77)	\$11,095
MCE414AHS <sup>2</sup>	RIDE	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	230/50/1 <sup>2</sup>	170 (77)	\$11,925

<sup>†</sup> ENERGY STAR<sup>®</sup> certified.

<sup>1</sup> Condensing unit: A – SC = Air – self-contained    W – SC = Water – self-contained

<sup>2</sup> Models not for use in the United States.

**Approved for RIDE model – ice and beverage dispensers manufactured by others<sup>1</sup>**

Coca-Cola Freestyle 7000 <sup>2,4</sup> / 7100 <sup>3,4</sup> / 9000 <sup>4</sup> / 9100 <sup>4</sup>	Lancer 4500-22N	Servend MD175
Cornelius DB/DF/ED150BC Series	Lancer 4500-30N	Servend MD200
Cornelius DB/DF/ED175BC Series	Lancer FS-16N	Servend MD250
Cornelius DB/DF/ED200BC Series	Lancer FS-22N	Servend MDH302
Cornelius DB/DF/ED250BC Series	Lancer FS-30N	Servend MDH402
Cornelius DB/DF/ED300BC Series	Lancer FS-44N	Servend SV175
Cornelius IDC215/255 and Pro Fast Gate	Lancer Sensation and TouchPoint	Servend SV200
Cornelius IDC Pro	Pepsi Spire 3.0 <sup>5</sup> / 5.0 <sup>5</sup> / 4.1 <sup>5</sup>	Servend SV250
Cornelius Flavor Fusion/Overload	Servend MD150	

**Top kits for top mount model Maestro Plus 400 series ice machines used with countertop ice and beverage dispensers**

Top kit accessory item number	Ice machine model	Dispenser	Dispenser model number	Dispenser series width	List price	Specification sheet form number
<b>Maestro Plus top mount applications<sup>1</sup></b>						
MTF24SCP <sup>4,6</sup>	MCD/MCC425AHT/MCE414AHT	Coca-Cola	Freestyle 9000	24"	\$940	7015/6955/1002
MTF26SCP <sup>4</sup>	MCD/MCC425AHT/MCE414AHT	Coca-Cola	Freestyle 9100	26"	\$940	7015/6955/1002
MTF30SCP <sup>4,7</sup>	MCD/MCC425AHT/MCE414AHT	Coca-Cola	Freestyle 7000	30"	\$1,140	7015/6955/1002
MTF30SCP <sup>4,8</sup>	MCD/MCC425AHT/MCE414AHT	Coca-Cola	Freestyle 7100	30"	\$1,140	7015/6955/1002
MTC22SCP	MCD/MCC425AHT/MCE414AHT	Cornelius	DB/DF/ED150BC	22"	\$935	7015/6955/1002
MTC24SCP	MCD/MCC425AHT/MCE414AHT	Cornelius	DB/DF/ED175BC	24"	\$935	7015/6955/1002
MTC30SCP	MCD/MCC425AHT/MCE414AHT	Cornelius	DB/DF/ED200/250	30"	\$1,140	7015/6955/1002
MTL22SCP	MCD/MCC425AHT/MCE414AHT	Lancer	FS-22N/4500-22N	22"	\$925	7015/6955/1002
MTL30SCP	MCD/MCC425AHT/MCE414AHT	Lancer	4500-30N	30"	\$1,140	7015/6955/1002
MTL30SCP-STP	MCD/MCC425AHT/MCE414AHT	Lancer	30" Sensation/TouchPoint	30"	\$1,140	7015/6955/1002
MTP24SCP	MCD/MCC425AHT/MCE414AHT	Pepsi	Spire 3.0	24"	\$935	7015/6955/1002
MTP30SCP	MCD/MCC425AHT/MCE414AHT	Pepsi	Spire 5.0 / 4.1	30"	\$1,140	7015/6955/1002

**Top kits for RIDE model Maestro Plus and Horizon Elite series ice machines for use with countertop ice and beverage dispensers**

Top kit accessory	Ice machine model	Dispenser	Dispenser model number	Dispenser series width	List price
<b>Required Maestro Plus 400 series RIDE model stainless steel adapter kits<sup>1</sup></b>					
MSF30SC <sup>2,4</sup>	Available for all models that end in HS.	Coca-Cola	Freestyle 7000	30"	\$560
MSF26SC <sup>4</sup>		Coca-Cola	Freestyle 9100	26"	\$530
MSP24SC <sup>5</sup>	Example: MCD425AHS MCE414AHS	Pepsi	Spire 3.0	24"	\$530
MSP30SC <sup>5</sup>		Pepsi	Spire 5.0 / 4.1	30"	\$560

**Optional Maestro Plus 400 and Horizon Elite series RIDE model stainless steel adapter kits<sup>1</sup>**

MSC22SC	Available for all models that end in HS.	Cornelius	DB/DF/ED150BC	22"	\$2,260
MSC24SC		Cornelius	DB/DF/ED175BC	24"	\$2,365
MSC30SC		Cornelius	DB/DF/ED200BC	30"	\$2,470
MSC30SC		Cornelius	DB/DF/ED250BC	30"	\$2,470
MSC44SC	Example: MCD425AHS MCE414AHS HCC1010AHS	Cornelius	DB/DF/ED300BC	44"	\$2,520
MSL22SC		Lancer	FS-22N	22"	\$2,260
MSL30SC		Lancer	4500-30N	30"	\$2,470
MSL30SC		Lancer	FS-30N	30"	\$2,470

<sup>1</sup> All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required. Approved dispensers for top mount ice machine applications are listed above.

<sup>2</sup> Top kit MSF30SC required with Coca-Cola Freestyle 7000. Top adapter IC Code 46412 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

<sup>3</sup> Top kit MSF30SC required with Coca-Cola Freestyle 7100. Top adapter IC Code 46751 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

<sup>4</sup> Consult with Coca-Cola and Follett to qualify application prior to ordering.

<sup>5</sup> RIDE application is approved only for Pepsi Spire 3.0, 5.0 and 4.1 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0 and 4.1, ordered separately. For manual fill versions of Pepsi Spire 3.0, 5.0 and 4.1, contact factory.

<sup>6</sup> Adapter must also be ordered from Coca-Cola. IC Code: 46010 (Silver), 46011 (Red) or 46012 (Black).

<sup>7</sup> Top adapter IC Code 46412 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

<sup>8</sup> Top adapter IC Code 46753 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

## Maestro Plus Chewblet ice machines for Vision dispensers – 400 series

Ice machines for RIDE (ice-through-a-tube) configurations.


MCD425 and MCC425 models use R404a refrigerant. MCE414 models use R290a refrigerant. MCC425 and MCE414 models are not for use in the United States.

**10' (3 m) insulated ice transport tube comes with each Vision dispenser, not with the ice machine.** Additional tubing or tubing for replacement ice machines or for multiple ice machines must be ordered separately. Factory approval required for lengths over 20' (6.1 m). One 20' (6.1 m) bin signal wire for fill control included with each ice machine.

Maximum of two ice machines per Vision dispenser.

For additional product information, request form# 6695 for MCD425 models, 6945 for MCC425 models, or 1001 for MCE414 models.

See page 25 for additional accessory information.



RIDE model - Vision

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)		Condensing unit <sup>1</sup>	Voltage	Approx. ship wt lb (kg)	List price
					90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
<b>425 series</b>										
MCD425AVS <sup>†</sup>	RIDE	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	115/60/1	127 (58)	\$11,715
MCC425AVS <sup>2</sup>	RIDE	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	220/60/1 <sup>2</sup>	127 (58)	\$11,925
MCD425WVS	RIDE	18.80 (47.8)	20.75 (52.7)	17.10 (43.4)	408 (185)	486 (221)	W – SC	115/60/1	127 (58)	\$11,715
MCC425WVS <sup>2</sup>	RIDE	18.80 (47.8)	20.75 (52.7)	17.10 (43.4)	408 (185)	486 (221)	W – SC	220/60/1 <sup>2</sup>	127 (58)	\$11,925
<b>414 series</b>										
MCE414AVS <sup>2</sup>	RIDE	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	230/50/1 <sup>2</sup>	127 (58)	\$11,925

<sup>†</sup> ENERGY STAR<sup>®</sup> certified.

<sup>1</sup> Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained

<sup>2</sup> Models not for use in the United States.

## Maestro Plus Chewblet ice machines for drop-in beverage dispensers – 400 series

Ice machines for RIDE (ice-through-a-tube) configurations.

MMC425 models use R404a refrigerant. MCE414 and MME414 models use R290a refrigerant. MMC425, MCE414 and MME414 models are not for use in the United States.

Standard equipment includes 10' (3 m) insulated ice transport tube. For additional tube lengths, see page 24. Maximum run length of ice transport tube is 75' (22.9 m).

For additional product information, request form# 6945 for MMC425 models or 1001 for MCE414 and MME414 models.

See page 25 for additional accessory information.



RIDE model - drop-in

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)		Condensing unit <sup>1</sup>	Voltage	Approx. ship wt lb (kg)	List price
					90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
<b>425 series</b>										
MMC425AJS <sup>2,3</sup>	RIDE	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	220/60/1 <sup>2</sup>	127 (58)	\$12,160
MMC425WJS <sup>2,3</sup>	RIDE	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	W – SC	220/60/1 <sup>2</sup>	127 (58)	\$12,160
<b>414 series</b>										
MCE414AJS <sup>2</sup>	RIDE	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	230/50/1 <sup>2</sup>	127 (58)	\$11,925
MME414AJS <sup>2,3</sup>	RIDE	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	325 (148)	425 (193)	A – SC	230/50/1 <sup>2</sup>	127 (58)	\$12,160

<sup>1</sup> Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained

<sup>2</sup> Models not for use in the United States.

<sup>3</sup> Produces Micro Chewblet ice approximately 3/8" long.

## Horizon Elite Model Number Configuration Example: HCD1810AVS

HC	D	10	10	A	V	S
Ice Type	Voltage	Ice Production (approx.)	Refrigerant Type	Condenser	Application	Configuration
<b>HC</b> Horizon Elite Chewblet  <b>HM</b> Horizon Elite Micro Chewblet	<b>C</b> 208-230/60/1 (icemaking head) <i>Self-contained only.</i>  <b>D</b> 115/60/1 (icemaking head) <i>Self-contained and remote. If remote unit, high side is 208-230/60/1.</i>  <b>E</b> 230/50/1 (icemaking head) <i>Self-contained only.</i>  <b>F</b> 115/60/1 (icemaking head) <i>Remote only. High side is 208-230/60/3.</i>	<b>7</b> 700 lb (318 kg)  <b>10</b> 1000 lb (454 kg)  <b>14</b> 1400 lb (635 kg)  <b>18</b> 1800 lb (817 kg)  <b>21</b> 2100 lb (953 kg)	<b>10</b> R404a  <b>12</b> R449a	<b>A</b> Air-cooled, self-contained  <b>W</b> Water-cooled, self-contained  <b>R</b> Air-cooled, remote condensing unit included with ice machine  <b>N</b> No condensing unit for connection to parallel rack system  <b>K</b> Evaporator unit only, must be paired with Follett remote condensing unit, sold separately	<b>V</b> Vision  <b>H</b> Harmony  <b>B</b> Ice storage bin  <b>J</b> Drop-in  <b>M</b> Ice Manager diverter valve system	<b>S</b> RIDE ( <i>RIDE remote ice delivery equipment</i> )  <b>T</b> Top-mount

- 1 Ice Manager diverter valve systems can be used to fill two bins or dispensers with a single ice machine.
- 2 Micro Chewblet – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon Elite model number with "M". Example HCC1010ABS becomes HMC1010ABS. Add \$235 to list price. Not available on Ice Manager or Marine models.

### Horizon Elite Chewblet ice machines for ice storage bins – 710, 1010, 1400, 1810, 2110 series

Ice machines for top mount or RIDE (ice-through-a-tube) configurations.


RIDE ice machines include 10' (3 m) of insulated ice transport tube. For additional tube lengths, see page 24. Maximum run length of ice transport tube is 75' (22.9 m).

**Micro Chewblet ice** – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon Elite model number with "M". Example HCD710ABT becomes HMD710ABT. Add \$235 to list price.

For additional product information, request form# 8225 for 710 self-contained, 7030 for 1010 and 1410 self-contained, 7035 for 1010 and 1410 remote, 1014 for 1412 remote, or 8180 for 1810 and 2110 remote.

Refer to page 41 of the price list for capacities and sizes of bins available.

See page 25 for additional accessory information.



Top mount

RIDE model

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)*		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
					90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
<b>710 series</b>										
HCD710ABT <sup>†</sup>	Top mount	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC <sup>1</sup>	115/60/1	190 (86)	\$14,915
HCD710ABS <sup>†</sup>	RIDE	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC <sup>1</sup>	115/60/1	190 (86)	\$15,740
HCE710ABT <sup>6</sup>	Top mount	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC <sup>1</sup>	230/50/1 <sup>6</sup>	190 (86)	\$15,120
HCE710ABS <sup>6</sup>	RIDE	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC <sup>1</sup>	230/50/1 <sup>6</sup>	190 (86)	\$15,950

<sup>†</sup> ENERGY STAR<sup>®</sup> certified.

\* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

<sup>1</sup> Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

<sup>2</sup> For connection to parallel rack system.

<sup>3</sup> Not for use with rack system.

<sup>4</sup> Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

<sup>5</sup> Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

<sup>6</sup> Models not for use in the United States.

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)*		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
					90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
<b>1010 series</b>										
HCC1010ABT	Top mount	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC <sup>1</sup>	208-230/60/1	265 (120)	\$18,965
HCC1010ABS	RIDE	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC <sup>1</sup>	208-230/60/1	275 (125)	\$19,795
HCC1010WBT	Top mount	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC <sup>1</sup>	208-230/60/1	265 (120)	\$18,965
HCC1010WBS	RIDE	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC <sup>1</sup>	208-230/60/1	275 (125)	\$19,795
HCD1010RBT	Top mount	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	420 (191)	\$21,140
HCD1010RBS	RIDE	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	445 (202)	\$21,970
HCD1010NBT	Top mount	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None <sup>2</sup>	115/60/1	185 (84)	\$17,870
HCD1010NBS	RIDE	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None <sup>2</sup>	115/60/1	185 (84)	\$18,695
HCF1010RBT †	Top mount	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	505 (229)	\$21,520
HCF1010RBS †	RIDE	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	455 (207)	\$22,345
<b>1410 series</b>										
HCC1410ABT	Top mount	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC <sup>1</sup>	208-230/60/1	275 (125)	\$23,665
HCC1410ABS	RIDE	29.62 (75.2)	25.15 (63.9)	23.50 (59.7)	1097 (498)	1466 (666)	A – SC <sup>1</sup>	208-230/60/1	285 (129)	\$24,495
HCC1410WBT	Top mount	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC <sup>1</sup>	208-230/60/1	275 (125)	\$23,665
HCC1410WBS	RIDE	29.62 (75.2)	25.15 (63.9)	23.50 (59.7)	1238 (562)	1385 (629)	W – SC <sup>1</sup>	208-230/60/1	285 (129)	\$24,495
HCD1410RBT	Top mount	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	465 (211)	\$25,840
HCD1410RBS	RIDE	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	475 (216)	\$26,665
HCD1410NBT	Top mount	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None <sup>2</sup>	115/60/1	195 (89)	\$22,570
HCD1410NBS	RIDE	22.70 (57.6)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None <sup>2</sup>	115/60/1	205 (93)	\$23,395
<b>1412 series – Condensing and evaporator unit</b>										
HCF1412RBT	Top mount	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1138 (614)	1371 (622)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	477 (217)	\$26,525
HCF1412RBS	RIDE	22.70 (57.6)	24.50 (62.2)	21.25 (53.9)	1138 (614)	1371 (622)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	487 (221)	\$27,355
<b>1412 series – Evaporator unit to be used with 1412 condensing unit<sup>3</sup></b>										
HCF1412KBT	Top mount	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1138 (614)	1371 (622)	None	115/60/1	195 (89)	\$22,800
HCF1412KBS	RIDE	22.70 (57.6)	24.50 (62.2)	21.25 (53.9)	1138 (614)	1371 (622)	None	115/60/1	205 (93)	\$23,630
<b>1412 series – Condensing unit to be used with 1412 evaporator unit</b>										
F1412CU	N/A	39.60 (100.6)	28.20 (71.6)	26.00 (66.0)	see evap unit	see evap unit	A – R <sup>1</sup>	208-230/60/3	282 (128)	\$3,725
<b>1810 series</b>										
HCD1810RBT	Top mount	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	420 (191)	\$33,335
HCD1810RBS	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	424 (192)	\$34,165
HCD1810NBT	Top mount	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	None <sup>2</sup>	115/60/1	170 (77)	\$30,065
HCD1810NBS	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	None <sup>2</sup>	115/60/1	174 (79)	\$30,895
HCF1810RBT †	Top mount	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	417 (189)	\$33,715
HCF1810RBS †	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	455 (207)	\$34,545
<b>2110 series</b>										
HCD2110RBT	Top mount	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	505 (229)	\$35,480
HCD2110RBS	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	505 (229)	\$36,310
HCD2110NBT	Top mount	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None <sup>2</sup>	115/60/1	205 (93)	\$32,210
HCD2110NBS	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None <sup>2</sup>	115/60/1	205 (93)	\$33,035
HCF2110RBT †	Top mount	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	505 (229)	\$35,860
HCF2110RBS †	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	505 (229)	\$36,685

† ENERGY STAR® certified.

\* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

<sup>1</sup> Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

<sup>2</sup> For connection to parallel rack system.

<sup>3</sup> Not for use with rack system.

<sup>4</sup> Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

<sup>5</sup> Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

<sup>6</sup> Models not for use in the United States.

## Horizon Elite Chewblet ice machines for countertop ice and beverage dispensers – 710, 1010, 1400, 1810, 2110 series

Ice machines for top mount or RIDE (ice-through-a-tube) configurations.

Top mount ice machines **require stainless steel top kit**, sold separately. See top kit charts on page 22 for top kit numbers.


RIDE ice machines that automatically fill countertop ice and beverage dispensers, **no stainless steel top required**<sup>†</sup>. All parts required for installation are included with the ice machine. Refer to specification sheet, for approved applications. See below list for specific model. See page 22 for approved dispensers.

RIDE ice machines include 10' (3 m) of insulated ice transport tube. For additional tube lengths, see page 24. Maximum run length of ice transport tube is 75' (22.9 m).

All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

**Micro Chewblet ice** – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon Elite model number with "M". Example HCD710AHT becomes HMD710AHT. Add \$235 to list price.

For additional product information, request form# 8225 for 710 self-contained, 7030 for 1010 and 1410 self-contained, 7035 for 1010 and 1410 remote, 1014 for 1412 remote, or 8180 for 1810 and 2110 remote.



**Accessory for models ending in HS and HT** **List price**  
 Sleep cycle kit for improved energy efficiency and component life . . . . . \$210  
 See page 25 for additional accessory information.

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)**		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
					90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
<b>710 series</b>										
HCD710AHT <sup>†</sup>	Top mount	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC <sup>1</sup>	115/60/1	190 (86)	\$14,915
HCD710AHS <sup>†</sup>	RIDE	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC <sup>1</sup>	115/60/1	190 (86)	\$15,740
HCE710AHT <sup>6</sup>	Top mount	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC <sup>1</sup>	230/50/1 <sup>6</sup>	190 (86)	\$15,120
HCE710AHS <sup>6</sup>	RIDE	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC <sup>1</sup>	230/50/1 <sup>6</sup>	190 (86)	\$15,950
<b>1010 series</b>										
HCC1010AHT	Top mount	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC <sup>1</sup>	208-230/60/1	265 (120)	\$18,965
HCC1010AHS	RIDE	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC <sup>1</sup>	208-230/60/1	275 (125)	\$19,795
HCC1010WHT	Top mount	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC <sup>1</sup>	208-230/60/1	265 (120)	\$18,965
HCC1010WHS	RIDE	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC <sup>1</sup>	208-230/60/1	275 (125)	\$19,795
HCD1010RHT	Top mount	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	445 (202)	\$21,140
HCD1010RHS	RIDE	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	455 (207)	\$21,970
HCD1010NHT	Top mount	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None <sup>2</sup>	115/60/1	185 (84)	\$17,870
HCD1010NHS	RIDE	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None <sup>2</sup>	115/60/1	185 (84)	\$18,695
HCF1010RHT <sup>†</sup>	Top mount	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	445 (202)	\$21,520
HCF1010RHS <sup>†</sup>	RIDE	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	465 (211)	\$22,345
<b>1410 series</b>										
HCC1410AHT	Top mount	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC <sup>1</sup>	208-230/60/1	275 (125)	\$23,665
HCC1410AHS	RIDE	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC <sup>1</sup>	208-230/60/1	285 (129)	\$24,495
HCC1410WHT	Top mount	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC <sup>1</sup>	208-230/60/1	275 (125)	\$23,665
HCC1410WHS	RIDE	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC <sup>1</sup>	208-230/60/1	285 (129)	\$24,495
HCD1410RHT	Top mount	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	465 (211)	\$25,840
HCD1410RHS	RIDE	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	475 (216)	\$26,665
HCD1410NHT	Top mount	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None <sup>2</sup>	115/60/1	195 (89)	\$22,570
HCD1410NHS	RIDE	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None <sup>2</sup>	115/60/1	205 (93)	\$23,395

<sup>†</sup> ENERGY STAR<sup>®</sup> certified.

\* Coca-Cola Freestyle and Pepsi Spire 3.0 and 5.0 require top kit, see page 22.

\*\* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

<sup>1</sup> Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

<sup>2</sup> For connection to parallel rack system.

<sup>3</sup> Not for use with rack system.

<sup>4</sup> Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

<sup>5</sup> Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

<sup>6</sup> Models not for use in the United States.

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)**		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
					90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
<b>1412 series – Condensing and evaporator unit</b>										
HCF1412RHT	Top mount	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1138 (614)	1371 (622)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	477 (217)	\$26,525
HCF1412RHS	RIDE	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1138 (614)	1371 (622)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	487 (221)	\$27,355
<b>1412 series – Evaporator unit to be used with 1412 condensing unit<sup>3</sup></b>										
HCF1412KHT	Top mount	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1138 (614)	1371 (622)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	195 (89)	\$22,800
HCF1412KHS	RIDE	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1138 (614)	1371 (622)	None <sup>3</sup>	115/60/1	205 (93)	\$23,630
<b>1412 series – Condensing unit to be used with 1412 evaporator unit</b>										
F1412CU	N/A	39.60 (100.6)	28.20 (71.6)	26.00 (66.0)	see evap unit	see evap unit	A – R <sup>1</sup>	208-230/60/3	282 (128)	\$3,725
<b>1810 series</b>										
HCD1810RHT	Top mount	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	420 (191)	\$33,335
HCD1810RHS	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	424 (192)	\$34,165
HCD1810NHT	Top mount	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	None <sup>2</sup>	115/60/1	170 (77)	\$30,065
HCD1810NHS	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	None <sup>2</sup>	115/60/1	174 (79)	\$30,895
HCF1810RHT <sup>†</sup>	Top mount	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	417 (189)	\$33,715
HCF1810RHS <sup>†</sup>	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	421 (191)	\$34,545
<b>2110 series</b>										
HCD2110RHT	Top mount	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	505 (229)	\$35,480
HCD2110RHS	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	505 (229)	\$36,310
HCD2110NHT	Top mount	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None <sup>2</sup>	115/60/1	205 (93)	\$32,210
HCD2110NHS	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None <sup>2</sup>	115/60/1	205 (93)	\$33,035
HCF2110RHT <sup>†</sup>	Top mount	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	505 (229)	\$35,860
HCF2110RHS <sup>†</sup>	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	505 (229)	\$36,685

<sup>†</sup> ENERGY STAR® certified.

\* Coca-Cola Freestyle and Pepsi Spire 3.0 and 5.0 require top kit, see page 22.

\*\* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

<sup>1</sup> Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

<sup>2</sup> For connection to parallel rack system.

<sup>3</sup> Not for use with rack system.

<sup>4</sup> Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

<sup>5</sup> Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

<sup>6</sup> Models not for use in the United States.



## Horizon Elite Chewblet ice machines for Vision dispensers – 710, 1010, 1400, 1810, 2110 series

Ice machines for RIDE (ice-through-a-tube) configurations.


**10' (3 m) insulated ice transport tube comes with each Vision dispenser, not with the ice machine.** Additional tubing or tubing for replacement ice machines or for multiple ice machines must be ordered separately. For additional tube lengths, see page 24. Maximum run length of ice transport tube is 75' (22.9 m). One 20' (6.1 m) bin signal wire for fill control included with each ice machine. For transport tube lengths greater than 20' (6.1 m), order 30' (9.2 m) extension cable, item# 00939140 or 60' (18.3 m) extension cable, item# 00939157.

Maximum of two ice machines per Vision dispenser.

**Micro Chewblet ice** – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon Elite model number with "M". Example HCD710AVS becomes HMD710AVS. Add \$235 to list price.

For additional product information, request form# 8225 for 710 self-contained, 7030 for 1010 and 1410 self-contained, 7035 for 1010 and 1410 remote, 1014 for 1412 remote, or 8180 for 1810 and 2110 remote.

See page 25 for additional accessory information.



RIDE model

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)*		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
					90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
<b>710 series</b>										
HCD710AVS †	RIDE	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC <sup>1</sup>	115/60/1	190 (86)	\$15,740
HCE710AVS <sup>5</sup>	RIDE	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC <sup>1</sup>	230/50/1 <sup>6</sup>	190 (86)	\$15,950
<b>1010 series</b>										
HCC1010AVS	RIDE	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC <sup>1</sup>	208-230/60/1	275 (125)	\$19,795
HCC1010WVS	RIDE	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC <sup>1</sup>	208-230/60/1	275 (125)	\$19,795
HCD1010RVVS	RIDE	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	445 (202)	\$21,970
HCD1010NVVS	RIDE	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None <sup>2</sup>	115/60/1	185 (84)	\$18,695
HCF1010RVVS †	RIDE	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	465 (211)	\$22,345
<b>1410 series</b>										
HCC1410AVS	RIDE	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC <sup>1</sup>	208-230/60/1	285 (129)	\$24,495
HCC1410WVS	RIDE	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC <sup>1</sup>	208-230/60/1	285 (129)	\$24,495
HCD1410RVVS	RIDE	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	475 (216)	\$26,665
HCD1410NVVS	RIDE	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None <sup>2</sup>	115/60/1	205 (93)	\$23,395
<b>1412 series – Condensing and evaporator unit</b>										
HCF1412RVVS	RIDE	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1138 (614)	1371 (622)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	487 (221)	\$27,355
<b>1412 series – Evaporator unit to be used with 1412 condensing unit<sup>3</sup></b>										
HCF1412KVVS	RIDE	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1138 (614)	1371 (622)	None <sup>3</sup>	115/60/1	205 (93)	\$23,630
<b>1412 series – Condensing unit to be used with 1412 evaporator unit</b>										
F1412CU	N/A	39.60 (100.6)	28.20 (71.6)	26.00 (66.0)	see evap unit	see evap unit	A – R <sup>1</sup>	208-230/60/3	282 (128)	\$3,725
<b>1810 series</b>										
HCD1810RVVS	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	424 (192)	\$34,165
HCD1810NVVS	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	None <sup>2</sup>	115/60/1	174 (79)	\$30,895
HCF1810RVVS †	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	421 (191)	\$34,545
<b>2110 series</b>										
HCD2110RVVS	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	505 (229)	\$36,310
HCD2110NVVS	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None <sup>2</sup>	115/60/1	205 (93)	\$33,035
HCF2110RVVS †	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	505 (229)	\$36,685

† ENERGY STAR® certified.

\* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

<sup>1</sup> Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

<sup>2</sup> For connection to parallel rack system.

<sup>3</sup> Not for use with rack system.

<sup>4</sup> Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

<sup>5</sup> Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

<sup>6</sup> Models not for use in the United States.

## Horizon Elite Chewblet ice machines for drop-in beverage dispensers – 710, 1010, 1400, 1810, 2110 series


Ice machines for RIDE (ice-through-a-tube) configurations.

Standard equipment includes 10' (3 m) insulated ice transport tube. For additional tube lengths, see page 24. Maximum run length of ice transport tube is 75' (22.9 m).

**Micro Chewblet ice** – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon Elite model number with "M". Example HCD710AJS becomes HMD710AJS. Add \$235 to list price.

For additional product information, request form# 8225 for 710 self-contained, 7030 for 1010 and 1410 self-contained, 7035 for 1010 and 1410 remote, 1014 for 1412 remote, or 8180 for 1810 and 2110 remote.

See page 25 for additional accessory information.



1010/1410 RIDE model - drop-in

Item number	configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg)*		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
					90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
<b>710 series</b>										
HCD710AJS <sup>†</sup>	RIDE	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC <sup>1</sup>	115/60/1	190 (86)	\$15,740
HCE710AJS <sup>‡</sup>	RIDE	22.70 (57.7)	24.50 (62.2)	21.25 (54.0)	586 (266)	759 (345)	A – SC <sup>1</sup>	230/50/1 <sup>6</sup>	190 (86)	\$15,950
<b>1010 series</b>										
HCC1010AJS	RIDE	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC <sup>1</sup>	208-230/60/1	275 (125)	\$19,795
HCC1010WJS	RIDE	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC <sup>1</sup>	208-230/60/1	275 (125)	\$19,795
HCD1010RJS	RIDE	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	445 (202)	\$21,970
HCD1010NJS	RIDE	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None <sup>2</sup>	115/60/1	185 (84)	\$18,695
HCF1010RJS <sup>†</sup>	RIDE	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	465 (211)	\$22,345
<b>1410 series</b>										
HCC1410AJS	RIDE	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC <sup>1</sup>	208-230/60/1	285 (129)	\$24,495
HCC1410WJS	RIDE	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC <sup>1</sup>	208-230/60/1	285 (129)	\$24,495
HCD1410RJS	RIDE	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	475 (216)	\$26,665
HCD1410NJS	RIDE	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1083 (492)	1372 (623)	None <sup>2</sup>	115/60/1	205 (93)	\$23,395
<b>1412 series – Condensing and evaporator unit</b>										
HCF1412RJS	RIDE	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1138 (614)	1371 (622)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	487 (121)	\$27,355
<b>1412 series – Evaporator unit to be used with 1412 condensing unit<sup>3</sup></b>										
HCF1412KJS	RIDE	22.70 (57.7)	24.50 (62.2)	21.25 (53.9)	1138 (614)	1371 (622)	None <sup>3</sup>	115/60/1	205 (93)	\$23,630
<b>1412 series – Condensing unit to be used with 1412 evaporator unit</b>										
F1412CU	N/A	39.60 (100.6)	28.20 (71.6)	26.00 (66.0)	see evap unit	see evap unit	A – R <sup>1</sup>	208-230/60/3	282 (128)	\$3,725
<b>1810 series</b>										
HCD1810RJS	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	424 (192)	\$34,165
HCD1810NJS	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	None <sup>2</sup>	115/60/1	174 (79)	\$30,895
HCF1810RJS <sup>†</sup>	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	421 (191)	\$34,545
<b>2110 series</b>										
HCD2110RJS	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	505 (229)	\$36,310
HCD2110NJS	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None <sup>2</sup>	115/60/1	205 (93)	\$33,035
HCF2110RJS <sup>†</sup>	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	505 (229)	\$36,685

<sup>†</sup> ENERGY STAR<sup>®</sup> certified.

\* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

<sup>1</sup> Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

<sup>2</sup> For connection to parallel rack system.

<sup>3</sup> Not for use with rack system.

<sup>4</sup> Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

<sup>5</sup> Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

<sup>6</sup> Models not for use in the United States.

## Horizon Elite Chewblet ice machines for marine ice and beverage dispensers – 1000, 1400 series

Ice machines for RIDE (ice-through-a-tube) configurations. Models use R449a refrigerant.

Designed to address United States Public Health Service (USPHS) principles for marine/shipboard use.

**No stainless steel top required\*** for ice and beverage dispenser. All parts required for installation are included with the ice machine. For approved applications, refer to specification sheet form# 7045. See page 22 for approved dispensers.


Standard equipment includes 10' (3 m) insulated ice transport tube. For additional tube lengths, see page 24. Maximum run length of ice transport tube is 75' (22.9 m).

All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

For additional product information, request form# 7045.

See page 25 for additional accessory information.

**Note:** Marine units carry 2 year parts warranty and a limited 2 year labor warranty. Labor will be covered provided Follett receives 72 hours notice to perform service and service is provided at a port located in the 48 contiguous states.



RIDE model - countertop ice and beverage dispensers

RIDE model - Vision undercounter dispensers

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg) **		Condensing unit <sup>1</sup>	Voltage	Approx. ship wt lb (kg)	List price
					90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
<b>1012 series (marine applications) for countertop ice and beverage dispensers</b>										
HCC1012WHM	RIDE	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC	208-230/60/1	265 (120)	\$22,290
<b>1012 series (marine applications) for Vision dispensers</b>										
HCC1012WVM	RIDE	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC	208-230/60/1	275 (125)	\$22,290
<b>1412 series (marine applications) for countertop ice and beverage dispensers</b>										
HCC1412WHM	RIDE	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC	208-230/60/1	275 (125)	\$27,715
<b>1412 series (marine applications) for Vision dispensers</b>										
HCC1412WVM	RIDE	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC	208-230/60/1	275 (125)	\$27,715

\* Coca-Cola Freestyle and Pepsi Spire 3.0 and 5.0 require top kit, see page 22.

\*\* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

<sup>1</sup> Condensing unit: W – SC = Water – self-contained

## Ice Manager diverter valve system

For use with Horizon Elite Chewblet and Micro Chewblet ice machines for automatically filling two dispensers or bins.

For additional product information, approved bins and dispensers, and retrofit kits to connect to existing Horizon series ice machines, request form# 1050.

Standard equipment includes the following. One item number from each section must be included on a purchase order.

### Diverter valve and control panel

Item number	Description	List price
IMDV-2CM	Ice Manager diverter valve and control panel	\$6,110

### Lane 1 receptacle – Please select one of the following:

Item number	Description	List price
LANE1-DISPENSER/BIN <sup>1</sup>	Ice and beverage dispenser (IBD)/bin	\$310
LANE1-VISIONNEW <sup>2</sup>	Follett Vision VU new	\$310
LANE1-VU155RETRO	Follett Vision VU155 retrofit	\$310
LANE1-VU300RETRO	Follett Vision VU300 retrofit	\$310

### Lane 1 ice transport tube run – Please select one of the following:

Item number	Description	List price
LANE1-10FEET	10' (3 m) ice transport tube run	\$205
LANE1-25FEET	25' (7.6 m) ice transport tube run	\$520
LANE1-50FEET	50' (15.3 m) ice transport tube run	\$1,035
LANE1-75FEET	75' (22.9 m) ice transport tube run	\$1,550

### Lane 2 receptacle – Please select one of the following:

Item number	Description	List price
LANE2-DISPENSER/BIN <sup>1</sup>	Ice and beverage dispenser (IBD)/bin	\$310
LANE2-VISIONNEW <sup>2</sup>	Follett Vision VU new	\$310
LANE2-VU155RETRO	Follett Vision VU155 retrofit	\$310
LANE2-VU300RETRO	Follett Vision VU300 retrofit	\$310

### Lane 2 ice transport tube run – Please select one of the following:

Item number	Description	List price
LANE2-10FEET	10' (3 m) ice transport tube run	\$205
LANE2-25FEET	25' (7.6 m) ice transport tube run	\$520
LANE2-50FEET	50' (15.3 m) ice transport tube run	\$1,035
LANE2-75FEET	75' (22.9 m) ice transport tube run	\$1,550

<sup>1</sup> Select ice and beverage dispensers require top adapter kit, see table below.

<sup>2</sup> Requires factory-installed integration kit, item# VUIMDVKIT (no charge), which must be ordered with the Vision dispenser and included on the purchase order.

### Top kit adapters for select ice and beverage dispensers<sup>1</sup>


Item number	Dispenser manufacturer	Dispenser model number <sup>1</sup>	List price
DVF30 <sup>2</sup>	Coca-Cola <sup>3</sup>	Freestyle 7000	\$560
DVF26	Coca-Cola <sup>3</sup>	Freestyle 9100	\$535
DVP24 <sup>4</sup>	Pepsi	Spire 3.0	\$560
DVP30 <sup>4</sup>	Pepsi	Spire 5.0 / 4.1	\$560

<sup>1</sup> All ice and beverage dispensers utilize existing top except for Coca-Cola Freestyle 7000 and 9100 and Pepsi Spire 3.0 and 5.0, which require a top kit adapter.

<sup>2</sup> Top kit DVF30 also requires top adapter 46412 and ice kit 46430, which must be ordered from Coca-Cola.

<sup>3</sup> Consult with Coca-Cola and Follett to qualify application prior to ordering.


<sup>4</sup> Approved only for Pepsi Spire 3.0, 5.0 and 4.1 designed for top mount ice machines. Requires DVP24 top kit for 3.0 and DVP30 top kit for 5.0 and 4.1, ordered separately. For manual fill versions of Pepsi Spire 3.0, 5.0 and 4.1, contact factory.



## Horizon Elite Chewblet ice machines for Ice Manager diverter valve – 1010, 1400, 1810, 2110 series

Ice machines for RIDE (ice-through-a-tube) configurations.

Standard equipment includes 10' (3 m) insulated ice transport tube to connect ice machine with Ice Manager diverter valve module. Additional tubing/sensor cable to connect diverter valve to receptacle should be ordered with Ice Manager (see page 20).



Horizon Elite ice machine for use with Ice Manager diverter valve

### Micro Chewblet ice – Not available on Ice Manager applications.

For additional product information, request form# 7030 for 1010 and 1410 series self-contained, 7035 for 1010 and 1410 series remote, 1014 for 1412 remote, or 8180 for 1810 and 2110 remote.

See page 25 for additional accessory information.

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity lb (kg) *		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
					90 F air 70 F water (32/21 C)	70 F air 50 F water (21/10 C)				
<b>1010 series</b>										
HCC1010AMS	RIDE	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	765 (347)	1061 (482)	A – SC <sup>1</sup>	208-230/60/1	275 (125)	\$19,795
HCC1010WMS	RIDE	29.15 (74.0)	23.25 (59.1)	22.50 (57.2)	780 (354)	920 (418)	W – SC <sup>1</sup>	208-230/60/1	275 (125)	\$19,795
HCD1010RMS	RIDE	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R <sup>1</sup>	115/60/1 <sup>3</sup>	445 (202)	\$21,970
HCD1010NMS	RIDE	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	None <sup>2</sup>	115/60/1	185 (84)	\$18,695
HCF1010RMS <sup>†</sup>	RIDE	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	758 (344)	978 (444)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	465 (211)	\$22,345
<b>1410 series</b>										
HCC1410AMS	RIDE	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1097 (498)	1466 (666)	A – SC <sup>1</sup>	208-230/60/1	285 (129)	\$24,495
HCC1410WMS	RIDE	29.15 (74.0)	25.15 (63.9)	22.50 (57.2)	1238 (562)	1385 (629)	W – SC <sup>1</sup>	208-230/60/1	285 (129)	\$24,495
HCD1410RMS	RIDE	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	1083 (492)	1372 (623)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	433 (197)	\$26,665
HCD1410NMS	RIDE	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	1083 (492)	1372 (623)	None <sup>2</sup>	115/60/1	205 (93)	\$23,395
<b>1412 series – Condensing and evaporator unit</b>										
HCF1412RMS	RIDE	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	1138 (614)	1371 (622)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	487 (221)	\$27,355
<b>1412 series – Evaporator unit to be used with 1412 condensing unit<sup>3</sup></b>										
HCF1412KMS	RIDE	22.70 (57.7)	22.50 (57.1)	21.25 (53.9)	1138 (614)	1371 (622)	None <sup>3</sup>	115/60/1	205 (93)	\$23,630
<b>1412 series – Condensing unit to be used with 1412 evaporator unit</b>										
F1412CU	N/A	39.60 (100.6)	28.20 (71.6)	26.00 (66.0)	see evap unit	see evap unit	A – R <sup>1</sup>	208-230/60/3	282 (128)	\$3,725
<b>1810 series</b>										
HCD1810RMS	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	424 (192)	\$34,165
HCD1810NMS	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	None <sup>2</sup>	115/60/1	174 (79)	\$30,895
HCF1810RMS	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1420 (645)	1784 (810)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	421 (191)	\$34,545
<b>2110 series</b>										
HCD2110RMS	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R <sup>1</sup>	115/60/1 <sup>4</sup>	505 (229)	\$36,310
HCD2110NMS	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	None <sup>2</sup>	115/60/1	205 (93)	\$33,035
HCF2110RMS <sup>†</sup>	RIDE	22.70 (57.7)	23.70 (60.2)	22.50 (57.2)	1634 (741)	2039 (925)	A – R <sup>1</sup>	115/60/1 <sup>5</sup>	505 (229)	\$36,685

<sup>†</sup> ENERGY STAR<sup>®</sup> certified.

\* For water-cooled ice machines, standard conditions for capacity rating are 90 F condensing water temperature / 70 F potable water temperature or 70 F condensing water temperature / 50 F potable water temperature.

<sup>1</sup> Condensing unit: A – SC = Air – self-contained W – SC = Water – self-contained A – R = Air – remote

<sup>2</sup> For connection to parallel rack system.

<sup>3</sup> Not for use with rack system.

<sup>4</sup> Evaporator module is 115/60/1; condensing unit is 208-230/60/1.

<sup>5</sup> Evaporator module is 115/60/1; condensing unit is 208-230/60/3.

**Approved for RIDE model – ice and beverage dispensers manufactured by others<sup>1</sup>**

Coca-Cola Freestyle 7000 <sup>2</sup> / 7100 <sup>2,3</sup> / 9000 <sup>2</sup> / 9100 <sup>2</sup>	Follett Symphony Plus™ 110CM	Pepsi Spire 3.0 <sup>4</sup> / 5.0 <sup>4</sup> / 4.1 <sup>4</sup>	Servend SV250
Cornelius DB/DF/ED150BC Series	Lancer 4500-22N	Servend MD150	
Cornelius DB/DF/ED175BC Series	Lancer 4500-30N	Servend MD175	
Cornelius DB/DF/ED200BC Series	Lancer FS-16N	Servend MD200	
Cornelius DB/DF/ED250BC Series	Lancer FS-22N	Servend MD250	
Cornelius DB/DF/ED300BC Series	Lancer FS-30N	Servend MDH302	
Cornelius IDC215/255 and Pro Fast Gate	Lancer FS-44N	Servend MDH402	
Cornelius IDC Pro	Lancer Sensation/TouchPoint	Servend SV175	
Cornelius Flavor Fusion/Overload	Lancer Bevariety	Servend SV200	

<sup>1</sup> All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required. See table below for table of approved dispensers for top mount ice machines.

<sup>2</sup> Consult with Coca-Cola and Follett to qualify application prior to ordering.

<sup>3</sup> Top kit MSP30SC required with Coca-Cola Freestyle 7100. Top adapter IC Code 46751 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

<sup>4</sup> RIDE application is approved only for Pepsi Spire 3.0, 5.0 and 4.1 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0 and 4.1, ordered separately. For manual fill versions of Pepsi Spire 3.0, 5.0 and 4.1, contact factory.

**Top kits for RIDE model Horizon Elite ice machines for use with countertop ice and beverage dispensers**

Top kit accessory item number	Ice machine model	Dispenser	Dispenser model number	Dispenser series width	List price
<b>Required Horizon Elite RIDE model stainless steel adapter kits<sup>1</sup></b>					
HSF26SC <sup>2</sup>	Available for all models that end in HS.	Coca-Cola	Freestyle 9100	26"	\$560
MSP24SC <sup>3</sup>		Pepsi	Spire 3.0	24"	\$530
MSP30SC <sup>3</sup>	Example: HCC1010AHS	Pepsi	Spire 5.0 / 4.1	30"	\$560

<sup>1</sup> All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required. See table below for table of approved dispensers for top mount ice machines.

<sup>2</sup> Consult with Coca-Cola and Follett to qualify application prior to ordering.

<sup>3</sup> RIDE application is approved only for Pepsi Spire 3.0, 5.0 and 4.1 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0 and 4.1, ordered separately. For manual fill versions of Pepsi Spire 3.0, 5.0 and 4.1, contact factory.

## Top kits for Horizon Elite 710, 1000, 1400, 1810 and 2110 series ice machines for use with countertop ice and beverage dispensers

Top kit accessory item number	Ice machine model	Dispenser manufacturer	Dispenser model number	Dispenser series width	Installation orientation – Front or Back <sup>1</sup>	List price	Specification sheet form number
<b>Self-contained 1010 and 1410 series top mount applications – 22 - 60 inch dispensers<sup>2</sup></b>							
H30F30-F <sup>3,5</sup>	1010/1410A/W	Coca-Cola	Freestyle 7000	30"	F only	\$1,190	7030
H30F30-F <sup>3,6</sup>	1010/1410A/W	Coca-Cola	Freestyle 7100	30"	F only	\$1,190	7030
H30C30-F	1010/1410A/W	Cornelius	DB/DF/ED200 series	30"	F only	\$1,190	7030
H30C30-F	1010/1410A/W	Cornelius	DB/DF/ED250 series	30"	F only	\$1,190	7030
H30C30-F-FF	1010/1410A/W	Cornelius	Flavor Fusion/Overload	30"	F only	\$1,585	7030
H30C30-F-IDC <sup>7</sup>	1010/1410A/W	Cornelius	IDC 215/255/Pro Fast Gate	30"	F only	\$1,585	7030
H30C30-X-PRO <sup>8</sup>	1010/1410A/W	Cornelius	IDC Pro	30"	F and B	\$795	7030
H30C44- _	1010/1410A/W	Cornelius	DB/DF/ED300 series	44"	F or B	\$1,365	7030
H30L30-F	1010/1410A/W	Lancer	4500-30N	30"	F only	\$1,190	7030
H30L30-F	1010/1410A/W	Lancer	FS-30N	30"	F only	\$1,190	7030
H30L30-F-STP	1010/1410A/W	Lancer	Bevariety	30"	F only	\$1,190	7030
H30L30-F-STP	1010/1410A/W	Lancer	30" Sensation/Touchpoint	30"	F only	\$1,190	7030
H30L44-F-STP	1010/1410A/W	Lancer	44" Sensation	44"	F only	\$1,190	7030
H30P30-F	1010/1410A/W	Pepsi	Spire 5.0 / 4.1	30"	F only	\$1,190	7030
H30S44- _	1010/1410A/W	Servend	MDH-302	44"	F or B	\$1,365	7030
<b>Self-contained 710 and remote 1010, 1400, 1810, 2110 series top mount applications – 22 - 60 inch dispensers<sup>2</sup></b>							
H22F24-F <sup>3,4</sup>	710A,1010/1410/1810/2110R/N,1412R/K	Coca-Cola	Freestyle 9000	24"	F only	\$985	8225/7035/8180/1014
H22F26-F <sup>3</sup>	710A,1010/1410/1810/2110R/N,1412R/K	Coca-Cola	Freestyle 9100	26"	F only	\$985	8225/7035/8180/1014
H22F30-F <sup>3,5</sup>	710A,1010/1410/1810/2110R/N,1412R/K	Coca-Cola	Freestyle 7000	30"	F only	\$1,190	8225/7035/8180/1014
H22F30-F <sup>3,7</sup>	710A,1010/1410/1810/2110R/N,1412R/K	Coca-Cola	Freestyle 7100	30"	F only	\$1,190	8225/7035/8180/1014
H22C22-F	710A,1010/1410/1810/2110R/N,1412R/K	Cornelius	DB/DF/ED150 series	22"	F only	\$970	8225/7035/8180/1014
H22C24-F	710A,1010/1410/1810/2110R/N,1412R/K	Cornelius	DB/DF/ED175 series	24.5"	F only	\$985	8225/7035/8180/1014
H22C30-F	710A,1010/1410/1810/2110R/N,1412R/K	Cornelius	DB/DF/ED200 series	30"	F only	\$1,190	8225/7035/8180/1014
H22C30-X <sup>8</sup>	710A,1010/1410/1810/2110R/N,1412R/K	Cornelius	DB/DF/ED200 series	30"	F and B	\$1,110	8225/7035/8180/1014
H22C30-F	710A,1010/1410/1810/2110R/N,1412R/K	Cornelius	DB/DF/ED250 series	30"	F only	\$1,190	8225/7035/8180/1014
H22C30-X <sup>8</sup>	710A,1010/1410/1810/2110R/N,1412R/K	Cornelius	DB/DF/ED250 series	30"	F and B	\$1,110	8225/7035/8180/1014
H22C30-F-FF	710A,1010/1410/1810/2110R/N,1412R/K	Cornelius	Flavor Fusion/Overload	30"	F only	\$1,580	8225/7035/8180/1014
H22C30-F-IDC	710A,1010/1410/1810/2110R/N,1412R/K	Cornelius	IDC 215/255/Pro Fast Gate	30"	F only	\$1,580	8225/7035/8180/1014
H22C30-X-PRO	710A,1010/1410/1810/2110R/N,1412R/K	Cornelius	IDC Pro	30"	F and B	\$795	8225/7035/8180/1014
H22C44- _	710A,1010/1410/1810/2110R/N,1412R/K	Cornelius	DB/DF/ED300 series	44"	F or B	\$1,365	8225/7035/8180/1014
H22L22-F	710A,1010/1410/1810/2110R/N,1412R/K	Lancer	FS-22N	22"	F only	\$970	8225/7035/8180/1014
H22L30-F	710A,1010/1410/1810/2110R/N,1412R/K	Lancer	4500-30N	30"	F only	\$1,190	8225/7035/8180/1014
H22L30-F	710A,1010/1410/1810/2110R/N,1412R/K	Lancer	FS-30N	30"	F only	\$1,190	8225/7035/8180/1014
H22L30-F-STP	710A,1010/1410/1810/2110R/N,1412R/K	Lancer	Bevariety	30"	F only	\$1,190	8225/7035/8180/1014
H22L30-F-STP	710A,1010/1410/1810/2110R/N,1412R/K	Lancer	30" Sensation/Touchpoint	30"	F only	\$1,190	8225/7035/8180/1014
H22L44-F-STP	710A,1010/1410/1810/2110R/N,1412R/K	Lancer	44" Sensation	44"	F only	\$1,190	8225/7035/8180/1014
H22P24-F <sup>9</sup>	710A,1010/1410/1810/2110R/N,1412R/K	Pepsi	Spire 3.0	24"	F only	\$985	8225/7035/8180/1014
H22P30-F <sup>9</sup>	710A,1010/1410/1810/2110R/N,1412R/K	Pepsi	Spire 5.0 / 4.1	30"	F only	\$1,190	8225/7035/8180/1014
H22S30-F	710A,1010/1410/1810/2110R/N,1412R/K	Servend	SV200	30"	F only	\$1,100	8225/7035/8180/1014
H22S44- _	710A,1010/1410/1810/2110R/N,1412R/K	Servend	MDH-302	44"	F or B	\$1,365	8225/7035/8180/1014
H22S60- _	710A,1010/1410/1810/2110R/N,1412R/K	Servend	MDH-402	60"	DF, DB	\$1,645	8225/7035/8180/1014
H22S60- _	710A,1010/1410/1810/2110R/N,1412R/K	Servend	MDH-402	60"	RF, LF, RB, LB	\$1,190	8225/7035/8180/1014

<sup>1</sup> Installation orientations available:

DF – 2 front facing Horizon Elite ice machines

LF – 1 Horizon Elite ice machine - left side - front facing

RB – 1 Horizon Elite ice machine - right side - back facing

RF – 1 Horizon Elite ice machine - right side - front facing

DB – 2 back facing Horizon Elite ice machines

LB – 1 Horizon Elite ice machine - left side - back facing

**Note: For any other installation orientations, contact factory.**

<sup>2</sup> All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

<sup>3</sup> Consult with Coca-Cola and Follett to qualify application prior to ordering.

<sup>4</sup> Adapter must also be ordered from Coca-Cola. IC Code: 46010 (Silver), 46011 (Red) or 46012 (Black).

<sup>5</sup> Top adapter IC Code 46412 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

<sup>6</sup> Top adapter IC Code 46753 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

<sup>7</sup> Top adapter IC Code 46751 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

<sup>8</sup> Top designed with flexibility to accommodate front or back mounting.

<sup>9</sup> RIDE application is approved only for Pepsi Spire 3.0, 5.0 and 4.1 designed for top mount ice machines and requires MSP245C for 3.0 and MSP305C for 5.0 and 4.1, ordered separately. For manual fill versions of Pepsi Spire 3.0, 5.0 and 4.1, contact factory.

## Ice transport tube

Insulated polywire transport tube for RIDE ice machine installations requiring more than the standard 10' (3 m) length.

Item number	Description	List price
01252477	Ice transport tube kit, 15 ft (4.6 m)	\$330
01252485	Ice transport tube kit, 20 ft (6.1 m)	\$670
01252493	Ice transport tube kit, 30 ft (9.2 m)	\$1,340
01252501	Ice transport tube kit, 40 ft (12.2 m)	\$2,000
01252519	Ice transport tube kit, 50 ft (15.3 m)	\$2,660
01252527	Ice transport tube kit, 60 ft (18.3 m)	\$3,330
01413053	Ice transport tube kit, 75 ft (22.9 m)	\$4,000
01252543	Ice transport tube kit, 100 ft (30.5 m)	\$5,990



## Ice machine accessories

### Water treatment accessories for ice machines

Item number	Description	List price
<b>Carbonless high capacity filter system</b>		
01050442	Carbonless high capacity water filter system (one per ice machine) – Horizon Elite and Maestro Plus series ice machines	\$1,160
01050426	Carbonless high capacity water filter cartridge – primary, single	\$280
01050434	Carbonless high capacity water filter cartridge – primary, carton of 6	\$1,340
00130211	Water pre-filter cartridge – pre-filter, single	\$100
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$390
<b>Standard capacity carbon filter system</b>		
00130229	Water filter system (one per ice machine) – Maestro Plus series ice machines	\$1,090
00130245	Water filter cartridge – primary, single	\$250
00954297	Water filter cartridge – primary, carton of 6	\$1,140
00130211	Water pre-filter cartridge – pre-filter, single	\$100
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$390
<b>High capacity carbon filter system</b>		
00978957	High capacity water filter system (one per ice machine) – Horizon Elite series ice machines	\$1,300
00978965	High capacity water filter cartridge – primary, single	\$450
00978973	High capacity water filter cartridge – primary, carton of 6	\$2,200
00130211	Water pre-filter cartridge – pre-filter, single	\$100
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$390

### Other accessories for ice machines

Item number	Description	List price
01068477	Slide-out ice machine accessory for 115/60/1 air- and water-cooled ice machines (Vision and Harmony applications only) – allows air- and water-cooled RIDE model Maestro Plus 425 lb (193 kg) ice machine to slide-out without disconnecting utilities	\$1,410
AFWALLMTBRKT	Wall mount bracket for Maestro Plus 425A/W and 414A series RIDE model ice machines	\$500
00997098	Wall mount bracket for Horizon Elite 710A, 1010R/N, 1410R/N, 1412R/K, 1810R/N and 2110R/N series RIDE model ice machines	\$670
01085455	Wall mount bracket for Horizon Elite 1010A/W, 1012W, 1410A/W and 1412W series RIDE model ice machines	\$670
AFR400STND	Ice machine stand for Maestro Plus 425A/W and 414A series – height adjustable from 6.80" (17.27 cm) to 8.30" (21.08 cm)	\$1,040
00997080	Ice machine stand for Horizon Elite 710A, 1010R/N, 1410R/N, 1412R/K, 1810R/N and 2110R/N series – height adjustable from 6.80" (17.27 cm) to 8.30" (21.08 cm)	\$1,050
01085463	Ice machine stand for Horizon Elite 1010A/W, 1012W, 1410A/W and 1412W series – height adjustable from 6.80" (17.27 cm) to 8.30" (21.08 cm)	\$1,050
00193227	Line sets for connecting Horizon Elite 1010R/N and 1410R/N series ice machine evaporator units to their remote condensing units. 35 ft (11 m) line set. 3/8" liquid, 5/8" suction (insulated) cleaned and capped. Not pre-charged with refrigerant. Connections must be brazed (no quick connect).	\$820
01262328	Line sets for connecting Horizon Elite 1010R/N and 1410R/N series ice machine evaporator units to their remote condensing units. 50 ft (15 m) line set. 3/8" liquid, 5/8" suction (insulated) cleaned and capped. Not pre-charged with refrigerant. Connections must be brazed (no quick connect).	\$1,100
00977785	Line sets for connecting Horizon Elite 1412R/K, 1810R/N and 2110R/N series ice machine evaporator units to their remote condensing units. 35 ft (11 m) line set. 3/8" liquid, 7/8" suction (insulated) cleaned and capped. Not pre-charged with refrigerant. Connections must be brazed (no quick connect).	\$1,070
01338276	Sleep cycle kit for improved energy efficiency and component life <b>Note:</b> For countertop dispenser applications for models ending in HS and HT	\$210
00939140	30' (9 m) bin signal extension cord	\$230
00939157	60' (18 m) bin signal extension cord	\$340
01116177	Kit to convert Horizon Elite 1010, 1410, 1810 and 2110 series ice machine to integrate with Ice Manager diverter valve	\$960
01147826	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (1 x 8 oz bottle)	\$70
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 8 oz bottles)	\$170
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 8 oz bottles)	\$510

Item number	Description	List price
00979674	Nu-Calgon® IMS-III sanitizer, single 16 oz bottle	\$70
01038652	Nu-Calgon IMS-III sanitizer, case of 12 x 16 oz bottles	\$380
00132068	SaniSponge™, 4 sanitary sponges with plunger	\$70
01075431	SaniSponge, 24 sanitary sponges	\$120
00967265	Timer to control one or two ice machines	\$2,660

**Remote monitoring with Open Kitchen™**

Item number	Description	
MDD-1003	Three-year subscription and hardware For Horizon Elite ice machines with serial number Q34181 and above.	Contact factory

## Ice and water dispensers

Follett offers the industry's largest selection, with more than 30 sizes and configurations to meet the needs of virtually any application. Symphony Plus™ ice and water dispensers offer 12, 25, 50 or 90 lb of storage in attractive, space-saving cabinets with customer-valued features, exceptional reliability, and after-the-sale service and support. Champion™ ice and water dispensers are the most compact models available.

### Warranty

#### Symphony Plus ice and water dispensers

Follett Products, LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 3 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 3 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated territory.

The compressor shall be covered for an additional 2 years (parts only), for a total of 5 years from the date of installation.

#### WARRANTY CONDITIONS

- Warranty labor must be performed by the local Follett authorized service provider
- The equipment has been installed and operated in compliance with instructions provided by Follett
- Customer has documented record of preventive maintenance and cleaning of the machine every 6 months according to the instructions in the dispenser Installation, Operations and Service Manual
- Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond the control of Follett are expressly excluded from this warranty
- Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination
- Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
- Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km) premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett Products, LLC and are the responsibility of the equipment owner

#### Champion ice and water dispensers

Follett Products, LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty.


The compressor shall be covered for an additional 3 years (parts only), for a total of 5 years from the date of installation.

#### WARRANTY CONDITIONS


- Warranty labor must be performed by the local Follett authorized service provider
- The equipment has been installed and operated in compliance with instructions provided by Follett
- Customer has documented record of preventive maintenance and cleaning of the machine every 6 months according to the instructions in the dispenser Installation, Operations and Service Manual
- Dispenser is used in an application with greater than 5 mg/l but less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology)
- Dispenser is not to be used with softened water
- Premature internal filter life due to poor supply water is not covered
- Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond the control of Follett are expressly excluded from this warranty
- Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination
- Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers
- Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett Products, LLC and are the responsibility of the equipment owner.

This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship. Follett Products, LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett Products, LLC, technical service at +1 (877) 612-5086 or +1 (610) 252-7301.


## Champion ice and water dispensers




Champion 7 countertop



Champion 7 undercounter



Champion 15 countertop



Optional base stand

Countertop and undercounter dispensers with integral air-cooled ice machine. Champion 7 models have a storage capacity of 7 lb (3.2 kg) and are designed to serve up to 50 people. Champion 15 models have a storage capacity 15 lb (6.8 kg) and are designed to serve up to 75 people. All models produce up to 100 lb (45.4 kg) of Chewblet compressed nugget ice in a 24-hour period.

For additional information request form# 8940 for 7CI/E7CI models, 8900 for 7UC/E7UC/7UD/E7UD models, or 8945 for 15CI/E15CI models.

See page 29 for additional accessory information.

### Notes:

Intended for commercial use only. Follett can't guarantee freight carrier's ability to deliver to residential locations. Follett service providers may not be bonded to perform on-site warranty repairs in certain areas.

For use in applications with greater than 10 mg/l but less than 400 mg/l total dissolved solids in water and less than 100 mg/l hardness (either naturally occurring or treated with reverse osmosis or other hardness reducing technology). Not recommended for use with softened water.

Models with a Claris filter are recommended and provided at no extra charge.

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Voltage	Approx. ship wt lb (kg)	List price
<b>Champion 7 countertop ice and water dispensers</b>							
7C112A-IW-NF-ST-00	Countertop ice and water, no filter	14.62 (37.1)	22.38 (56.8)	17.62 (44.8)	115/60/1	92 (42)	\$9,440
7C112A-IW-CL-ST-00	Countertop ice and water, internal Claris <sup>1</sup> filter	14.62 (37.1)	22.38 (56.8)	17.62 (44.8)	115/60/1	92 (42)	\$9,440
E7C114A-IW-NF-ST-00 <sup>1</sup>	Countertop ice and water, no filter	14.62 (37.1)	22.38 (56.8)	17.62 (44.8)	230/50/1 <sup>1</sup>	92 (42)	\$9,640
E7C114A-IW-CL-ST-00 <sup>1</sup>	Countertop ice and water, internal Claris filter	14.62 (37.1)	22.38 (56.8)	17.62 (44.8)	230/50/1 <sup>1</sup>	92 (42)	\$9,640
<b>Champion 7 countertop ice, water and hot water dispensers</b>							
7C112A-HW-NF-ST-00	Countertop ice, water and hot water, no filter	14.62 (37.1)	22.38 (56.8)	17.62 (44.8)	115/60/1	92 (42)	\$9,440
7C112A-HW-CL-ST-00	Countertop ice, water and hot water, external Claris filter	14.62 (37.1)	22.38 (56.8)	17.62 (44.8)	115/60/1	96 (44)	\$9,440
<b>Champion 7 countertop ice-only dispensers</b>							
7C112A-NW-NF-ST-00	Countertop ice-only, no filter	14.62 (37.1)	22.38 (56.8)	17.62 (44.8)	115/60/1	92 (42)	\$9,440
7C112A-NW-CL-ST-00	Countertop ice-only, internal Claris filter	14.62 (37.1)	22.38 (56.8)	17.62 (44.8)	115/60/1	92 (42)	\$9,440
E7C114A-NW-NF-ST-00 <sup>1</sup>	Countertop ice-only, no filter	14.62 (37.1)	22.38 (56.8)	17.62 (44.8)	230/50/1 <sup>1</sup>	92 (42)	\$9,640
E7C114A-NW-CL-ST-00 <sup>1</sup>	Countertop ice-only, internal Claris filter	14.62 (37.1)	22.38 (56.8)	17.62 (44.8)	230/50/1 <sup>1</sup>	92 (42)	\$9,640
<b>Champion 7 undercounter ice and water dispensers</b>							
7UC112A-IW-NF-ST-00	Undercounter ice and water, no filter	14.62 (37.1)	22.38 (56.8)	33.50 (85.1)	115/60/1	120 (54)	\$10,505
7UC112A-IW-CL-ST-00	Undercounter ice and water, internal Claris filter	14.62 (37.1)	22.38 (56.8)	33.50 (85.1)	115/60/1	120 (54)	\$10,505
7UD112A-IW-NF-ST-00	Undercounter-ADA ice and water, no filter	14.62 (37.1)	22.38 (56.8)	31.50 (80.0)	115/60/1	120 (54)	\$10,505
7UD112A-IW-CL-ST-00	Undercounter-ADA ice and water, internal Claris filter	14.62 (37.1)	22.38 (56.8)	31.50 (80.0)	115/60/1	120 (54)	\$10,505
E7UC114A-IW-NF-ST-00 <sup>1</sup>	Undercounter ice and water, no filter	14.62 (37.1)	22.38 (56.8)	33.50 (85.1)	230/50/1 <sup>1</sup>	120 (54)	\$10,705
E7UC114A-IW-CL-ST-00 <sup>1</sup>	Undercounter ice and water, internal Claris filter	14.62 (37.1)	22.38 (56.8)	33.50 (85.1)	230/50/1 <sup>1</sup>	120 (54)	\$10,705
E7UD114A-IW-NF-ST-00 <sup>1</sup>	Undercounter-ADA ice and water, no filter	14.62 (37.1)	22.38 (56.8)	31.50 (80.0)	230/50/1 <sup>1</sup>	120 (54)	\$10,705
E7UD114A-IW-CL-ST-00 <sup>1</sup>	Undercounter-ADA ice and water, internal Claris filter	14.62 (37.1)	22.38 (56.8)	31.50 (80.0)	230/50/1 <sup>1</sup>	120 (54)	\$10,705
<b>Champion 7 undercounter ice, water and hot water dispensers</b>							
7UC112A-HW-NF-ST-00	Undercounter ice, water and hot water, no filter	14.62 (37.1)	22.38 (56.8)	33.50 (85.1)	115/60/1	120 (54)	\$11,005
7UC112A-HW-CL-ST-00	Undercounter ice, water and hot water, external Claris filter	14.62 (37.1)	22.38 (56.8)	33.50 (85.1)	115/60/1	120 (54)	\$11,005
7UD112A-HW-NF-ST-00	Undercounter-ADA ice and water, no filter	14.62 (37.1)	22.38 (56.8)	31.50 (80.0)	115/60/1	120 (54)	\$11,005
7UD112A-HW-CL-ST-00	Undercounter-ADA ice and water, external Claris filter	14.62 (37.1)	22.38 (56.8)	31.50 (80.0)	115/60/1	120 (54)	\$11,005

<sup>1</sup> Models not for use in the United States.

Item number	Configuration	Width in (cm)	Depth in (cm)	Height in (cm)	Voltage	Approx. ship wt lb (kg)	List price
<b>Champion 7 undercounter ice-only dispensers</b>							
7UC112A-NW-NF-ST-00	Undercounter ice-only, no filter	14.62 (37.1)	22.38 (56.8)	33.50 (85.1)	115/60/1	120 (54)	\$10,505
7UC112A-NW-CL-ST-00	Undercounter ice-only, internal Claris filter	14.62 (37.1)	22.38 (56.8)	33.50 (85.1)	115/60/1	120 (54)	\$10,505
7UD112A-NW-NF-ST-00	Undercounter-ADA ice-only, no filter	14.62 (37.1)	22.38 (56.8)	31.50 (80.0)	115/60/1	120 (54)	\$10,505
7UD112A-NW-CL-ST-00	Undercounter-ADA ice-only, internal Claris filter	14.62 (37.1)	22.38 (56.8)	31.50 (80.0)	115/60/1	120 (54)	\$10,505
E7UC114A-NW-NF-ST-00 <sup>1</sup>	Undercounter ice-only, no filter	14.62 (37.1)	22.38 (56.8)	33.50 (85.1)	230/50/1 <sup>1</sup>	120 (54)	\$10,705
E7UC114A-NW-CL-ST-00 <sup>1</sup>	Undercounter ice-only, internal Claris filter	14.62 (37.1)	22.38 (56.8)	33.50 (85.1)	230/50/1 <sup>1</sup>	120 (54)	\$10,705
E7UD114A-NW-NF-ST-00 <sup>1</sup>	Undercounter-ADA ice-only, no filter	14.62 (37.1)	22.38 (56.8)	31.50 (80.0)	230/50/1 <sup>1</sup>	120 (54)	\$10,705
E7UD114A-NW-CL-ST-00 <sup>1</sup>	Undercounter-ADA ice-only, internal Claris filter	14.62 (37.1)	22.38 (56.8)	31.50 (80.0)	230/50/1 <sup>1</sup>	120 (54)	\$10,705
<b>Champion 15 countertop ice and water dispensers</b>							
15C112A-IW-NF-ST-00	Countertop ice and water, no filter	14.62 (37.1)	22.38 (56.8)	22.50 (57.2)	115/60/1	105 (48)	\$10,440
15C112A-IW-CL-ST-00	Countertop ice and water, internal Claris filter	14.62 (37.1)	22.38 (56.8)	22.50 (57.2)	115/60/1	105 (48)	\$10,440
E15C114A-IW-NF-ST-00 <sup>1</sup>	Countertop ice and water, no filter	14.62 (37.1)	22.38 (56.8)	22.50 (57.2)	230/50/1 <sup>1</sup>	105 (48)	\$10,640
E15C114A-IW-CL-ST-00 <sup>1</sup>	Countertop ice and water, internal Claris filter	14.62 (37.1)	22.38 (56.8)	22.50 (57.2)	230/50/1 <sup>1</sup>	105 (48)	\$10,640
<b>Champion 15 countertop ice, water and hot water dispensers</b>							
15C112A-HW-NF-ST-00	Countertop ice, water and hot water, no filter	14.62 (37.1)	22.38 (56.8)	22.50 (57.2)	115/60/1	105 (48)	\$10,940
15C112A-HW-CL-ST-00	Countertop ice, water and hot water, external Claris filter	14.62 (37.1)	22.38 (56.8)	22.50 (57.2)	115/60/1	105 (48)	\$10,940
<b>Champion 15 countertop ice-only dispensers</b>							
15C112A-NW-NF-ST-00	Countertop ice-only, no filter	14.62 (37.1)	22.38 (56.8)	22.50 (57.2)	115/60/1	105 (48)	\$10,440
15C112A-NW-CL-ST-00	Countertop ice-only, internal Claris filter	14.62 (37.1)	22.38 (56.8)	22.50 (57.2)	115/60/1	105 (48)	\$10,440
E15C114A-NW-NF-ST-00 <sup>1</sup>	Countertop ice-only, no filter	14.62 (37.1)	22.38 (56.8)	22.50 (57.2)	230/50/1 <sup>1</sup>	105 (48)	\$10,640
E15C114A-NW-CL-ST-00 <sup>1</sup>	Countertop ice-only, internal Claris filter	14.62 (37.1)	22.38 (56.8)	22.50 (57.2)	230/50/1 <sup>1</sup>	105 (48)	\$10,640

<sup>1</sup> Models not for use in the United States.

## Champion ice and water dispenser accessories

Item number	Description	List price
01453661	Base stand, to convert countertop (CI) model to freestanding	\$1,045
00956318	6.00" (15.24 cm) legs, for optional base stand	\$280
00956300	4.00" (10.16 cm) legs, for countertop (CI)	\$280
01535343	Drip tray drain kit for countertop (CI) Champion models (includes 4.00" (10.16 cm) legs) – not for use with Champion 7UC/7UD models	\$630
01535335	Drip tray drain kit for base stand accessory (does not include legs) – not for use with Champion 7UC/7UD models	\$240
01535327	Kit to add internal Claris filter to -NW or -IW models – not for use with -HW models	\$880
01536093	Kit to convert -NW models to -IW models	\$520
01553650	Replacement hot water tank for -HW models only	\$350
01548635	Filter cartridge, replacement Claris, Champion	\$350
01147826	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (1 x 8 oz bottle)	\$70
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 8 oz bottles)	\$170
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 8 oz bottles)	\$510
00960732	Extended 3rd year warranty/unit	\$1,335

## Remote monitoring with Open Kitchen™


Item number	Description	List price
MDD-1003	Three-year subscription and hardware	Contact factory

## Symphony Plus ice and water dispensers – 12 series


Countertop and wall mount ice and water dispensers with 12 lb (5.4 kg) of storage. 12CI and C12CI integral ice machine uses R404a refrigerant and produces up to 425 lb (193 kg) of ice per day. E12CI integral ice machine uses R290 refrigerant and produces up to 388 lb (176 kg) of ice per day. C12CI and E12CI models are not for use in the United States.

All models feature stainless steel cabinet with accent trim. Water station included. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing. Wall mount models only available with SensorSAFE infrared dispensing.

For additional product information, request form# 6620 for 12CI models, 6625 for 12HI models, 6940 for C12CI models, or 1000 for E12CI.



Countertop with integral ice machine



Wall mount with integral ice machine (SensorSAFE dispensing only)

**12 series accessories** **List price**  
 4.00" (10.16 cm) leg kit for 12CI (item# AF10LBLEGS) ..... \$280

See page 35 for additional accessory information.

Item number	Configuration	Dispense	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Voltage	Approx. ship wt lb (kg)	List price
<b>12CI425 series ice and water dispensers</b>										
12CI425A-S	Countertop	SensorSAFE	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	115/60/1	199 (90)	\$11,455
12CI425A-L	Countertop	Lever	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	115/60/1	199 (90)	\$11,455
C12CI425A-S <sup>1</sup>	Countertop	SensorSAFE	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	220/60/1 <sup>1</sup>	<sup>1</sup> 199 (90)	\$11,665
C12CI425A-L <sup>1</sup>	Countertop	Lever	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	220/60/1 <sup>1</sup>	199 (90)	\$11,665
12HI425A-S0-00	Wall mount <sup>2</sup>	SensorSAFE	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	115/60/1	179 (81)	\$14,535
12HI425A-S0-DP	Wall mount <sup>2</sup>	SensorSAFE	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	115/60/1	184 (84)	\$14,980

<b>E12CI414 series ice and water dispensers</b>										
E12CI414A-S <sup>1</sup>	Countertop	SensorSAFE	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	230/50/1 <sup>1</sup>	199 (90)	\$11,665
E12CI414A-L <sup>1</sup>	Countertop	Lever	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	230/50/1 <sup>1</sup>	199 (90)	\$11,665

<sup>1</sup> Models not for use in the United States.

<sup>2</sup> 12HI425A-S0-DP wall mount unit configured with drain pan. 12HI425A-S0-00 wall mount unit configured without drain pan.

## Symphony Plus ice-only dispensers – 12 series


Countertop ice dispensers with 12 lb (5.4 kg) of storage. Ice-only; no water. 12CI and C12CI integral ice machine uses R404a refrigerant and produces up to 425 lb (193 kg) of ice per day. E12CI integral ice machine uses R290 refrigerant and produces up to 388 lb (176 kg) of ice per day. C12CI and E12CI models are not for use in the United States.

All models feature stainless steel cabinet with accent trim. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing.

For additional product information, request form# 6620 for 12CI models, 6625 for 12HI models, 6940 for C12CI models, or 1000 for E12CI.

**12 series accessories** **List price**  
 4.00" (10.16 cm) leg kit for 12CI (item# AF10LBLEGS) ..... \$280

See page 35 for additional accessory information.




Countertop with integral ice machine

Item number	Configuration	Dispense	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Voltage	Approx. ship wt lb (kg)	List price
<b>12CI425 series ice-only dispensers</b>										
12CI425A-SI	Countertop	SensorSAFE	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	115/60/1	199 (90)	\$11,455
12CI425A-LI	Countertop	Lever	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	115/60/1	199 (90)	\$11,455
C12CI425A-SI <sup>1</sup>	Countertop	SensorSAFE	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	220/60/1 <sup>1</sup>	199 (90)	\$11,665
C12CI425A-LI <sup>1</sup>	Countertop	Lever	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	220/60/1 <sup>1</sup>	199 (90)	\$11,665


<b>E12CI414 series ice-only dispensers</b>										
E12CI414A-SI <sup>1</sup>	Countertop	SensorSAFE	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	230/50/1 <sup>1</sup>	199 (90)	\$11,665
E12CI414A-LI <sup>1</sup>	Countertop	Lever	16.12 (40.9)	23.50 (59.7)	32.50 (82.6)	air-cooled	integral	230/50/1 <sup>1</sup>	199 (90)	\$11,665

<sup>1</sup> Models not for use in the United States.


## Symphony Plus ice and water dispensers with removable ice machine – 25 and 50 series



Countertop with removable ice machine behind splash panel



Wall mount with removable ice machine behind splash panel



Freestanding with removable ice machine in base

Countertop, freestanding and wall mount ice and water dispensers with 25 lb (11.3 kg) or 50 lb (22.7 kg) of storage. Removable icemaking module uses R404a refrigerant and produces up to 425 lb (193.0 kg) of ice per day. Stainless steel cabinet with accent trim. Water station included. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing. Wall mount models only available with SensorSAFE infrared dispensing.

For additional product information, request form# 6630 for 25CI and 50CI models, 6635 for 25HI and 50HI models, 6650 for 25FB and 50FB models, or 7090 for C25CI and C50CI models.

### 25 and 50 series accessories

### List price

4.00" (10.16 cm) leg kit for 25CI and 50CI (item# 00188417) ..... \$290  
 Caster kit for 25FB and 50FB (item# AFCASTERKIT) ..... \$630

See page 35 for additional accessory information.

Item number	Configuration	Dispense	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Voltage	Approx. ship wt lb (kg)	List price
<b>25 series ice and water dispensers</b>										
25CI425A-S	Countertop	SensorSAFE	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	air-cooled	behind splash panel	115/60/1	240 (109)	\$15,800
25CI425A-L	Countertop	Lever	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	air-cooled	behind splash panel	115/60/1	240 (109)	\$15,800
C25CI425A-S <sup>1</sup>	Countertop	SensorSAFE	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	air-cooled	behind splash panel	220/60/1 <sup>1</sup>	240 (109)	\$16,005
C25CI425A-L <sup>1</sup>	Countertop	Lever	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	air-cooled	behind splash panel	220/60/1 <sup>1</sup>	240 (109)	\$16,005
25CI425W-S	Countertop	SensorSAFE	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	water-cooled	behind splash panel	115/60/1	240 (109)	\$15,800
25CI425W-L	Countertop	Lever	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	water-cooled	behind splash panel	115/60/1	240 (109)	\$15,800
25HI425A-S0-00	Wall mount <sup>2</sup>	SensorSAFE	21.50 (54.6)	24.50 (62.2)	36.50 (92.7)	air-cooled	behind splash panel	115/60/1	230 (104)	\$18,465
25HI425A-S0-DP	Wall mount <sup>2</sup>	SensorSAFE	21.50 (54.6)	24.50 (62.2)	36.50 (92.7)	air-cooled	behind splash panel	115/60/1	235 (107)	\$19,490
25FB425A-S	Freestanding <sup>3</sup>	SensorSAFE	21.00 (53.3)	24.75 (62.9)	62.88 (159.7)	air-cooled	base mounted	115/60/1	250 (113)	\$17,310
25FB425A-L	Freestanding <sup>3</sup>	Lever	21.00 (53.3)	24.75 (62.9)	62.88 (159.7)	air-cooled	base mounted	115/60/1	250 (113)	\$17,310
25FB425W-S	Freestanding <sup>3</sup>	SensorSAFE	21.00 (53.3)	24.75 (62.9)	62.88 (159.7)	water-cooled	base mounted	115/60/1	250 (113)	\$17,310
25FB425W-L	Freestanding <sup>3</sup>	Lever	21.00 (53.3)	24.75 (62.9)	62.88 (159.7)	water-cooled	base mounted	115/60/1	250 (113)	\$17,310
<b>50 series ice and water dispensers</b>										
50CI425A-S	Countertop	SensorSAFE	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	air-cooled	behind splash panel	115/60/1	245 (111)	\$16,950
50CI425A-L	Countertop	Lever	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	air-cooled	behind splash panel	115/60/1	245 (111)	\$16,950
C50CI425A-S <sup>1</sup>	Countertop	SensorSAFE	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	air-cooled	behind splash panel	220/60/1 <sup>1</sup>	245 (111)	\$17,155
C50CI425A-L <sup>1</sup>	Countertop	Lever	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	air-cooled	behind splash panel	220/60/1 <sup>1</sup>	245 (111)	\$17,155
50CI425W-S	Countertop	SensorSAFE	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	water-cooled	behind splash panel	115/60/1	245 (111)	\$16,950
50CI425W-L	Countertop	Lever	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	water-cooled	behind splash panel	115/60/1	245 (111)	\$16,950
50HI425A-S0-00	Wall mount <sup>2</sup>	SensorSAFE	21.50 (54.6)	24.50 (62.2)	40.50 (102.9)	air-cooled	behind splash panel	115/60/1	234 (106)	\$19,945
50HI425A-S0-DP	Wall mount <sup>2</sup>	SensorSAFE	21.50 (54.6)	24.50 (62.2)	40.50 (102.9)	air-cooled	behind splash panel	115/60/1	239 (108)	\$20,785
50FB425A-S	Freestanding <sup>3</sup>	SensorSAFE	21.00 (53.3)	24.75 (62.9)	66.88 (169.9)	air-cooled	base mounted	115/60/1	253 (115)	\$18,615
50FB425A-L	Freestanding <sup>3</sup>	Lever	21.00 (53.3)	24.75 (62.9)	66.88 (169.9)	air-cooled	base mounted	115/60/1	253 (115)	\$18,615
50FB425W-S	Freestanding <sup>3</sup>	SensorSAFE	21.00 (53.3)	24.75 (62.9)	66.88 (169.9)	water-cooled	base mounted	115/60/1	253 (115)	\$18,615
50FB425W-L	Freestanding <sup>3</sup>	Lever	21.00 (53.3)	24.75 (62.9)	66.88 (169.9)	water-cooled	base mounted	115/60/1	253 (115)	\$18,615

<sup>1</sup> Models not for use in the United States.

<sup>2</sup> 25HI425A-S0-DP and 50HI425A-S0-DP wall mount units configured with drain pan. 25HI425A-S0-00 and 50HI425A-S0-00 wall mount units configured without drain pan.

<sup>3</sup> Freestanding models include 6.00" (15.24 cm) adjustable legs.


## Symphony Plus ice-only dispensers – 25 and 50 series

Countertop and wall mount ice dispensers with 25 lb (11.3 kg) or 50 lb (22.7 kg) of storage. Integral ice machine uses R404a refrigerant and produces up to 425 lb (193.0 kg) of ice per day. Stainless steel cabinet with accent trim. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing.


For additional product information, request form# 6630 for 25CI and 50CI models, 6635 for 25HI and 50HI models, or 7090 for C25CI and C50CI models.

**25 and 50 series accessories** **List price**  
 4.00" (10.16 cm) leg kit for 25CI and 50CI (item# 00188417) . . . . . \$290

See page 35 for additional accessory information.



Countertop with integral ice machine



Wall mount with integral ice machine (SensorSAFE dispensing only)

Item number	Configuration	Dispense	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Voltage	Approx. ship wt lb (kg)	List price
<b>25 series ice-only dispensers</b>										
25CI425A-SI	Countertop	SensorSAFE	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	air-cooled	behind splash panel	115/60/1	240 (109)	\$15,800
25CI425A-LI	Countertop	Lever	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	air-cooled	behind splash panel	115/60/1	240 (109)	\$15,800
C25CI425A-SI <sup>1</sup>	Countertop	SensorSAFE	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	air-cooled	behind splash panel	220/60/1 <sup>1</sup>	240 (109)	\$16,005
C25CI425A-LI <sup>1</sup>	Countertop	Lever	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	air-cooled	behind splash panel	220/60/1 <sup>1</sup>	240 (109)	\$16,005
25CI425W-SI	Countertop	SensorSAFE	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	water-cooled	behind splash panel	115/60/1	240 (109)	\$15,800
25CI425W-LI	Countertop	Lever	21.00 (53.3)	24.00 (61.0)	36.00 (91.4)	water-cooled	behind splash panel	115/60/1	240 (109)	\$15,800
25HI425A-SI-00	Wall mount <sup>2</sup>	SensorSAFE	21.50 (54.6)	24.50 (62.2)	36.50 (92.7)	air-cooled	behind splash panel	115/60/1	230 (104)	\$18,465
25HI425A-SI-DP	Wall mount <sup>2</sup>	SensorSAFE	21.50 (54.6)	24.50 (62.2)	36.50 (92.7)	air-cooled	behind splash panel	115/60/1	235 (107)	\$19,490
<b>50 series ice-only dispensers</b>										
50CI425A-SI	Countertop	SensorSAFE	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	air-cooled	behind splash panel	115/60/1	245 (111)	\$16,950
50CI425A-LI	Countertop	Lever	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	air-cooled	behind splash panel	115/60/1	245 (111)	\$16,950
C50CI425A-SI <sup>1</sup>	Countertop	SensorSAFE	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	air-cooled	behind splash panel	220/60/1 <sup>1</sup>	245 (111)	\$17,155
C50CI425A-LI <sup>1</sup>	Countertop	Lever	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	air-cooled	behind splash panel	220/60/1 <sup>1</sup>	245 (111)	\$17,155
50CI425W-SI	Countertop	SensorSAFE	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	water-cooled	behind splash panel	115/60/1	245 (111)	\$16,950
50CI425W-LI	Countertop	Lever	21.00 (53.3)	24.00 (61.0)	40.00 (101.6)	water-cooled	behind splash panel	115/60/1	245 (111)	\$16,950
50HI425A-SI-00	Wall mount <sup>2</sup>	SensorSAFE	21.50 (54.6)	24.50 (62.2)	40.50 (102.9)	air-cooled	behind splash panel	115/60/1	234 (106)	\$19,945
50HI425A-SI-DP	Wall mount <sup>2</sup>	SensorSAFE	21.50 (54.6)	24.50 (62.2)	40.50 (102.9)	air-cooled	behind splash panel	115/60/1	239 (108)	\$20,785

<sup>1</sup> Models not for use in the United States.

<sup>2</sup> 25HI425A-SI-DP and 50HI425A-SI-DP wall mount units configured with drain pan. 25HI425A-SI-00 and 50HI425A-SI-00 wall mount units configured without drain pan.



## Symphony Plus ice and water dispensers with removable ice machine – 110 series

Countertop and freestanding ice and water dispensers with 90 lb (40.8 kg) of storage. Removable icemaking module uses R404a refrigerant and produces up to 425 lb (193.0 kg) of ice per day. Stainless steel cabinet with accent trim. Water station included. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing.

For additional product information, request form# 6655 for 110CT models or 6670 for 110FB models.

### 110 series accessories


Caster kit for 110FB (item# AFCASTERKIT)..... \$630

### List price

See page 35 for additional accessory information.



Countertop with top mounted removable ice machine



Freestanding with removable ice machine in base

Item number	Configuration	Dispense	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Voltage	Approx. ship wt lb (kg)	List price
<b>110 series ice and water dispensers</b>										
110CT425A-S	Countertop	SensorSAFE	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	air-cooled	top mounted	115/60/1	286 (130)	\$24,570
110CT425A-L	Countertop	Lever	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	air-cooled	top mounted	115/60/1	286 (130)	\$24,570
110CT425W-S	Countertop	SensorSAFE	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	water-cooled	top mounted	115/60/1	286 (130)	\$24,570
110CT425W-L	Countertop	Lever	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	water-cooled	top mounted	115/60/1	286 (130)	\$24,570
110FB425A-S	Freestanding <sup>1</sup>	SensorSAFE	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	air-cooled	base mounted	115/60/1	285 (129)	\$27,085
110FB425A-L	Freestanding <sup>1</sup>	Lever	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	air-cooled	base mounted	115/60/1	285 (129)	\$27,085
110FB425W-S	Freestanding <sup>1</sup>	SensorSAFE	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	water-cooled	base mounted	115/60/1	285 (129)	\$27,085
110FB425W-L	Freestanding <sup>1</sup>	Lever	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	water-cooled	base mounted	115/60/1	285 (129)	\$27,085


<sup>1</sup> Freestanding models include 6.00" (15.24 cm) adjustable legs.

## Symphony Plus manual load ice and water dispensers – 110 series

Countertop manual fill ice and water dispensers with 110 lb (49.9 kg) of storage. Stainless steel cabinet with accent trim. Water station included. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing.

For additional product information, request form# 6660.

See page 35 for additional accessory information.



Countertop, manual fill

Item number	Configuration	Dispense	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Voltage	Approx. ship wt lb (kg)	List price
<b>Manual fill 110 series ice and water dispensers</b>										
110CM-NI-S <sup>1</sup>	Countertop	SensorSAFE	25.00 (63.5)	28.25 (71.8)	34.75 (88.3)	N/A	N/A	115/60/1	138 (63)	\$7,835
110CM-NI-L <sup>1</sup>	Countertop	Lever	25.00 (63.5)	28.25 (71.8)	34.75 (88.3)	N/A	N/A	115/60/1	138 (63)	\$7,835

<sup>1</sup> Manual fill configuration, not equipped with ice machine.

## Symphony Plus ice-only dispensers – 110 series

Countertop and freestanding ice dispensers with 90 lb (40.8 kg) of storage. Models equipped with integral ice machine use R404a refrigerant and produce up to 425 lb (193.0 kg) of ice per day. Stainless steel cabinet with accent trim. Water station not included. Choose appropriate item number for SensorSAFE infrared dispensing or lever dispensing, integral ice machine or manual fill and countertop or freestanding.

For additional product information, request form# 6655 for CT models, 6660 for CM models, or 6670 for FB models.

### 110 series accessories


### List price

Caster kit for 110FB (item# AFCASTERKIT)..... \$630


See page 35 for additional accessory information.



Countertop with top mounted removable ice machine



Freestanding with removable ice machine in base



Countertop, manual fill


Item number	Configuration	Dispense	Width in (cm)	Depth in (cm)	Height in (cm)	Condenser	Ice machine location	Voltage	Approx. ship wt lb (kg)	List price
<b>110 series ice-only dispensers</b>										
110CT425A-SI	Countertop	SensorSAFE	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	air-cooled	top mounted	115/60/1	286 (130)	\$24,570
110CT425A-LI	Countertop	lever	25.00 (63.5)	29.00 (73.7)	53.00 (134.6)	air-cooled	top mounted	115/60/1	286 (130)	\$24,570
110FB425A-SI	Freestanding	SensorSAFE	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	air-cooled	base mounted	115/60/1	285 (129)	\$27,085
110FB425A-LI	Freestanding	lever	25.00 (63.5)	28.25 (71.8)	68.12 (173.0)	air-cooled	base mounted	115/60/1	285 (129)	\$27,085
110CM-NI-SI <sup>1</sup>	Countertop	SensorSAFE	25.00 (63.5)	28.25 (71.8)	34.75 (88.3)	N/A	N/A	115/60/1	138 (63)	\$7,835
110CM-NI-LI <sup>1</sup>	Countertop	lever	25.00 (63.5)	28.25 (71.8)	34.75 (88.3)	N/A	N/A	115/60/1	138 (63)	\$7,835

<sup>1</sup> Manual fill configuration, not equipped with ice machine.


## Symphony Plus base stand options

Stainless steel base stand transforms Follett® countertop dispensers into freestanding dispensers. All bases include stainless steel exterior, and stainless legs with 6.00" (15.24 cm) adjustable flanged feet. Available with or without factory installed water filter system.

For additional product information, request form# 7010.



12 Series



25, 50, 110 Series

Item number	Description	Approx. ship wt lb (kg)	List price
12BASE-00	Base for 12 CI Series, 17.50" (44.4 cm) W x 22.00" (55.9 cm) D x 33.00" (83.8 cm) H	74 (34)	\$1,900
12BASE-CF	12BASE-00 with standard capacity carbon filter system (00130229) installed	86 (39)	\$3,045
12BASE-HC	12BASE-00 with high capacity carbon filter system (00978957) installed	86 (39)	\$3,265
12BASE-CL	12BASE-00 with carbonless high capacity filter system (01050442) installed	86 (39)	\$3,125
25AND50BASE-00	Base for 25 and 50 CI series, 22.75" (57.8 cm) W x 24.38" (61.9 cm) D x 33.00" (83.8 cm) H	78 (35)	\$1,975
25AND50BASE-CF	25AND50BASE-00 with standard capacity carbon filter system (00130229) installed	95 (43)	\$3,125
25AND50BASE-HC	25AND50BASE-00 with high capacity carbon filter system (00978957) installed	95 (43)	\$3,365
25AND50BASE-CL	25AND50BASE-00 with carbonless high capacity filter system (01050442) installed	95 (43)	\$3,215
110BASE-00	Base for 110 CT series, 26.00" (66.0 cm) W x 29.00" (73.7 cm) D x 33.00" (83.8 cm) H	96 (44)	\$3,160
110BASE-CF	110BASE-00 with standard capacity carbon filter system (00130229) installed	107 (49)	\$4,305
110BASE-HC	110BASE-00 with high capacity carbon filter system (00978957) installed	107 (49)	\$4,545
110BASE-CL	110BASE-00 with carbonless high capacity filter system (01050442) installed	107 (49)	\$4,435

## Ice and water dispenser accessories

### Water treatment accessories for Symphony Plus ice and water dispensers

Item number	Description	List price
<b>Carbonless high capacity filter system</b>		
01050442	Carbonless high capacity water filter system (one per ice machine)	\$1,160
01050426	Carbonless high capacity water filter cartridge – primary, single	\$280
01050434	Carbonless high capacity water filter cartridge – primary, carton of 6	\$1,340
00130211	Water pre-filter cartridge – pre-filter, single	\$100
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$390
<b>Standard capacity carbon filter system</b>		
00130229	Water filter system (one per ice machine)	\$1,090
00130245	Water filter cartridge – primary, single	\$250
00954297	Water filter cartridge – primary, carton of 6	\$1,140
00130211	Water pre-filter cartridge – pre-filter, single	\$100
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$390
<b>High capacity carbon filter system</b>		
00978957	High capacity water filter system (one per ice machine)	\$1,300
00978965	High capacity water filter cartridge – primary, single	\$450
00978973	High capacity water filter cartridge – primary, carton of 6	\$2,200
00130211	Water pre-filter cartridge – pre-filter, single	\$100
00954305	Water pre-filter cartridge – pre-filter, carton of 12	\$390

### Cleaning and sanitizing accessories for Symphony Plus ice and water dispensers

Item number	Description	List price
01089572	Pressurized water sanitizing kit for use with Follett dispensers that have a Follett water filtration system <sup>1</sup> (includes dip tube and bypass plug)	\$120
01089580	Pressurized water sanitizing kit for use with Follett dispensers that do not have a Follett water filtration system (includes filter housing, dip tube and bypass plug)	\$240
01147826	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (1 x 8 oz bottle)	\$70
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 8 oz bottles)	\$170
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 8 oz bottles)	\$510
00979674	Nu-Calgon® IMS-III sanitizer, single 16 oz bottle	\$70
01038652	Nu-Calgon IMS-III sanitizer, case of 12 x 16 oz bottles	\$380
01075431	SaniSponge, 24 sanitary sponges	\$120

<sup>1</sup> Applicable Follett water filter systems include 00130229, 00978957 and 01050442.

### Other accessories for Symphony Plus ice and water dispensers

Item number	Description	List price
01049790	Symphony Plus external drain kit - includes 10 ft (3 m) clear tubing and fitting	\$130
01068477	Slide-out ice machine accessory allows 115/60/1 air- or water-cooled RIDE model Maestro Plus 425 lb (193 kg) ice machine to slide-out without disconnecting utilities	\$1,410
AFCONDPUMP	Condensate pump	\$570
AFR400STND	Ice machine stand for Maestro Plus MCD/MCC425A/W or MCE414A – height adjustable from 6.80" (17.27 cm) to 8.30" (21.08 cm)	\$1,040

#### Ice transport tube

- Always replace tubing with like tubing. Example: Braided with braided.
- Contact factory to confirm appropriate tubing for your specific dispenser

AFINSLTUBE	Insulated braided ice transport tube, purchased in 5' (1.52 m) increments	\$80 / per ft
00174896	Insulated polywire ice transport tube, purchased in 5' (1.52 m) increments	\$80 / per ft

## Replacement ice machine for use in existing Symphony and Symphony Plus dispensers

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production per 24 hr lb (kg)	Condenser	Voltage	Ship wt lb (kg)	List price
R425A	18.84 (47.9)	20.00 (50.8)	17.00 (43.2)	425 (193)	air-cooled	115/60/1	127 (58)	\$11,025
R425W	18.84 (47.9)	22.06 (56.0)	17.00 (43.2)	425 (193)	water-cooled	115/60/1	127 (58)	\$11,025
P425A	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	air-cooled	115/60/1	117 (53)	\$10,510
CP425A	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	air-cooled	220/60/1	117 (53)	\$10,715
P425W	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	water-cooled	115/60/1	122 (55)	\$10,510
CP425W	15.30 (38.9)	19.90 (50.5)	16.80 (42.7)	425 (193)	water-cooled	220/60/1	122 (55)	\$10,715

Refer to matrix on page 36 for correct replacement ice machine.

## Replacement ice machine ordering matrix

Dispenser series	Replacement ice machine item number	Ice machine panel finish
<b>Countertop and wall mount dispensers with top mounted ice machines</b>		
25CT400A, 25HT400A, 50CT400A, 50HT400A	P425A	no panels
25CT400W, 25HT400W, 50CT400W, 50HT400W	P425W	no panels
110CT400A	P425A	no panels
110CT425A	P425A	no panels
110CT400W	P425W	no panels
110CT425W	P425W	no panels
<b>Countertop and wall mount dispensers with ice machine behind front splash panel</b>		
25CI400A, 50CI400A, 25HI400A, 50HI400A	P425A	no panels
25CI400W, 50CI400W	P425W	no panels
25CI425A, 50CI425A, 25HI425A, 50HI425A	P425A	no panels
25CI425W, 50CI425W	P425W	no panels
<b>Countertop and wall mount dispensers with RIDE model ice machines</b>		
C25R5A, H25R5A, C50R5A, H50R5A	R425A	stainless
C25R5W, H25R5W, C50R5W, H50R5W	R425W	stainless
25CR400A, 25HR400A, 50CR400A, 50HR400A	R425A	stainless
25CR400W, 25HR400W, 50CR400W, 50HR400W	R425W	stainless
25CR425A, 25HR425A, 50CR425A, 50HR425A	R425A	stainless
25CR425W, 25HR425W, 50CR425W, 50HR425W	R425W	stainless
C110R5A	R425A	stainless
C110R5W	R425W	stainless
110CR400A	R425A	stainless
110CR400W	R425W	stainless
110CR425A	R425A	stainless
110CR425W	R425W	stainless
<b>Freestanding dispensers with ice machine in base</b>		
25FB400A, 50FB400A	P425A	no panels
25FB400W, 50FB400W	P425W	no panels
25FB425A, 50FB425A	P425A	no panels
25FB425W, 50FB425W	P425W	no panels
110FB400A	P425A	no panels
110FB400W	P425W	no panels
110FB425A	P425A	no panels
110FB425W	P425W	no panels

## Ice and beverage dispensers

Attractive low-profile ice and beverage dispensers with below-counter ice storage for a wide variety of foodservice applications. Perfect for beverage islands because visibility is not restricted. Models include QuickCARB™ beverage manifold so changing from carbonated to non-carbonated beverage is as easy as the flip of a lever.

### Warranty

#### Vision™ ice and beverage dispensers

Follett Products, LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated territory.

**Note:** Marine units carry 2 year parts warranty and a limited 2 year labor warranty. Labor will be covered provided Follett receives 72 hours notice to perform service and service is provided at a port located in the 48 contiguous states.

#### WARRANTY CONDITIONS

- Warranty labor must be performed by the local Follett authorized service provider
- The equipment has been installed and operated in compliance with instructions provided by Follett
- Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond the control of Follett are expressly excluded from this warranty
- Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination
- Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
- Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett Products, LLC and are the responsibility of the equipment owner

**This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship.**


Follett Products, LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett Products, LLC, technical service at +1 (877) 612-5086 or +1 (610) 252-7301.

## Vision ice and beverage dispensers – VU155B series with integral ice water bath beverage cooling

Ice and beverage dispensers with undercounter ice storage. Dispensers are ready to accept 1 or 2 Follett RIDE model Chewblet ice machines, sold separately (see page 12, 17, or 19).

Standard equipment includes:

- Integral ice water bath beverage cooling
- 8 or 10 Cornelius UFB1 valves with QuickCARB manifold (Lancer lever valves (Coke accounts only). Add “-LAN” to model number.)
- Keyswitch for valves
- 6.00" - 9.00" (15.24 - 22.86 cm) legs
- **10' (3 m) insulated ice transport tube for connection to Follett ice machine, sold separately.** Additional tubing or tubing for replacement ice machines or for multiple ice machines must be ordered separately. For additional tube lengths, see page 24. Maximum run length of ice transport tube is 75' (22.9 m). For transport tube lengths greater than 20' (6.1 m), order 30' (9.2 m) extension cable, item# 00939140 or 60' (18.3 m) extension cable, item# 00939157.



Vision VU155B8 Series

For additional product information, request form# 2780.

Item number	Max. storage capacity lb (kg)	Width in (cm)	Depth in (cm)	Height in (cm)	Tower side (facing unit)	Ice/beverage actuation	Voltage	Approx. ship wt lb (kg)	List price
VU155B8RP	150 (68)	31.25 (79.4)	27.38 (69.5)	55.88 (141.9)	Right	Push button	115/60/1	298 (135)	\$26,580
VU155B8LP	150 (68)	31.25 (79.4)	27.38 (69.5)	55.88 (141.9)	Left	Push button	115/60/1	298 (135)	\$26,580
VU155B8RL	150 (68)	31.25 (79.4)	27.38 (69.5)	55.88 (141.9)	Right	Sanitary lever	115/60/1	298 (135)	\$26,580
VU155B8LL	150 (68)	31.25 (79.4)	27.38 (69.5)	55.88 (141.9)	Left	Sanitary lever	115/60/1	298 (135)	\$26,580
VU155B10RP	150 (68)	37.25 (94.6)	27.38 (69.5)	55.88 (141.9)	Right	Push button	115/60/1	301 (137)	\$29,885
VU155B10LP	150 (68)	37.25 (94.6)	27.38 (69.5)	55.88 (141.9)	Left	Push button	115/60/1	301 (137)	\$29,885
VU155B10RL	150 (68)	37.25 (94.6)	27.38 (69.5)	55.88 (141.9)	Right	Sanitary lever	115/60/1	301 (137)	\$29,885
VU155B10LL	150 (68)	37.25 (94.6)	27.38 (69.5)	55.88 (141.9)	Left	Sanitary lever	115/60/1	301 (137)	\$29,885


## Vision ice and chilled water dispensers – VU155N series

Ice and water dispensers with undercounter ice storage. Dispensers are ready to accept 1 or 2 Follett RIDE model Chewblet ice machines, sold separately (see page 12, 17 or 19).

Standard equipment includes:

- Water dispense valve only
- 6.00" - 9.00" (15.24 - 22.86 cm) legs
- **10' (3 m) insulated ice transport tube for connection to Follett ice machine, sold separately.** Additional tubing or tubing for replacement ice machines or for multiple ice machines must be ordered separately. For additional tube lengths, see page 24. Maximum run length of ice transport tube is 75' (22.9 m). For transport tube lengths greater than 20' (6.1 m), order 30' (9.2 m) extension cable, item# 00939140 or 60' (18.3 m) extension cable, item# 00939157.

For additional product information, request form# 2790 for VU155N models or 6975 for EVU155N models.



Vision VU155N Series ice and water dispenser

Item number	Max. storage capacity lb (kg)	Width in (cm)	Depth in (cm)	Height in (cm)	Tower side (facing unit)	Ice/beverage actuation	Voltage	Approx. ship wt lb (kg)	List price
<b>VU155N series ice and water dispensers</b>									
VU155N0RP	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Right	Push button	115/60/1	231 (105)	\$17,730
VU155N0LP	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Push button	115/60/1	231 (105)	\$17,730
VU155N0RL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Right	Sanitary lever	115/60/1	231 (105)	\$17,730
VU155N0LL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Sanitary lever	115/60/1	231 (105)	\$17,730
EVU155N0RP	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Right	Push button	230/50/1	232 (105)	\$18,040
EVU155N0LP	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Push button	230/50/1	232 (105)	\$18,040
EVU155N0RL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Right	Sanitary lever	230/50/1	232 (105)	\$18,040
EVU155N0LL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Sanitary lever	230/50/1	232 (105)	\$18,040
<b>VU155N series ice-only dispensers</b>									
EVU155NWRP	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Right	Push button	230/50/1	232 (105)	\$17,560
EVU155NWL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Push button	230/50/1	232 (105)	\$17,560
EVU155NWR	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Right	Sanitary lever	230/50/1	232 (105)	\$17,560
EVU155NWL	150 (68)	31.25 (79.4)	27.38 (69.5)	58.88 (149.6)	Left	Sanitary lever	230/50/1	232 (105)	\$17,560

## Vision ice and water dispensers for marine applications – CVU series


Designed to address United States Public Health Service (USPHS) principles for marine/shipboard use. Dispensers are ready to accept 1 or 2 Follett RIDE model Chewblet ice machines, sold separately (see page 12, 17 or 19).

Standard equipment includes:

- Water dispense valve only
- 6.00" - 9.00" (15.24 - 22.86 cm) legs for CVU155 or 4.00" - 6.75" (10.16 - 17.15 cm) legs for CVU300
- **10' (3 m) insulated ice transport tube for connection to Follett ice machine, sold separately.** Additional tubing or tubing for replacement ice machines or for multiple ice machines must be ordered separately. For additional tube lengths, see page 24. Maximum run length of ice transport tube is 75' (22.9 m). For transport tube lengths greater than 20' (6.1 m), order 30' (9.2 m) extension cable, item# 00939140 or 60' (18.3 m) extension cable, item# 00939157.

**Note:** Marine units carry 2 year parts warranty and a limited 2 year labor warranty. Labor will be covered provided Follett receives 72 hours notice to perform service and service is provided at a port located in the 48 contiguous states.

For additional product information, request form# 3560.



Vision CVU155N Series

Item number	Max. storage capacity lb (kg)	Width in (cm)	Depth in (cm)	Height in (cm)	Tower side (facing unit)	Ice/beverage actuation	Voltage	Approx. ship wt lb (kg)	List price
CVU155NORP	150 (68)	31.25 (79.4)	27.38 (69.6)	58.88 (149.6)	Right	Push button	220/60/1	232 (105)	\$20,590
CVU155NOLP	150 (68)	31.25 (79.4)	27.38 (69.6)	58.88 (149.6)	Left	Push button	220/60/1	232 (105)	\$20,590
CVU155NORL	150 (68)	31.25 (79.4)	27.38 (69.6)	58.88 (149.6)	Right	Sanitary lever	220/60/1	232 (105)	\$20,590
CVU155NOLL	150 (68)	31.25 (79.4)	27.38 (69.6)	58.88 (149.6)	Left	Sanitary lever	220/60/1	232 (105)	\$20,590
CVU300NORP	300 (136)	40.75 (103.5)	32.38 (82.2)	54.87 (139.3)	Right	Push button	220/60/1	354 (161)	\$34,530
CVU300NOLP	300 (136)	40.75 (103.5)	32.38 (82.2)	54.87 (139.3)	Left	Push button	220/60/1	354 (161)	\$34,530
CVU300NORL	300 (136)	40.75 (103.5)	32.38 (82.2)	54.87 (139.3)	Right	Sanitary lever	220/60/1	354 (161)	\$34,530
CVU300NOLL	300 (136)	40.75 (103.5)	32.38 (82.2)	54.87 (139.3)	Left	Sanitary lever	220/60/1	354 (161)	\$34,530


## Vision ice and beverage dispensers – VU300B series with integral ice water bath beverage cooling

Dispensers are ready to accept 1 or 2 Follett RIDE model Chewblet ice machines, sold separately (see page 12, 17 or 19).

Standard equipment includes:

- Integral ice water bath beverage cooling
- 8 or 10 Cornelius UFB1 valves with QuickCARB manifold (Lancer lever valves (Coke accounts only). Add "-LAN" to model number.)
- Keyswitch for valves
- 4.00" - 6.75" (10.16 - 17.15 cm) legs
- **10' (3 m) insulated ice transport tube for connection to Follett ice machine, sold separately.** Additional tubing or tubing for replacement ice machines or for multiple ice machines must be ordered separately. For additional tube lengths, see page 24. Maximum run length of ice transport tube is 75' (22.9 m). For transport tube lengths greater than 20' (6.1 m), order 30' (9.2 m) extension cable, item# 00939140 or 60' (18.3 m) extension cable, item# 00939157.

For additional product information, request form# 2795.



Vision VU300B8 Series

Item number	Max. storage capacity lb (kg)	Width in (cm)	Depth in (cm)	Height in (cm)	Tower side (facing unit)	Ice/beverage actuation	Voltage	Approx. ship wt lb (kg)	List price
VU300B8RP	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Right	Push button	115/60/1	420 (191)	\$34,330
VU300B8LP	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Left	Push button	115/60/1	420 (191)	\$34,330
VU300B8RL	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Right	Sanitary lever	115/60/1	420 (191)	\$34,330
VU300B8LL	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Left	Sanitary lever	115/60/1	420 (191)	\$34,330
VU300B10RP	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Right	Push button	115/60/1	433 (197)	\$35,570
VU300B10LP	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Left	Push button	115/60/1	433 (197)	\$35,570
VU300B10RL	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Right	Sanitary lever	115/60/1	433 (197)	\$35,570
VU300B10LL	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Left	Sanitary lever	115/60/1	433 (197)	\$35,570


## Vision ice and beverage dispensers – VU300M series dual-sided for connection to remote mechanical beverage cooling system

Dispensers are ready to accept 1 or 2 Follett RIDE model Chewblet ice machines, sold separately (see page 12, 17 or 19).

Standard equipment includes:

- 20 or 24 Cornelius UFB1 valves with QuickCARB manifold (Lancer lever valves (Coke accounts only). Add "-LAN" to model number.)
- Keyswitch for valves
- 4.00" - 6.75" (10.16 - 17.15 cm) legs
- **10' (3 m) insulated ice transport tube for connection to Follett ice machine, sold separately.** Additional tubing or tubing for replacement ice machines or for multiple ice machines must be ordered separately. For additional tube lengths, see page 24. Maximum run length of ice transport tube is 75' (22.9 m). For transport tube lengths greater than 20' (6.1 m), order 30' (9.2 m) extension cable, item# 00939140 or 60' (18.3 m) extension cable, item# 00939157.

For additional product information, request form# 2800 and 3760.



Vision VU300M20D Series

Item number	Max. storage capacity lb (kg)	Width in (cm)	Depth in (cm)	Height in (cm)	Tower side (facing unit)	Ice/beverage actuation	Voltage	Approx. ship wt lb (kg)	List price
VU300M20DP	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Dual	Push button	115/60/1	414 (188)	\$42,775
VU300M20DL	300 (136)	40.88 (103.8)	32.38 (82.2)	54.75 (139.0)	Dual	Sanitary lever	115/60/1	414 (188)	\$42,775
VU300M24DP	300 (136)	43.88 (111.5)	32.38 (82.2)	54.75 (139.0)	Dual	Push button	115/60/1	420 (191)	\$47,720
VU300M24DL	300 (136)	43.88 (111.5)	32.38 (82.2)	54.75 (139.0)	Dual	Sanitary lever	115/60/1	420 (191)	\$47,720

## Vision ice and beverage dispenser accessories

Item number	Description	List price
00137257	4.00" (10.16 cm) stainless steel leg (individual) adjustable to 6.75" (17.15 cm) – VU300 series only	\$150

## QuickCARB beverage manifold

**Standard on all Vision ice and beverage dispensers** – The center valves are plumbed to both carbonated and non-carbonated water supplies, allowing fast, easy beverage changes. For 8, 10 and 20 valve units, the 4 center valves are QuickCARB valves. For 12 and 24 valve units, the 6 center valves are QuickCARB valves.



# Ice storage, ice transport and ice handling

Follett offers ice storage, dispensing and transport solutions in capacities and sizes to meet nearly every need, with features that can make your ice management easier, safer, and more sanitary.

## Warranty

### Single door upright bins and single door Ice•Device™ chuted bin and cart systems

Follett Products, LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for the useful life of the product. Parts and labor for corrosion repair are covered under this warranty.

All other integral components are covered against defects in material and workmanship under normal use and service for a period of 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated territory.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

### Ice storage and transport systems (ITS); double door upright bins; and double door Ice•Device™ chuted bin and cart systems

Follett Products, LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for corrosion repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated territory.

All other integral components are covered against defects in material and workmanship under normal use and service for a period of 5 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 5 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated territory.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

### Ice Pro™ automatic ice bagging and dispensing systems

Follett Products, LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated territory.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

### Slope front bins

Follett Products, LLC warrants to the original end user that the cabinet exterior, including the top and trim, and the interior liner will be free of corrosion for 3 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for corrosion repair within this 3 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated territory.

All other integral components are covered against defects in material and workmanship under normal use and service for 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated territory.

Removal of ice machine to service bin and any labor costs incurred are expressly excluded from this warranty.

### Ice transport carts; Totes™ ice carriers; ice shovels; ice probes; ice rakes

Follett Products, LLC warrants to the original end user that all parts shall be free from defects in materials and workmanship under normal use and service for a period of 2 years from date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts within this 2 year period are covered under this warranty. Labor required for repair within a 1 year period is covered under this warranty. For products outside of the U.S., the labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated territory.

## WARRANTY CONDITIONS

- Warranty labor must be performed by the local Follett authorized service provider
- The equipment has been installed and operated in compliance with instructions provided by Follett
- Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond Follett's control are expressly excluded from this warranty
- Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination
- Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
- Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 50 miles (80 km) premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett Products, LLC and are the responsibility of the equipment owner

**This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship.**

Follett LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett Products, LLC, technical service at +1 (877) 612-5086 or +1 (610) 252-7301.

## Upright ice storage bins – single door and double door with SmartGATE® ice shield

Ice storage bins with industry-exclusive SmartGATE ice shield. Complete stainless exterior standard, including stainless back and bottom. All bins include a poly liner and corrosion-resistant ABS/poly top (single door uprights) or stainless top (double door uprights), which is custom cut for ice machine(s). 6.00" (15.24 cm) stainless steel adjustable legs and 82 oz (2.4 L) plastic ice scoop.


For additional product information, request form# 9140 for single door or 9145 for double door uprights.

### Accessories for single door and double door upright bins


	List price
Plastic ice shovel (item# ABICSHOVEL) .....	\$270
Ice paddle (item# ABICEPADDL46) .....	\$270
Ice rake, single door uprights (item# AB36RAKE) .....	\$340
Ice rake, double door uprights (item# ABICERAKE) .....	\$340
6.00" (15.24 cm) stainless flanged legs (set of 4) (item# ABSPECLEG3) .....	\$570
10.00" (25.4 cm) stainless flanged legs (set of 4) (item# 00151647) .....	\$720
Center partition for single door upright models (except models SG500, 700, 1000 and 2000) .....	\$1,805
Center partition for double door upright models .....	\$2,845
Reinforced top for single door upright models except SG500, 700 and 1000 (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 0.5" (1.27 cm) to H). .....	\$2,770
Reinforced top for double door upright models (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 2.12" (5.38 cm) to H). .....	\$3,535
Correctional package (item# 00917054) .....	\$2,665

Flexi-Top ice bin top system for 48.00" (121.9 cm) and 60.00" (152.4 cm) bins only (see page 47)... no charge

See page 48 for additional accessory information.



Single door upright



Double door upright

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth <sup>1</sup> in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
<b>Single door uprights</b>							
SG500S-30	460 (209)	30.00 (76.2)	31.00 (78.7)	44.50 (113.0)	31.00 (78.7)	210 (96)	\$7,450
SG700S-30	680 (309)	30.00 (76.2)	31.00 (78.7)	60.00 (152.4)	31.00 (78.7)	212 (97)	\$8,880
SG1000S-36 <sup>2</sup>	990 (450)	36.00 (91.4)	31.00 (78.7)	69.50 (176.5)	32.00 (81.3)	257 (117)	\$10,555
SG860S-48	860 (391)	48.00 (121.9)	31.00 (78.7)	46.50 (118.1)	31.00 (78.7)	255 (116)	\$9,915
SG1010S-48	1000 (454)	48.00 (121.9)	31.00 (78.7)	56.00 (142.4)	32.00 (81.3)	268 (122)	\$10,260
SG1175S-48	1185 (538)	48.00 (121.9)	31.00 (78.7)	62.00 (157.5)	32.00 (81.3)	298 (136)	\$10,720
SG1300S-48	1320 (599)	48.00 (121.9)	31.00 (78.7)	65.00 (165.1)	32.00 (81.3)	277 (126)	\$11,010
SG1160S-56	1170 (531)	56.00 (142.2)	31.00 (78.7)	56.00 (142.2)	32.00 (81.3)	296 (135)	\$12,280
SG1350S-56	1360 (617)	56.00 (142.2)	31.00 (78.7)	62.00 (157.5)	32.00 (81.3)	322 (147)	\$12,970
SG1080S-60	1080 (490)	60.00 (152.4)	31.00 (78.7)	46.50 (118.1)	32.00 (81.3)	355 (161)	\$11,140
SG1325S-60	1325 (602)	60.00 (152.4)	31.00 (78.7)	56.00 (142.2)	32.00 (81.3)	320 (145)	\$11,595
SG1475S-60	1490 (676)	60.00 (152.4)	31.00 (78.7)	62.00 (157.5)	32.00 (81.3)	321 (146)	\$12,355
SG1650S-60	1660 (754)	60.00 (152.4)	31.00 (78.7)	65.00 (165.1)	32.00 (81.3)	340 (155)	\$12,520
SG2000S-60 <sup>3</sup>	2000 (908)	60.00 (152.4)	31.00 (78.7)	80.00 (203.2)	32.00 (81.3)	382 (173)	\$13,955
<b>Double door uprights</b>							
SG1850-96	1870 (849)	96.00 (243.8)	31.00 (78.7)	51.00 (129.5)	32.00 (81.3)	450 (205)	\$25,000
SG2100-72	2110 (958)	72.00 (182.9)	40.00 (101.6)	57.00 (144.8)	41.00 (104.1)	486 (221)	\$21,115
SG2250-72	2250 (1022)	72.00 (182.9)	48.00 (121.9)	50.50 (128.3)	49.00 (124.5)	516 (235)	\$20,965
SG2650-72	2650 (1203)	72.00 (182.9)	40.00 (101.6)	66.50 (168.9)	41.00 (104.1)	571 (259)	\$25,315
SG3200-72 <sup>4</sup>	3240 (1471)	72.00 (182.9)	48.00 (121.9)	69.50 (176.5)	35.00 (88.9)	762 (346)	\$26,540
SG3900-72 <sup>4</sup>	3940 (1789)	72.00 (182.9)	48.00 (121.9)	81.50 (207.0)	44.00 (111.8)	835 (379)	\$30,295
SG4600-72 <sup>4</sup>	4640 (2107)	72.00 (182.9)	48.00 (121.9)	93.00 (236.2)	47.00 (119.4)	901 (409)	\$31,120


<sup>1</sup> Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

<sup>2</sup> Standard with 6.00" (15.24 cm) flanged legs and available only with stainless steel top. Correctional package not available.


<sup>3</sup> 18.00" (45.7 cm) sleeve with window on a 62.00" (157.5 cm) high bin.

<sup>4</sup> Ships in two sections.


## Ice•Devlce ice storage and dispensing systems – single door with cart or bagger



Ice•Devlce with SmartCART 75 ice cart



Ice•Devlce with Cambro ICS125L cart



Ice•Devlce with bagger

Labor-saving elevated bins dispense ice out of front chute. For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge™ door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and base. All models include a corrosion-resistant ABS/poly top, which is custom cut for ice machine(s).

Configurations shown below include one of the following: SmartCART 75 ice cart with 3 polyethylene Totes ice carriers, each Totes ice carrier holding 25 lb (11 kg) of ice for a total of 75 lb (34 kg); Cambro brand model ICS125L ice cart which holds 125 lb (57 kg) of ice; or a bagger kit with 250 plastic bags of 10 lb (4.5 kg) capacity. Add designator -75 (SmartCART 75), -ICS125L (Cambro) or -BG (bagger kit) to select configuration.

For additional product information, request form# 9720.

### Accessories for single door Ice•Devlce ice storage and dispensing systems

### List price

Reinforced top for single door Ice•Devlce models except DEV500 and 700  
(required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 0.5" (1.27 cm) to H). . . . . \$2,770  
Correctional package (item# 00917054) . . . . . \$2,665

See page 48 for additional accessory information.

Item number †	with SC75 cart	with Cambro cart	with bagger kit	Max. bin cap. lb (kg)	Width in (cm)	Depth <sup>1</sup> in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
DEV500SG-30	-75	-ICS125L	-BG	460 (209)	30.00 (76.2)	31.00 (78.7)	63.00 (160.0)	32.00 (81.3)	361 (164)	\$10,410
DEV700SG-30	-75	-ICS125L	-BG	680 (309)	30.00 (76.2)	31.00 (78.7)	78.50 (199.4)	32.00 (81.3)	396 (180)	\$11,755
DEV860SG-48 <sup>2</sup>	-75	-ICS125L	-BG	860 (391)	48.00 (121.9)	31.00 (78.7)	65.50 (166.4)	32.00 (81.3)	459 (208)	\$14,125
DEV1010SG-48	-75	-ICS125L	-BG	1000 (454)	48.00 (121.9)	31.00 (78.7)	74.50 (189.2)	32.00 (81.3)	460 (209)	\$14,350
DEV1175SG-48	-75	-ICS125L	-BG	1185 (538)	48.00 (121.9)	31.00 (78.7)	80.50 (204.5)	32.00 (81.3)	490 (222)	\$14,905
DEV1300SG-48	-75	-ICS125L	-BG	1320 (599)	48.00 (121.9)	31.00 (78.7)	84.00 (213.4)	32.00 (81.3)	483 (219)	\$15,330
DEV1160SG-56	-75	-ICS125L	-BG	1170 (531)	56.00 (142.2)	31.00 (78.7)	74.50 (189.2)	32.00 (81.3)	479 (217)	\$15,860
DEV1350SG-56	-75	-ICS125L	-BG	1360 (617)	56.00 (142.2)	31.00 (78.7)	80.50 (204.5)	32.00 (81.3)	528 (239)	\$16,420
DEV1080SG-60 <sup>2</sup>	-75	-ICS125L	-BG	1080 (490)	60.00 (152.4)	31.00 (78.7)	65.50 (166.4)	32.00 (81.3)	497 (225)	\$15,165
DEV1325SG-60	-75	-ICS125L	-BG	1325 (602)	60.00 (152.4)	31.00 (78.7)	74.50 (189.2)	32.00 (81.3)	525 (238)	\$15,600
DEV1475SG-60	-75	-ICS125L	-BG	1490 (676)	60.00 (152.4)	31.00 (78.7)	80.50 (204.5)	32.00 (81.3)	525 (238)	\$16,250
DEV1650SG-60	-75	-ICS125L	-BG	1660 (754)	60.00 (152.4)	31.00 (78.7)	84.00 (213.4)	32.00 (81.3)	539 (244)	\$16,645

<sup>1</sup> Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

<sup>2</sup> DEV860SG-48 and DEV1080SG-60 do not have upper inspection doors.

**† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin to properly prepare the bin top. Lack of this information will result in a delay in order processing.**

## Ice•Devlce ice storage and dispensing systems – low-profile single door with Totes ice carrier

Labor-saving elevated bins dispense ice out of front chute. For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and 10.00" (25.4 cm) flanged legs. All models include a corrosion-resistant ABS/poly top, which is custom cut for ice machine(s).


Configurations shown below include a single polyethylene Totes ice carrier which holds 25 lb (11 kg) of ice.

For additional product information, request form# 9720.

### Accessories for single door Ice•Devlce ice storage and dispensing systems

List price

Reinforced top for single door Ice•Devlce models except DEV500 and 700 (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 0.5" (1.27 cm) to H). . . . . \$2,770  
 Correctional package (item# 00917054) . . . . . \$2,665



Ice•Devlce with Totes ice carrier

See page 48 for additional accessory information.

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth <sup>1</sup> in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
DEV500SG-30-LP	460 (209)	30.00 (76.2)	31.00 (78.7)	48.75 (123.8)	31.00 (78.7)	186 (85)	\$8,230
DEV700SG-30-LP	680 (309)	30.00 (76.2)	31.00 (78.7)	64.25 (163.2)	31.00 (78.7)	229 (104)	\$9,630
DEV860SG-48-LP <sup>2</sup>	860 (391)	48.00 (121.9)	31.00 (78.7)	50.25 (127.6)	32.00 (81.3)	288 (131)	\$12,015
DEV1010SG-48-LP	1000 (454)	48.00 (121.9)	31.00 (78.7)	60.25 (153.0)	32.00 (81.3)	277 (126)	\$12,230
DEV1175SG-48-LP	1185 (538)	48.00 (121.9)	31.00 (78.7)	66.25 (168.3)	32.00 (81.3)	319 (145)	\$12,780
DEV1300SG-48-LP	1320 (599)	48.00 (121.9)	31.00 (78.7)	68.75 (174.6)	32.00 (81.3)	342 (156)	\$13,195
DEV1160SG-56-LP	1170 (531)	56.00 (142.2)	31.00 (78.7)	60.25 (153.0)	32.00 (81.3)	296 (135)	\$13,745
DEV1350SG-56-LP	1360 (617)	56.00 (142.2)	31.00 (78.7)	66.25 (168.3)	32.00 (81.3)	353 (161)	\$14,250
DEV1080SG-60-LP <sup>2</sup>	1080 (490)	60.00 (152.4)	31.00 (78.7)	50.25 (127.6)	32.00 (81.3)	297 (135)	\$13,055
DEV1325SG-60-LP	1325 (602)	60.00 (152.4)	31.00 (78.7)	60.25 (153.0)	32.00 (81.3)	373 (170)	\$13,480
DEV1475SG-60-LP	1490 (676)	60.00 (152.4)	31.00 (78.7)	66.25 (168.3)	32.00 (81.3)	356 (162)	\$14,125
DEV1650SG-60-LP	1660 (754)	60.00 (152.4)	31.00 (78.7)	68.75 (174.6)	32.00 (81.3)	336 (153)	\$14,515

<sup>1</sup> Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

<sup>2</sup> DEV860SG-48 and DEV1080SG-60 do not have upper inspection doors.

## Ice•Devlce ice storage and dispensing systems – double door with (2) SmartCART 75 ice carts

Labor-saving elevated bins dispense ice out of front chute(s). For use with cube or Chewblet ice only. Each is equipped with front chute, poly liner, SmartGATE ice shield, poly doors with PowerHinge door hinge, 82 oz (2.4 L) plastic ice scoop, paddle and rake set. Full stainless steel exterior and base. All models include a stainless steel top, which is custom cut for ice machine(s).

Configurations shown below include (2) SmartCART 75 ice carts, each with 3 polyethylene Totes ice carriers, holding 25 lb (11 kg) of ice for a total of 75 lb (34 kg) per cart. Carts can store below bin.

For additional product information, request form# 2320.


### Other configurations available for double door Ice•Devlce:

Cambro brand ICS125L cart. . . . . Same price as below  
 Bagger kit option. . . . . Same price as below

### Accessories for double door Ice•Devlce ice storage and dispensing systems

List price

Center partition . . . . . \$2,845  
 Reinforced top for double door Ice•Devlce models (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 2.12" (5.38 cm) to H). . . . . \$3,535  
 Correctional package (item# 00917054) . . . . . \$2,665



Double door Ice•Devlce with (2) SmartCART 75 ice carts

See page 48 for additional accessory information.

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth <sup>1</sup> in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
DEV2100SG-72-75	2110 (958)	72.00 (182.9)	40.00 (101.6)	75.50 (191.8)	41.00 (104.1)	841 (381)	\$28,550
DEV2250SG-72-75	2250 (1022)	72.00 (182.9)	48.00 (121.9)	69.50 (176.5)	46.00 (116.8)	863 (344)	\$28,900
DEV2650SG-72-75	2650 (1203)	72.00 (182.9)	40.00 (101.6)	85.50 (217.2)	41.00 (104.1)	943 (428)	\$32,290
DEV3200SG-72-75	3240 (1471)	72.00 (182.9)	48.00 (121.9)	88.50 (224.8)	35.00 (88.9)	1144 (519)	\$34,375
DEV3900SG-72-75	3940 (1789)	72.00 (182.9)	48.00 (121.9)	100.50 (255.3)	44.00 (111.8)	1263 (574)	\$37,360
DEV4600SG-72-75	4640 (2107)	72.00 (182.9)	48.00 (121.9)	112.00 (284.5)	47.00 (119.4)	1276 (579)	\$39,540

<sup>1</sup> Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin to properly prepare the bin top. Lack of this information will result in a delay in order processing.


## Ice storage and transport systems (ITS)

Elevated bin and cart systems use gravity-assist ice removal and castered carts to deliver outstanding labor and safety benefits. For use with Chewblet, cube or flake ice. All are equipped with poly liners, SmartGATE ice shield, and poly door with PowerHinge door hinge component<sup>1</sup>. Each unit is standard with bin, base, SmartCART 240 ice cart (1, 2 or 3 depending on the number of bays) with lid and ice paddle. Full stainless exterior and base. Insulated cart is one-piece molded polyethylene with removable poly lid.

For additional product information, request form# 9130.

### Accessories for ice storage and transport systems

	List price
Set of 6 Totes ice carriers (item# ABICETOTP) .....	\$1,390
Plastic ice shovel (item# ABICSHOVEL) .....	\$270
SmartCART 240 ice cart (item# ROTOCART) .....	\$3,770
Additional ice paddle (item# ABICEPADDL) .....	\$270
Partition (2 and 3 bay models only) .....	\$3,170



ITS with (2) SmartCART 240 ice carts

Reinforced top (required if ice machine(s) weight exceeds 1000 lb (454 kg). Add 2.12" (5.37 cm) to H). 31.00" (78.7 cm) and 60.00" (152.4 cm) wide ITS models .....	\$2,720
90.00" (228.6 cm) wide ITS models .....	\$3,455

See page 48 for additional accessory information.

Item number †	No. of carts	Max. bin cap. lb (kg)	Width in (cm)	Depth <sup>1</sup> in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. wt lb (kg)	List price
ITS500NS-31 <sup>2</sup>	1	382 (174)	31.00 (78.7)	40.00 (101.6)	60.00 (152.4)	32.00 (81.3)	371 (169)	\$18,375
ITS700SG-31	1	652 (296)	31.00 (78.7)	40.00 (101.6)	75.00 (190.5)	32.00 (81.3)	398 (181)	\$18,485
ITS1350SG-60	2	1327 (602)	60.00 (152.4)	40.00 (101.6)	75.00 (190.5)	41.00 (104.1)	712 (324)	\$32,685
ITS2250SG-60	2	2133 (968)	60.00 (152.4)	40.00 (101.6)	97.00 (246.4)	41.00 (104.1)	822 (374)	\$35,390
ITS1700SG-90	3	1716 (779)	90.00 (228.6)	40.00 (101.6)	70.00 (177.8)	41.00 (104.1)	978 (444)	\$52,305
ITS3250SG-90	3	3255 (1477)	90.00 (228.6)	40.00 (101.6)	97.00 (246.4)	41.00 (104.1)	1145 (521)	\$59,545

<sup>1</sup> Add 8.00" (20.32 cm) to depth (D) for lower door assembly (easily removed for installation access).

<sup>2</sup> ITS500NS-31 has sliding windows only, no SmartGATE ice shield or poly door.

† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin to properly prepare the bin top. Lack of this information will result in a delay in order processing.

## Ice Pro automatic ice bagging and dispensing systems

Ice storage bin with automatic agitation to store and dispense cube or Chewblet ice (made by Horizon and Horizon Elite series ice machines) into bags, carts, pails or Totes ice carrier. Increased labor-savings, sanitation and safety for foodservice operators. Equipped with user-friendly control panel, lockable clear window, adjustable bag stand and insulated poly-molded ice storage area. SA models include blower and timed dispense mode for semi-automatic bag filling. Foot pedal is standard on 1000 models and optional for 650 models. Each SA model comes standard with 1 wicket of 125, 8 lb (4 kg) bags.

For additional product information, request form# 3630 for E/DB650 or 2345 for E/DB1000.

### Accessories for all models


Bostitch® P-7 C-ring pliers for closing bags (item# 00137711) .....	<b>List price</b>
Staples, blunt end, box of 2500 (item# 00137729) .....	\$400
	\$150

### Accessories for 650 models

Foot switch (item# 00932517) .....	<b>List price</b>
Jug and cooler kit for 650 models allows easy filling of 5 L and 10 L Willow <sup>1</sup> jugs and larger coolers (item# 00979013) .....	\$750
	\$3,250

### Accessories for 1000 models

Leg extension kit raises unit by 6.50" (16.51 cm) to accommodate carts up to 36.00" (19.44 cm) and bags up to 40 lb (18 kg) and 33.83" (85.93 cm) high (item# ABLEGEXT) .....	<b>List price</b>
Jug and cooler kit for 1000 models allows easy filling of 5 L and 10 L Willow <sup>1</sup> jugs and larger coolers (item# 00979583) .....	\$1,270
	\$3,250



Ice Pro automatic bagging and dispensing systems

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Voltage	Approx. ship wt lb (kg)	List price
DB650SA	650 (295)	33.75 (85.7)	48.25 (122.6)	65.00 (165.1)	34.25 (87.0)	220/60/1	460 (209)	\$31,670
EDB650SA	650 (295)	33.75 (85.7)	48.25 (122.6)	65.00 (165.1)	34.25 (87.0)	230-240/50/1	460 (209)	\$27,310
DB1000	1000 (454)	52.00 (132.1)	45.50 (115.6)	71.75 (182.2)	34.25 (87.0)	220/60/1	704 (320)	\$39,350
DB1000SA	1000 (454)	52.00 (132.1)	45.50 (115.6)	71.75 (182.2)	34.25 (87.0)	220/60/1	704 (320)	\$40,610
EDB1000SA	1000 (454)	52.00 (132.1)	45.50 (115.6)	71.75 (182.2)	34.25 (87.0)	230/50/1	704 (320)	\$34,910

<sup>1</sup> Willow Ware Australia Pty Ltd.

## Slope front bins

Small to medium capacity ice storage bins. Bin exterior for all models includes stainless steel front and sides. Bin interior includes polyethylene-lined walls and stainless steel bottom. All bins include stainless top, which is custom cut for ice machine(s) and 6.00" (15.24 cm) plastic adjustable legs.

For additional product information, request form# 9135.

### Accessories for slope front bins

6.00" (15.24 cm) stainless steel legs (item# ABSPECLEGS) .....	<b>List price</b>
Center partition (650, 950 and 1025 models only; not available for 300 and 425 model) .....	\$290
	\$1,045

See page 48 for additional accessory information.



Slope front bin

Item number †	Max. bin cap. lb (kg)	Width in (cm)	Depth in (cm)	Height w/ legs in (cm)	Req'd door access in (cm)	Approx. ship wt lb (kg)	List price
425-30	430 (195)	30.00 (76.2)	31.50 (80.0)	40.00 (101.6)	31.00 (78.7)	144 (65)	\$4,610
650-44	660 (299)	44.00 (111.8)	31.50 (80.0)	40.00 (101.6)	32.00 (81.2)	178 (81)	\$6,375
950-48	950 (431)	48.00 (121.9)	31.50 (80.0)	50.00 (127.0)	32.00 (81.2)	207 (94)	\$6,535
1025-52	1030 (467)	52.00 (132.1)	31.50 (80.0)	50.00 (127.0)	32.00 (81.2)	217 (98)	\$6,715

† Purchase orders must clearly indicate the make and model of the ice machine(s) being used with the bin to properly prepare the bin top. Lack of this information will result in a delay in order processing.

## Replacement stainless steel tops for ice storage bins

Order must include complete model number of ice machine to be used in conjunction with bin.

Bin series	Width in (cm)	Depth (at top) in (cm)	Replacement top item number	Approx. ship wt lb (kg)	List price
<b>Slope front bins</b>					
	30.00 (76.2)	27.50 (69.8)	AB425TOP00	30 (14)	\$1,150
	44.00 (111.8)	27.50 (69.8)	AB650TOP00	39 (18)	\$1,560
	48.00 (121.9)	27.50 (69.8)	AB725TOP00	45 (20)	\$1,710
	52.00 (132.1)	27.50 (69.8)	AB750TOP00	42 (19)	\$1,820
<b>Single door upright bins and single door Ice•Devlce ice storage and dispensing systems for bins manufactured before 2007 (except SG1000)</b>					
	30.00 (76.2)	31.00 (78.7)	AB7010TOP0	27 (12)	\$2,030
	48.00 (121.9)	31.00 (78.7)	AB1010TOPS	45 (20)	\$2,420
	56.00 (142.2)	31.00 (78.7)	AB1350TOP0	42 (19)	\$2,590
	60.00 (152.4)	31.00 (78.7)	AB1475TOP0	40 (18)	\$2,590
<b>SG1000 single door upright</b>					
	36.00 (91.4)	31.00 (78.7)	00979823	35 (16)	\$2,290
<b>Double door upright bins</b>					
	96.00 (243.8)	31.00 (78.7)	AB1850TOP0	100 (45)	\$3,520
<b>Double door upright bins and double door Ice•Devlce ice storage and dispensing systems</b>					
	72.00 (182.9)	40.00 (101.6)	AB2650TOP0	100 (45)	\$3,330
	72.00 (182.9)	48.00 (121.9)	AB4600TOP0	210 (95)	\$3,520
<b>Ice transport systems (ITS)</b>					
	31.00 (78.7)	40.00 (101.6)	ABITS70TOP	36 (16)	\$2,420
	60.00 (152.4)	40.00 (101.6)	ABITS13TOP	100 (45)	\$2,990
	90.00 (228.6)	40.00 (101.6)	ABITS32TOP	122 (55)	\$3,530
<b>Ice Pro automatic ice bagging and dispensing system</b>					
	30.00 (76.2)	31.00 (78.7)	01341882	27 (12)	\$1,760
	52.00 (132.1)	34.00 (86.4)	00104828	49 (22)	\$2,590

## Replacement ABS bin tops for ice storage bins





Available EXW Incoterms 2010 – Easton, PA USA only

	Width in (cm)	Depth (at top) in (cm)	Replacement top item number	Approx. ship wt lb (kg)	List price
<b>Single door upright and single door Ice•Devlce ice storage and dispensing systems for bins manufactured after 2007</b>					
Full top	30.00 (76.2)	31.00 (78.7)	00168138	36 (16)	\$2,030
Full top	48.00 (121.9)	31.00 (78.7)	00168146	45 (20)	\$2,420
Full top	56.00 (142.2)	31.00 (78.7)	00168153	70 (32)	\$2,590
Full top	60.00 (152.4)	31.00 (78.7)	00168161	72 (33)	\$2,590





## Flexi-Top ice bin top systems

Flexi-Top ice bin top systems make stocking bins simple – eliminates the need to know what specific ice machine will be used before the order. Available for 48.00" (121.9 cm) and 60.00" (152.4 cm) wide single door uprights and Ice•Devlce ice storage and dispensing systems. Contact factory for more information.

## Ice handling accessories






Ice carts and Totes ice carrier ordering guidelines				
	<p><b>SmartCART 75</b> Item# 00112771</p>  <p>Perfect for moving small quantities of ice to manually fill storage receptacles. 75 lb (34 kg) capacity. Includes 3 Totes ice carriers.</p> <p>21.50"W x 34.00"D x 39.00"H (54.6 x 86.4 x 99.1 cm)</p> <p>Ship wt – 53 lb (25 kg)</p> <p>List price \$2,260</p>	<p><b>SmartCART 240</b> Item# ROTOCART</p>  <p>Fully insulated poly with removable lid. 240 lb (109 kg) capacity for transporting large quantities of ice.</p> <p>24.25"W x 41.50"D x 35.75"H (61.6 x 105.4 x 90.8 cm)</p> <p>Ship wt – 75 lb (35 kg)</p> <p>List price \$3,770</p>	<p><b>Cambro ICS125L</b> Item# ICS125L</p>  <p>Fully insulated poly with slide back lid with 125 lb (57 kg) capacity. Perfect for sliding under bars.</p> <p>23.00"W x 31.30"D x 29.25"H (58.4 x 79.5 x 74.3 cm)</p> <p>Ship wt – 70 lb (32 kg)</p> <p>List price \$3,160</p>	<p><b>Totes</b> Item# ABICETOTP (six) Item# 502263 (single)</p>  <p>Comfortable handle, easy distribution of ice from longer side. Limits lifted load to 25 lb (12 kg).</p> <p>7.12"W x 15.62"D x 15.00"H (18.08 x 39.7 x 38.1 cm)</p> <p><b>Set of 6 Totes</b> Ship wt – 34 lb (16 kg)</p> <p>List price \$1,390</p> <p><b>Single Tote</b> Ship wt – 7 lb (3 kg)</p> <p>List price \$250</p>
<b>Bin series</b>	<p>✓ = May be ordered separately    n/r = Not recommended for use with model</p>			
Slope Front	✓	✓	✓	✓
Single Door Upright	✓	✓	✓	✓
Double Door Upright	✓	✓	✓	✓
Single Door Ice•Devlce	✓	n/r	✓ <sup>1</sup>	✓
Double Door Ice•Devlce	✓	n/r	✓ <sup>1</sup>	✓
Ice Transport System	n/r	✓	n/r	✓
Ice Pro	✓	✓	✓	✓

<sup>1</sup> Requires use of the 4.00" (10.16 cm) chute (item# ABDVCHUT4).





Ice bagging accessory ordering guidelines				
	<p><b>Bagger Kit</b> Item# ABBAGGERKT</p>  <p>Bagger kit includes bagger assembly, tape dispenser with tape and 250 plastic bags of 10 lb (5 kg) capacity.</p> <p>11.00"W x 13.63"D x 29.00"H (27.9 x 34.6 x 73.7 cm)</p> <p>Ship wt – 20 lb (10 kg)</p> <p>List price \$1,920</p>	<p><b>8 lb (3.6 kg) Ice Bag</b> Item# 00116434</p>  <p>125 bags per wicket – 8 wickets per case. 1.25 mil. poly bag.</p> <p>10.5"W x 4.00"D x 19.00"H (26.7 x 10.16 x 48.3 cm)</p> <p>Ship wt – 24 lb (11 kg)</p> <p>List price \$290</p>	<p><b>20 lb (9.1 kg) Ice Bag</b> Item# 00138370</p>  <p>125 bags per wicket – 4 wickets per case. 2.25 mil. poly bag.</p> <p>14.00"W x 4.50"D x 27.00"H (35.6 x 11.43 x 68.6 cm)</p> <p>Ship wt – 27 lb (12 kg)</p> <p>List price \$410</p>	<p><b>C-ring pliers – Item# 00137711</b> C-ring – Item# 00137729</p>  <p>Bostitch P-7 C-ring pliers for bag closure. Automatic C-ring feed.</p> <p>Ship wt – 8 lb (4 kg)</p> <p>List price \$400</p> <p>Aluminum blunt-end C-rings for use with Bostitch P-7 C-ring pliers. 2500 per box.</p> <p>Ship wt – 3 lb (2 kg)</p> <p>List price \$150</p>
<b>Bin series</b>	<p>✓ = May be ordered separately    n/r = Not recommended for use with model</p>			
Slope Front	✓	n/r	n/r	n/r
Single Door Upright	✓	n/r	n/r	n/r
Double Door Upright	✓	n/r	n/r	n/r
Single Door Ice•Devlce	✓ <sup>1</sup>	n/r	n/r	n/r
Double Door Ice•Devlce	✓ <sup>1</sup>	n/r	n/r	n/r
Ice Transport System	n/r	n/r	n/r	n/r
Ice Pro	n/r	✓	✓	✓

<sup>1</sup> Requires use of the 4.00" (10.16 cm) chute (item# ABDVCHUT4).



Shovel, scoop and paddle ordering guidelines					
	<p><b>Paddle</b> Item# ABICEPADDL46 46.50" (118.1 cm) or Item# ABICEPADDL 58.50" (147.3 cm)</p>  <p>High density poly paddle breaks ice bridges with ease. Includes bracket.</p> <p><b>46.50" (118.1 cm)</b> Ship wt – 9 lb (4 kg) List price \$270</p> <p><b>58.50" (147.3 cm)</b> Ship wt – 9 lb (4 kg) List price \$270</p>	<p><b>Rake</b> Item# AB36RAKE 38.00" (96.5 cm) or Item# ABICERAKE 50.00" (127.0 cm)</p>  <p>Draws ice to front of bin for easier access. Vinyl handle, aluminum shaft, stainless steel rake head. Includes bracket.</p> <p><b>38.00" (96.5 cm)</b> Ship wt – 9 lb (4 kg) List price \$340</p> <p><b>50.00" (127.0 cm)</b> Ship wt – 9 lb (4 kg) List price \$340</p>	<p><b>Shovel</b> Item# ABICSHOVEL 37.00" (94.0 cm)</p>  <p>Heavy duty poly construction. Efficient removal of ice from bin.</p> <p>Ship wt – 6 lb (3 kg) List price \$270</p>	<p><b>Scoop</b> Item# 00146365 64 oz (1.9 L)</p>  <p>San Jamar® Saf-T-Ice® Guardian scoop® system. Minimizes contact with ice, includes storage rack for scoop.</p> <p>Ship wt – 6 lb (3 kg) List price \$310</p>	<p><b>Scoop</b> Item# ABICESCOOP 82 oz (2.4 L)</p>  <p>Large poly scoop for manual removal of ice from bins. No bracket provided.</p> <p>Ship wt – 3 lb (2 kg) List price \$80</p>

Bin series	✓ = May be ordered separately    n/r = Not recommended for use with model							
	46.50"	58.50"	38.00"	50.00"				
Slope Front	✓	n/r	n/r	n/r	n/r	✓		✓
Single Door Upright	✓	n/r	✓	n/r	✓	✓		✓
Double Door Upright	n/r	✓	n/r	✓	✓	✓		✓
Single Door Ice•Device	✓	n/r	✓	n/r	n/r	✓		✓
Double Door Ice•Device	n/r	✓	n/r	✓	n/r	✓		✓
Ice Transport System	n/r	✓	n/r	✓	✓	✓		✓
Ice Pro	n/r	n/r	n/r	n/r	n/r	n/r		n/r

Stainless steel leg accessory ordering guidelines				
	<p><b>6.00" (15.24 cm) with flanged feet. Set of (4).</b> Item# ABSPECLEG3</p>  <p>Ship wt – 7 lb (3 kg) List price \$570</p>	<p><b>8.00" (20.32 cm) bullet leg with stabilizer. Set of (4).</b> Item# AB8INLEGSS</p>  <p>Ship wt – 10 lb (5 kg) List price \$630</p>	<p><b>10.00" (25.4 cm) with flanged feet. Set of (4).</b> Item# 00151647</p>  <p>Ship wt – 13 lb (6 kg) List price \$720</p>	<p><b>12.00" (30.5 cm) bullet leg. Set of (4).</b> Item# ABSPECLEG1</p>  <p>Ship wt – 11 lb (5 kg) List price \$810</p>
Bin series	✓ = May be ordered separately    n/r = Not recommended for use with model			
Slope Front	✓		✓	✓
Single Door Upright	✓		✓	n/r
Double Door Upright	✓		✓	n/r
Single Door Ice•Device	n/r		n/r	n/r
Double Door Ice•Device	n/r		n/r	n/r
Ice Transport System	n/r		n/r	n/r
Ice Pro	n/r		n/r	n/r





Claris is a registered trademark of the ACLARIS Water Innovations GmbH in Switzerland.  
Incoterms is a trademark of the International Chamber of Commerce.  
ENERGY STAR and the ENERGY STAR mark are registered trademarks owned by the U.S. Environmental Protection Agency.  
Calgon is a licensed tradename distributed by Nu-Calgon, in the United States.  
Cambro is a registered trademark of Cambro Manufacturing Company in the US.  
Bostitch is a registered trademark of Stanley Black and Decker.  
Saf-T-Ice is a registered trademark of San Jamar, a division of the Coleman Group, Inc. in the US.  
Open Kitchen is a trademark of Powerhouse Dynamics.  
CHAMPION, FLEXI-TOP, HARMONY, HORIZON ELITE, ICE•DEVICE, ICE MANAGER, ICE PRO, MAESTRO PLUS, MICRO CHEWBLET, POWERHINGE, SAFECLEAN PLUS, SANISPONGE, SENSORSAFE, SMARTCART, SYMPHONY PLUS, TOTES and VISION are trademarks of Follett Products, LLC.  
CHEWBLET, FOLLETT, RIDE and SMARTGATE are registered trademarks of Follett Products, LLC, registered in the US.



801 Church Lane | Easton, PA 18040, USA  
1.610.252.7301 | Fax: +1.610.250.0696 | follette.com



4025-20240607 | © Follett Products, LLC