
# Flexi-Tops™ Installation Instructions for Follett single door upright bins and Ice•DevIce™ systems



#### **Welcome to Follett**

Follett ice storage and bins enjoy a well-deserved reputation for excellent performance and long-term reliability. To ensure that your equipment delivers this same degree of service, please read this manual carefully **before** installing components. If you have questions, please call our technical service group at (800) 523-9361 or (610) 252-7301.

#### Before you begin

After uncrating, remove all packing material and inspect equipment for shipping damage. If damage is found, notify shipper immediately and contact Follett.

#### **Materials**

Flexi-Top, Flexi-Panels for your application (see reference drawings) gasket material, and silastic sealant.

Follett Corporation Equipment Return Policy

Follett equipment may be returned for credit under the following conditions:

- The equipment is new and unused.
- 2. A return authorization number has been issued by Follett customer service within 30 days after shipment.
- 3. Follett receives the equipment at the factory in Easton, PA within 30 days after issuance of the return authorization number.
- The equipment must be returned in Follett packaging. If the packaging has been damaged or discarded, Follett will forward, at the customer's expense, new packaging.

Note: Return freight charges are the responsibility of the customer. If equipment is returned and is damaged because of improper packaging, Follett Corporation will not be held responsible.

Credit will be issued when:

The equipment has been inspected by Follett and deemed suitable to be returned to stock.

Note: A 15% restocking charge will be deducted from the credit. If the cost to return the product to stock exceeds 15%, the actual cost will be deducted.

#### Overview


Installation of Flexi-Top kits consist of inserting a combination of Flexi-Panel(s) to accommodate specific icemaker model, and application of an inner gasket and an outer gasket.\*

\*Note: some icemakers will not require the use of a Flexi-Panel™, and will require only the gasket procedure.

#### Flexi-Panel and gasket specifications

Refer to the charts on pages 4 and 5 to find the Flexi-Panel combination for your application and corresponding figure drawing (pages 6 - 12). Figure drawings will indicate number of panels used.


For your convenience, the underside of each Flexi-Panel is etched with a number to correspond to the Flexi-Panel number(s) noted in the appropriate figure drawing.





## General procedure – Flexi-Panel and gasket application

- Bin top should be clean and free of dirt or residue so that panels will adhere properly.
- Position Flexi-Panel(s) according to location noted on appropriate figure drawing. Measure carefully from edge of bin top and make a mark 1 to align edge of Flexi-Panel.
- Peel paper backing from adhesive portion of Flexi-Panel
  and apply to bin top
  If more than one Flexi-Panel is needed, repeat 1, 2 & 3.
- Apply inner gasket to ice drop opening and Flexi-Panel edges 4. Gasket may be spliced as needed, but do not overlap.
- Position outer gasket according to location noted on appropriate figure drawing. Measure carefully from edges of bin top • to be sure icemaker wil be properly positioned.
- Use silastic sealant or equivalent to seal all gasket joints 6.
- Prior to installing icemaker, be sure to thoroughly clean bin interior and surrounding surfaces.

NOTE: All measurements are taken from edge of bin top.








### Flexi-Top specifications

Flexi-Tops are shipped in four standard configurations. Use the charts below to find the correct Flexi-Top and Flexi-Panel combination for the icemaker and bin used.



Flexi-Top A - 48"			
Icemaker Manufact.	Model Series	# Ice- makers	Fig.
Ice-o-matic	EMF2300	1	3
	ICE0250	1	1
	ICE0400	1	1
	ICE0500	1	1
	ICE606	1	1
	ICE806	1	1
	ICE1006	1	1
	ICE1506	1	2
	ICE1406	1	4
	ICE1806	1	4
	ICE2106	1	4
Manitowoc	Q-320	2*†	5
	Q-420	2*†	5
	Q-280	1	8
	Q-400	1	8
	Q-600	1	8
	Q-800	1	8
	Q-1000	1	8
	Q-1300	1	10
	Q-1400	1	9
	Q-1600	1	10
	Q-1800	1	10
	QC-700	2*†	6
	Q-Dual2C	1	9
	Q-Dual4C	1	9
	QF-800	2*†	6
	QF-2396	1	8
	S-300	1	11
	S-320	2*†	7
	S-400	1	11
	S-420	2*†	7
	S-500	1	11
	S-600	1	11
	S-800	1	11
	S-1000	1	11

Flexi-Top A - 48"			
Icemaker Manufact.	Model Series	# Ice- makers	Fig.
Manitowoc	S-1200	1	11
	S-1400	1	12
	S-1600	1	12
	S-1800	1	12
	SN-450	2*†	7
	SN-600	2*†	7
	SN-950		7
Scotsman	C630	1	16
	C830	1	16
	C1030	1	16
	C1448	1	13
	C1848	1	13
	C2148	1	13
	CME256	1	15
	CME506	1	15
	CME656	1	15
	CME806	1	15
	CME1056	1	15
	CME1356	1	13
	CME1386	1	16
	CME1656	1	13
	CME1686	1	16
	CME1856	1	13
	CME2086	1	16
	CME2106	1	13
	FME804	2†	17
	FME1204	2†	17
	FME1504	1	15
	FME2400	1	14
	FME3004	1	14
	NME654	2†	17
	NME954	2†	17
	NME1254	1	15
	NME1850	1	14
	NME2504	1	14

Flexi-Top B - 48"			
Icemaker Manufact.	Model Series	# Ice- makers	Fig.
Hoshizaki	F-450M	1	21
	F-650M	1	21
	F-801	1	21
	F-1001M	1	21
	F-1500M	1	19
	F-2000M	1	19
	KM-280M	1	22
	KM-320M	1	22
	KM-450M	1	22
	KM-500M	1	22
	KM-501M	1	22
	KM-630M	1	22
	KM-800M	1	19
	KM-900M	1	19
	KM-1200M	1	19
	KM-1200S	1	18
	KM-1300M	1	19
	KM-1300S	1	18
	KM-1340M	1	19
	KM-1600M	1	19
	KM-1600S	1	18
	KM-1601M	1	19
	KM-1601S	1	18
	KM-1800S	1	18
	KM-2000S	1	18
	KM-2400S	1	18
	KML-200M	1	20
	KML-250	1	20
	KML-350	1	20
	KML-400M	1	20
	KML-450M	1	20
	KML-451M	1	20
	KML-600M	1	20

 $<sup>^{\</sup>star}$  Less than Manitowoc's recommended clearance between machines. † Accommodates (2) machines only.

	Flexi-Top C - (	60"	Flexi-Top C - 60"		
Icemaker Manufact.	Model Series	# Ice- makers	Fig.		
Ice-o-matic	EMF2300	1	28		
	ICE0250	1	32		
	ICE0400	1	32		
	ICE0500	1	32		
	ICE606	1	32		
	ICE806	1	32		
	ICE1006	1	32		
	ICE1406	1	24		
	ICE1506	1	36		
	ICE1806	1	24		
	ICE2106	1	24		
Manitowoc	Q-280	1	38		
	Q-320	2*†	35		
	Q-400	1	38		
	Q-420	2*†	35		
	Q-600	1	38		
	Q-800	1	38		
	Q-1000	1	28		
	Q-1300	1	26		
	Q-1400	1	39		
	Q-1600	1	26		
	Q-1800	1	26		
	QC-700	2*†	31		
	Q-Dual2C	1	39		
	Q-Dual4C	1	39		
	QF-800	2*†	31		
	QF-2396N	1	38		
	S-300	1	34		
	S-320	2*†	27		
	S-400	1	34		
	S-420	2*†	27		
	S-500	1	34		
	S-600	1	34		
	S-800	1	34		
	S-1000	1	34		
	S-1200	1	34		
	S-1400	1	30		
	S-1600	1	30		
	S-1800	1	30		
	SN-450	2*†	27		
	SN-600	2*†	27		
	SN-950	- 1	27		
Scotsman	C630	1	37		
	C830	1	37		
	C1030	1	37		
	C1448	1	25		
	C1848	1	25		
	1 0 10 70	1 1	20		
	C2149	1	25		
	C2148 CME256	1	25 33		

Flexi-Top C - 60"			
Icemaker Manufact.	Model Series	# Ice- makers	Fig.
Scotsman	CME656	1	33
	CME806	1	33
	CME1056	1	33
	CME1356	1	25
	CME1386	1	37
	CME1656	1	25
	CME1686	1	37
	CME1856	1	25
	CME2086	1	37
	CME2106	1	25
	FME804	2†	23
	FME1204	2†	23
	FME1504	1	33
	FME2400	1	29
	FME3004	1	29
	NME654	2†	23
	NME954	2†	23
	NME1254	1	33
	NME1850	1	29
	NME2504	1	29

Flexi-Top D - 60"			
lcemaker Manufact.	Model Series	# Ice- makers	Fig.
Hoshizaki	F-450M	1	41
	F-450M	2	43
	F-650M	1	41
	F-650M	2	43
	F-800	2	42
	F-801M	1	41
	F-801M	2	43
	F-1001	2	43
	F-1001M	1	41
	F-1500	2	46
	F-2000	2	46
	F-4000	1	44
	KM-280M	1	41
	KM-280M	2	42
	KM-320M	1	41
	KM-320M	2	42
	KM-450M	1	41
	KM-450M	2	42
	KM-451M	1	45
	KM-500M	1	41
	KM-500M	2	42
	KM-501M	1	41
	KM-501M	2	42
	KM-630M	1	41
	KM-630M	2	42

Flexi-Top D - 60"			
Icemaker Manufact.	Model Series	# Ice- makers	Fig.
Hoshizaki	KM-800M	1	44
	KM-900M	1	44
	KM-1200M	1	44
	KM-1200M	2	46
	KM-1200S	1	40
	KM-1300M	1	44
	KM-1300M	2	46
	KM-1300S	1	40
	KM-1340M	1	44
	KM-1340M	2	46
	KM-1500M	1	44
	KM-1600M	1	44
	KM-1600M	2	46
	KM-1600S	1	40
	KM-1601M	1	44
	KM-1601M	2	46
	KM-1601S	1	40
	KM-1800S	1	40
	KM-2000S	1	40
	KM-2400S	1	40
	KML-200M	1	45
	KML-200M	2	47
	KML-250	2	45
	KML-250M	2	47
	KML-350	2	45
	KML-350M	2	47
	KML-400M	1	45
	KML-400M	2	47
	KML-450M	1	45
	KML-451M	1	45
	KML-451M	2	47
	KML-600	1	45
	KML-600M	2	47

Flexi-Top D - 60" Hoshizaki Left / Right icemaker combinations		
Model Series	# Ice- makers	Fig.
F-800M (L)	2	48
F-1001M (L)	2	48
KM-1300M (R)	2	48
KM-1600M (R)	2	48
KM-1340M (R)	2	48
KM-1601M (R)	2	48
KM-1300M (L)	2	49
KM-1600M (L)	2	49
KM-1340M (R)	2	49
KM-1601M (R)	2	49
F-800M (R)	2	49
F-1000M (R)	2	49

 $<sup>^{\</sup>star}$  Less than Manitowoc's recommended clearance between machines. † Accommodates (2) machines only.

Fig. 1




Fig. 3 (no Flexi-Panels needed)




Fig. 5




Fig. 7




Fig. 2




Fig. 4 (no Flexi-Panels needed)




Fig. 6




Fig. 8




Fig. 9




Fig. 11




Fig. 13 (no Flexi-Panels needed)




Fig. 15




Fig. 10 (no Flexi-Panels needed)




Fig. 12 (no Flexi-Panels needed)




Fig. 14




Fig. 16




Fig. 17




Fig. 19 (no Flexi-Panels needed)




Fig. 21




Fig. 23




Fig. 18 (no Flexi-Panels needed)




Fig. 20 (no Flexi-Panels needed)




Fig. 22




Fig. 24 (no Flexi-Panels needed)




Fig. 25 (no Flexi-Panels needed)




Fig. 26 (no Flexi-Panels needed)




Fig. 27




Fig. 28




Fig. 29




Fig. 30 (no Flexi-Panels needed)




Fig. 31




Fig. 32





Fig. 33






Fig. 37




Fig. 39




Fig. 34




Fig. 36




Fig. 38




Fig. 40 (no Flexi-Panels needed)




Fig. 41




Fig. 43




Fig. 45




Fig. 47




Fig. 42




Fig. 44




Fig. 46




Fig. 48




Fig. 49

