



| 2022

effective April 4
updated May 10



ice and water dispensers



ice machines



FOLLETT®

EURO LIST PRICE SCHEDULE

Contents

TERMS AND POLICIES	4
WARRANTY	5
ICE MACHINES	6
EXW Incoterms® 2010 – Wislina, Poland.....	6
Maestro Plus ice machine bins – E425 series.....	6
Maestro Plus flake ice machines for ice storage bins – E425 series.....	7
Maestro Plus Chewblet and Micro Chewblet ice machines for ice storage bins – E425 series.....	7
Maestro Plus Micro Chewblet ice machines for drop-in beverage dispensers – E425 series.....	8
Horizon Elite Chewblet ice machines for ice storage bins – E710 series.....	9
Horizon Elite Chewblet ice machines for countertop ice and beverage dispensers – E710 series.....	9
Top kits for RIDE model Horizon Elite ice machines for use with countertop ice and beverage dispensers.....	10
Ice transport tube.....	10
Water treatment accessories for ice machines.....	11
Other accessories for ice machines.....	11
ICE AND WATER DISPENSERS	12
EXW Incoterms® 2010 – Wislina, Poland.....	12
Ice and water and ice-only dispensers – E7 series.....	12
Ice and water and ice-only dispensers – E15 series.....	12
Accessories for E7 and E15 series ice and water dispensers.....	12
Symphony Plus ice and water dispensers – E12 series.....	13
Symphony Plus ice-only dispensers – E12 series.....	13
Water treatment accessories for Symphony Plus ice and water dispensers.....	14
Other accessories for Symphony Plus ice and water dispensers.....	14

Terms and policies

Terms

- Products for sale meet all regulatory compliances as noted in the appropriate Follett Product Specification Sheet at the time of sale. Customer understands and accepts these products as meeting the designated regulatory compliances.
- Net 30 day terms on approved accounts
- Prices subject to change without notice
- Specifications subject to change without notice
- This price list supersedes all others
- **All prices in euros**
- **Products priced with EX Works (EXW) terms**
- **Other shipping terms available upon request**

Return Policy

Non-standard equipment cannot be returned. Orders for non-standard equipment cannot be cancelled.

Follett equipment may be returned for credit under the following conditions:

- The equipment is new and unused.
- A return authorization number has been issued by customer service within 45 days after shipment.
- Follett receives the equipment at the factory in Pruszcz, Poland within 30 days after issuance of the return authorization number.
- The equipment must be returned in Follett packaging. If the packaging has been damaged or discarded, Follett will forward new packaging at the customer's expense.

Note: Return freight charges are the responsibility of the customer. If equipment is returned and is damaged because of improper packaging, Follett Products, LLC will not be held responsible.

Credit will be issued when the equipment has been inspected by Follett and deemed suitable to be returned to stock.

Note: 20% restocking charge will be deducted from the credit. If the cost to return the product to stock exceeds 20%, the actual cost will be deducted.

Warranty

Symphony Plus™ ice and water dispensers, Maestro Plus™ and Horizon Elite™ series ice machines

Follett Products, LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 3 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 3 year period are covered under this warranty. Labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated territory.

The compressor shall be covered for an additional 2 years (parts only), for a total of 5 years from the date of installation.

WARRANTY CONDITIONS

- Labor warranty will apply only to equipment sold by the Follett Authorized Distributor in his designated territory.
- Warranty labor must be performed by the local Follett Authorized Distributor or his designated service provider.
- Customer has documented record of preventive maintenance and cleaning of the machine every 6 months according to the instructions in the dispenser Installation, Operations and Service Manual.
- The equipment has been installed and operated in compliance with instructions provided by Follett.
- Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond Follett's control are expressly excluded from this warranty.
- Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
- Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
- Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 80 km (50 miles), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett Products, LLC and are the responsibility of the equipment owner.

E7 and E15 Series ice and water dispensers

Follett Products, LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. Labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated territory.

The compressor shall be covered for an additional 3 years (parts only), for a total of 5 years from the date of installation.

WARRANTY CONDITIONS

- Warranty labor must be performed by the local Follett authorized service agent.
- The equipment has been installed and operated in compliance with instructions provided by Follett.
- Customer has documented record of preventive maintenance and cleaning of the machine every 6 months according to the instructions in the dispenser Installation, Operations and Service Manual.
- Dispenser is used in an application with less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology).
- Dispenser is not to be used with softened water.
- Premature internal filter life due to poor supply water is not covered.
- Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond the control of Follett are expressly excluded from this warranty.
- Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
- Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
- Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 80 km (50 miles), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett Products, LLC and are the responsibility of the equipment owner.

This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship.

Follett Products, LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett technical service at +1 877 612-5086 (US and Canada), +1 610-252-7301 or Follett Europe technical service at +48 (58) 785-6140, Fax +48 (58) 785-6159.

Ice machines

EXW Incoterms® 2010 – Wislina, Poland


Maestro Plus ice machine bins – E425 series

Flake (UF) or Micro Chewblet™ (UM) ice machines with 34 kg (75 lb) bin storage for undercounter or freestanding applications.

Stainless steel exterior with moderate production and storage capacity in a small footprint.

For additional product information, request form# 8515.

Available accessories are listed on page 11.



Maestro Plus ice machine bin

Item number	Width cm (in)	Depth cm (in)	Height ¹ cm (in)	Production capacity kg (lb)		Condensing unit ²	Voltage	Approx. ship wt kg (lb)	List price
				32 C air 21 C water (90/70 F)	21 C air 10 C water (70/50 F)				
UFE425A80	59.7 (23.50)	66.0 (26.00)	83.8 (33.00)	148 (325)	193 (425)	A – SC	230/50/1	88 (194)	€6,761
UME425A80	59.7 (23.50)	66.0 (26.00)	83.8 (33.00)	148 (325)	193 (425)	A – SC	230/50/1	88 (194)	€6,880

¹ 83.8 cm (33.00") with leveling feet for undercounter use. 99.1 cm (39.00") with bullet legs for freestanding application.

² Condensing unit: A – SC = Air – self-contained

Ice Machine Model Number Configurations

Ice machine	Voltage	Series	Condenser	Application	Configuration
MC Maestro Plus Chewblet (425)	E 230/50/1 (icemaking head) <i>Self-contained only.</i>	425 up to 193 kg (425 lb)	A Air-cooled, self-contained W Water-cooled, self-contained	H Harmony™ (countertop ice and beverage dispenser)	S RIDE® (remote ice delivery equipment)
MM Maestro Plus Micro Chewblet (425)		710 up to 345 kg (759 lb)		B Ice storage bin	T Top-mount
MF Maestro Plus Flake (425)		1010 up to 482 kg (1061 lb)		J Drop-in	
HC Horizon Elite Chewblet (710, 1010, 1410)		1410 up to 666 kg (1466 lb)			


Maestro Plus flake ice machines for ice storage bins – E425 series

Flake ice machines for mounting on ice storage bins.

Refer to Follett ice storage, ice transportation and ice handling form# B300 for capacities and sizes of bins available.

For additional product information, request form# 6950 or 6955.

Available accessories are listed on page 11.



Item number	Width cm (in)	Depth cm (in)	Height cm (in)	Production capacity kg (lb)		Condensing unit ¹	Voltage	Approx. ship wt kg (lb)	List price
				32 C air 21 C water (90/70 F)	21 C air 10 C water (70/50 F)				

E425 series top mount ice machines

MFE425ABT	57.7 (22.70)	61.6 (24.25)	54.0 (21.25)	148 (325)	193 (425)	A – SC	230/50/1	77 (170)	€7848
-----------	--------------	--------------	--------------	-----------	-----------	--------	----------	----------	-------

¹ Condensing unit: A – SC = Air – self-contained


Maestro Plus Chewblet and Micro Chewblet ice machines for ice storage bins – E425 series

Ice machines with RIDE remote ice delivery equipment include 3 m (10') of insulated ice transport tube. Factory approval required for lengths over 6.1 m (20').

Refer to Follett ice storage, ice transportation and ice handling form# 8590 for capacities and sizes of bins available.

For additional product information, request form# 6945, 6950 or 6955.

Available accessories are listed on page 11.



Top mount

RIDE model

Item number	Width cm (in)	Depth cm (in)	Height cm (in)	Production capacity kg (lb)		Condensing unit ¹	Voltage	Approx. Ship wt kg (lb)	List price
				32 C air 21 C water (90/70 F)	21 C air 10 C water (70/50 F)				

E425 series top mount ice machines

MCE425ABT	57.7 (22.70)	61.6 (24.25)	54.0 (21.25)	148 (325)	193 (425)	A – SC	230/50/1	77 (170)	€7848
MME425ABT	57.7 (22.70)	61.6 (24.25)	54.0 (21.25)	148 (325)	193 (425)	A – SC	230/50/1	77 (170)	€8048

E425 series RIDE ice machines

MCE425ABS	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	148 (325)	193 (425)	A – SC	230/50/1	77 (170)	€9342
-----------	--------------	--------------	--------------	-----------	-----------	--------	----------	----------	-------

¹ Condensing unit: A – SC = Air – self-contained

Maestro Plus Micro Chewblet ice machines for drop-in beverage dispensers – E425 series

Ice machines with RIDE remote ice delivery equipment include 3 m (10') of insulated ice transport tube. Factory approval required for lengths over 6.1 m (20').

For additional product information, request form# 6945.

Available accessories are listed on page 11.



RIDE model

Item number	Width cm (in)	Depth cm (in)	Height cm (in)	Production capacity kg (lb)		Condensing unit ¹	Voltage	Approx. Ship wt kg (lb)	List price
				32 C air 21 C water (90/70 F)	21 C air 10 C water (70/50 F)				
E425 series RIDE ice machines									
MME425AJS	57.7 (22.70)	61.6 (24.25)	54.0 (21.25)	148 (325)	193 (425)	A – SC	230/50/1	58 (127)	€9542

¹ Condensing unit: A – SC = Air – self-contained

Horizon Elite Chewblet ice machines for ice storage bins – E710 series

Ice machines with RIDE remote ice delivery equipment include 3 m (10') of insulated ice transport tube. Maximum run length of ice transport tube is 22.8 m (75').

Micro Chewblet ice – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon Elite model number with "M". Example HCE710ABT becomes HME710ABT. Add €#N/A to list price.

For additional product information, request form# 8225.

Refer to form# 2925 for capacities and sizes of bins available.

Available accessories are listed on page 11.



Top mount



RIDE model

Item number	Width cm (in)	Depth cm (in)	Height cm (in)	Production capacity kg (lb)		Condensing unit ¹	Voltage	Approx ship wt kg (lb)	List price
				32 C air 21 C water (90/70 F)	21 C air 10 C water (70/50 F)				
E710 series top mount ice machines									
HCE710ABT	57.7 (22.70)	62.2 (24.50)	54.0 (21.25)	266 (586)	345 (1759)	A – SC	230/50/1	87 (190)	€10,950
E710 series RIDE ice machines									
HCE710ABS	57.7 (22.70)	62.2 (24.50)	54.0 (21.25)	266 (586)	345 (1759)	A – SC	230/50/1	87 (190)	€11,650

¹ Condensing unit: A – SC = Air – self-contained

Horizon Elite Chewblet ice machines for countertop ice and beverage dispensers – E710 series

For RIDE model ice machine that automatically fills countertop ice and beverage dispensers, **no stainless steel top required**^{*}. All parts required for installation are included with the ice machine. Refer to specification sheet, for approved applications. See below list for specific model. See "Top kits for RIDE model Horizon Elite ice machines for use with countertop ice and beverage dispensers" on page 22 for approved dispensers.

Ice machines with RIDE remote ice delivery equipment include 3 m (10') of insulated ice transport tube. For additional tube lengths, see "Ice transport tube" on page 23. Maximum run length of ice transport tube is 22.8 m (75').

All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

Micro Chewblet ice – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon Elite model number with "M". Example HCE710AHS becomes HME710AHS. Add €#N/A to list price.

For additional product information, request form# 8225.

Available accessories are listed on page 11.



RIDE model

Item number	Width in (cm)	Depth in (cm)	Height in (cm)	Production capacity kg (lb)		Condensing unit	Voltage	Approx. ship wt lb (kg)	List price
				32 C air 21 C water (90/70 F)	21 C air 10 C water (70/50 F)				
E710 series RIDE ice machines									
HCE710AHS [†]	57.7 (22.70)	62.2 (24.50)	54.0 (21.25)	266 (586)	345 (1759)	A – SC ¹	115/60/1	190 (87)	€11,650

¹ Condensing unit: A – SC = Air – self-contained

Approved for RIDE model – ice and beverage dispensers manufactured by others¹

Coca-Cola Freestyle 7000 ² / 7100 ^{2,3} / 9000 ² / 9100 ²	Follett Symphony Plus™ 110CM	Pepsi Spire 3.0 ⁴ / 5.0 ⁴ / 4.1 ⁴	Servend SV250
Cornelius DB/DF/ED150BC Series	Lancer 4500-22N	Servend MD150	
Cornelius DB/DF/ED175BC Series	Lancer 4500-30N	Servend MD175	
Cornelius DB/DF/ED200BC Series	Lancer FS-16N	Servend MD200	
Cornelius DB/DF/ED250BC Series	Lancer FS-22N	Servend MD250	
Cornelius DB/DF/ED300BC Series	Lancer FS-30N	Servend MDH302	
Cornelius IDC215/255 and Pro Fast Gate	Lancer FS-44N	Servend MDH402	
Cornelius IDC Pro	Lancer Sensation/TouchPoint	Servend SV175	
Cornelius Flavor Fusion/Overload	Lancer Bevariety	Servend SV200	

¹ All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required. See table below for table of approved dispensers for top mount ice machines.

² Consult with Coca-Cola and Follett to qualify application prior to ordering.

³ Top kit MSF30SC required with Coca-Cola Freestyle 7100. Top adapter IC Code 46751 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

⁴ RIDE application is approved only for Pepsi Spire 3.0, 5.0 and 4.1 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0 and 4.1, ordered separately. For manual fill versions of Pepsi Spire 3.0, 5.0 and 4.1, contact factory.

Top kits for RIDE model Horizon Elite ice machines for use with countertop ice and beverage dispensers

Top kit accessory item number	Ice machine model	Dispenser	Dispenser model number	Dispenser series width	List price
Required Horizon Elite RIDE model stainless steel adapter kits¹					
HSF26SC ²	Available for all models that end in HS.	Coca-Cola	Freestyle 9100	26"	€452
MSP24SC ³		Pepsi	Spire 3.0	24"	€430
MSP30SC ³	Example: HCE710AHS	Pepsi	Spire 5.0 / 4.1	30"	€452

¹ All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required. See table below for table of approved dispensers for top mount ice machines.

² Consult with Coca-Cola and Follett to qualify application prior to ordering.

³ RIDE application is approved only for Pepsi Spire 3.0, 5.0 and 4.1 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0 and 4.1, ordered separately. For manual fill versions of Pepsi Spire 3.0, 5.0 and 4.1, contact factory.

Ice transport tube

Insulated polywire transport tube for RIDE ice machine installations requiring more than the standard 10' (3 m) length.

Item number	Description	List price
01252477	Ice transport tube kit, 4.6 m (15 ft)	€254
01252485	Ice transport tube kit, 6.1 m (20 ft)	€508
01252493	Ice transport tube kit, 9.2 m (30 ft)	€1,016
01252501	Ice transport tube kit, 12.2 m (40 ft)	€1,524
01252519	Ice transport tube kit, 15.3 m (50 ft)	€2,032
01252527	Ice transport tube kit, 18.3 m (60 ft)	€2,540
01413053	Ice transport tube kit, 22.9 m (75 ft)	€3,302
01252543	Ice transport tube kit, 30.5 m (100 ft)	€4,572

Water treatment accessories for ice machines

Item number	Description	List price
Standard capacity filter system		
00130229	Water filter system (one per ice machine)	€770
00130245	Water filter cartridge – primary, single	€167
00954297	Water filter cartridge – primary, carton of 6	€809
00130211	Water pre-filter cartridge – pre-filter, single	€28
00954305	Water pre-filter cartridge – pre-filter, carton of 12	€266
High capacity filter system		
00978957	High capacity water filter system (one per ice machine)	€936
00978965	High capacity water filter cartridge – primary, single	€298
00978973	High capacity water filter cartridge – primary, carton of 6	€1606
00130211	Water pre-filter cartridge – pre-filter, single	€28
00954305	Water pre-filter cartridge – pre-filter, carton of 12	€266

Other accessories for ice machines

Item number	Description	List price
01336494	Slide-out accessory for Maestro Plus 425A/W series RIDE model ice machines – allows easy access for service and cleaning without disconnecting utilities	€2,590
AFWALLMTBRKT	Wall mount bracket for Maestro Plus 425A/W series RIDE model ice machines	€319
AFR400STND	Ice machine stand for Maestro Plus 425A/W series – height adjustable from 17.27 cm (6.80") to 21.08 cm (8.30")	€716
01085455	Wall mount bracket for Horizon Elite 1010A/W and 1410A/W series RIDE model ice machines	€445
01085463	Ice machine stand for Horizon Elite 1010A/W series and 1410A/W series – height adjustable from 17.27 cm (6.80") to 21.08 cm (8.30")	€716
01161843	Kit, Micro Chewblet	€298
01151935	Insulated ice transport tube, EU compliant, purchased in 1.52 m (5') increments	€107/ meter
208592	Tubing, 3/8" OD, to connect wall water valve and water filter (meter)	€4
01147826	SafeCLEAN Plus™, liquid – environmentally responsible ice machine cleaner (1 x 237 ml (8 oz) bottle)	€19
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 237 ml (8 oz) bottles)	€99
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 237 ml (8 oz) bottles)	€319
00132068	SaniSponge™, 4 sanitary sponges with plunger	€14
01075431	SaniSponge, 24 sanitary sponges	€61

Ice and water dispensers

EXW Incoterms® 2010 – Wislina, Poland

Ice and water and ice-only dispensers – E7 series

Countertop ice and water dispensers and ice-only dispensers with integral air-cooled ice machine. Produces up to 54.4 kg (120 lb) of Chewblet compressed nugget ice in a 24-hour period. Storage capacity of 3 kg (7 lb).

For additional information request form# 5045.

Available accessories are listed below.



Note: For use in applications with greater than 5 mg/l but less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology). E7 series countertop


Item number	Configuration	Width cm (in)	Depth cm (in)	Height cm (in)	Approx. ship wt kg (lb)	List price
E7CI100A-IW-NF-ST-RD	Countertop ice and water, rear drain, no filter	37.1 (14.62)	56.2 (22.12)	44.8 (17.62)	41 (90)	€7124
E7CI100A-NW-NF-ST-00	Countertop ice-only, no filter	37.1 (14.62)	56.2 (22.12)	44.8 (17.62)	41 (90)	€7124
E7CI100A-NW-NF-ST-RD	Countertop ice-only, rear drain, no filter	37.1 (14.62)	56.2 (22.12)	44.8 (17.62)	41 (90)	€7124

Ice and water and ice-only dispensers – E15 series

Countertop ice and water dispensers and ice-only dispensers with integral air-cooled ice machine. Produces up to 54.4 kg (120 lb) of Chewblet compressed nugget ice in a 24-hour period. Storage capacity of 7 kg (15 lb).

For additional information request form# 6200.

Available accessories are listed below.



Note: For use in applications with greater than 5 mg/l but less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology). E15 series countertop

Item number	Configuration	Width cm (in)	Depth cm (in)	Height cm (in)	Approx. ship wt kg (lb)	List price
E15CI100A-IW-NF-ST-RD	Countertop ice and water, rear drain, no filter	37.1 (14.62)	59.7 (23.50)	57.2 (22.50)	48 (105)	€7878
E15CI100A-NW-NF-ST-00	Countertop ice-only, no filter	37.1 (14.62)	59.7 (23.50)	57.2 (22.50)	48 (105)	€7878
E15CI100A-NW-NF-ST-RD	Countertop ice-only, rear drain, no filter	37.1 (14.62)	59.7 (23.50)	57.2 (22.50)	48 (105)	€7878

Accessories for E7 and E15 series ice and water dispensers


Item number	Description	List price
01362623	Antimicrobial shields for touchscreen, pack of 5	€17
01363761	Antimicrobial shields for touchscreen, pack of 50	€132
00968107	Replacement cartridges for E7CI and E15CI series filter	€99
00956300	10.16 cm (4.00") legs, for countertop models (CI)	€313
00981977	Drip tray drain kit for E7CI (includes 10.16 cm (4.00") legs)	€484
00956292	Base stand, to convert CI to FS, stainless panels	€855
00956375	Drip tray drain kit for E7CI and E15CI when used with base stand (item# 00956292)	€484
00956318	15.24 cm (6.00") legs, for base stand (item# 00956292)	€313
01147826	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (1 x 237 ml (8 oz) bottle)	€19
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 237 ml (8 oz) bottles)	€99
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 237 ml (8 oz) bottles)	€319
00986059	Claris hardness removal filtration system	€802
00985127	Replacement filter for Claris system	€457

Symphony Plus ice and water dispensers – E12 series

Countertop ice and water dispensers with 5 kg (12 lb) of storage. Integral ice machine produces up to 186.1 kg (410 lb) of ice per day¹. Stainless steel cabinet with accent trim. Water station included. Standard electrical configuration 230/50/1. SensorSAFE™ infrared dispensing or lever dispensing.

For additional product information, request form# 6940.

Available accessories are listed on page 14.



Countertop with integral ice machine

Item number	Configuration	Width cm (in)	Depth cm (in)	Height cm (in)	Condenser	Ice machine location	Approx. ship wt kg (lb)	List price
E12 series with SensorSAFE dispensing								
E12CI425A-L	Countertop	41.9 (16.12)	59.7 (23.50)	82.6 (32.50)	air-cooled	integral	91 (199)	€8533

E12 series with lever dispensing								
E12CI425A-S ¹	Countertop	41.9 (16.12)	59.7 (23.50)	82.6 (32.50)	air-cooled	integral	91 (199)/60/1	€8533


¹ Production data at 21 C air / 10 C water for Symphony Plus series.

Symphony Plus ice-only dispensers – E12 series

Countertop ice dispensers with 5 kg (12 lb) of storage. Ice-only; no water. Integral ice machine produces up to 186.1 kg (410 lb) of ice per day¹. Stainless steel cabinet with accent trim. Standard electrical configuration 230/50/1. Lever dispensing.

For additional product information, request form# 6940.

Available accessories are listed on page 14.



Countertop with integral ice machine

Item number	Configuration	Width cm (in)	Depth cm (in)	Height cm (in)	Condenser	Ice machine location	Approx. ship wt kg (lb)	List price
E12 series ice-only with lever dispensing								
E12CI425A-LI	Countertop	41.9 (16.12)	59.7 (23.50)	82.6 (32.50)	air-cooled	integral	91 (199)	€8533

¹ Production data at 21 C air / 10 C water for Symphony Plus series.

Water treatment accessories for Symphony Plus ice and water dispensers

Item number	Description	List price
Standard capacity filter system		
00130229	Water filter system (one per ice machine)	€770
00130245	Water filter cartridge – primary, single	€167
00954297	Water filter cartridge – primary, carton of 6	€809
00130211	Water pre-filter cartridge – pre-filter, single	€28
00954305	Water pre-filter cartridge – pre-filter, carton of 12	€266
High capacity filter system		
00978957	High capacity water filter system (one per ice machine)	€936
00978965	High capacity water filter cartridge – primary, single	€298
00978973	High capacity water filter cartridge – primary, carton of 6	€1606
00130211	Water pre-filter cartridge – pre-filter, single	€28
00954305	Water pre-filter cartridge – pre-filter, carton of 12	€266

Other accessories for Symphony Plus ice and water dispensers

Item number	Description	List price
AFR400STND	Ice machine stand for Maestro Plus 425A/W series – height adjustable from 17.27 cm (6.80") to 21.08 cm (8.30")	€716
AF10LBLEGS	10.16 cm (4.00") leg kit for 12CI series	€173
01089572	Pressurized water sanitizing kit for use with Follett dispensers that have a Follett water filtration system ¹	€60
01089580	Pressurized water sanitizing kit for use with Follett dispensers that do not have a Follett water filtration system	€146
01147826	SafeCLEAN Plus™, liquid – environmentally responsible ice machine cleaner (1 x 237 ml (8 oz) bottle)	€19
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 237 ml (8 oz) bottles)	€99
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 237 ml (8 oz) bottles)	€319
01075431	SaniSponge™, 24 pack of sanitary sponges	€61

¹ Applicable Follett water filter systems include 00130229, 00978957, 01050442

Ice transport tube

- Always replace tubing with like tubing. Example: Braided with braided.
- Contact factory to confirm appropriate tubing for your specific dispenser

01151935	Insulated ice transport tube, EU compliant, purchased in 1.52 m (5') increments	€107 / meter
----------	---	--------------

Incoterms is a trademark of the International Chamber of Commerce.
HORIZON ELITE, MAESTRO PLUS, MICRO CHEWBLET, SAFECLEAN PLUS, SANISPONGE, SENSORSAFE and SYMPHONY PLUS are trademarks of Follett Products, LLC.
CHEWBLET, FOLLETT and RIDE are registered trademarks of Follett Products, LLC, registered in the US.
Follett reserves the right to change specifications at any time without obligation. Certifications may vary depending on country of origin.

Follett Europe Polska Sp. z o.o.
Mokry Dwór 26C 83-021 Wiślina, Poland
Phone: +48 (58) 785-6140 | Fax: +48 (58) 785-6159
folletteurope.com

801 Church Lane | Easton, PA 18040, USA
1.610.252.7301 | Fax: +1.610.250.0696 | follettice.com

FOLLETT®



2435-20220510 | © Follett Products, LLC