

ice and water dispensers



ice machines



Contents

TERMS AND POLICIES.....	4
WARRANTY.....	5
ICE MACHINES	6
EXW Incoterms® 2010 – Wislina, Poland.....	6
Maestro Plus ice machine bins – E400 series	6
Maestro Plus flake ice machines for ice storage bins – E400 series	7
Maestro Plus Chewblet ice machines for ice storage bins – E400 series	7
Maestro Plus Chewblet ice machines for countertop ice and beverage dispensers – E400 series	8
Maestro Plus Chewblet ice machines for drop-in beverage dispensers – E400 series	8
Horizon Elite Chewblet ice machines for ice storage bins – E710 series	9
Horizon Elite Chewblet ice machines for countertop ice and beverage dispensers – E710 series	9
Top kits for RIDE model Horizon Elite ice machines for use with countertop ice and beverage dispensers ..	10
Ice transport tube	10
Water treatment accessories for ice machines	11
Other accessories for ice machines.....	11
ICE AND WATER DISPENSERS.....	12
EXW Incoterms® 2010 – Wislina, Poland.....	12
Champion™ ice and water dispensers	12
Symphony Plus ice-only dispensers – E12 series	13
Water treatment accessories for Symphony Plus ice and water dispensers	13
Other accessories for Symphony Plus ice and water dispensers.....	14
EXW Incoterms® 2010 – Easton, PA USA.....	15
Champion™ ice and water dispensers	15
Champion ice and water dispenser accessories	16

Terms and policies

Terms

- Products for sale meet all regulatory compliances as noted in the appropriate Follett Product Specification Sheet at the time of sale. Customer understands and accepts these products as meeting the designated regulatory compliances.
- Net 30 day terms on approved accounts
- Prices subject to change without notice
- Specifications subject to change without notice
- This price list supersedes all others
- **All prices in euros**
- **Products priced with EX Works (EXW) terms**
- **Other shipping terms available upon request**

Return Policy

Non-standard equipment cannot be returned. Orders for non-standard equipment cannot be cancelled.

Follett equipment may be returned for credit under the following conditions:

- The equipment is new and unused.
- A return authorization number has been issued by customer service within 45 days after shipment.
- Follett receives the equipment at the factory in Pruszcz, Poland within 30 days after issuance of the return authorization number.
- The equipment must be returned in Follett packaging. If the packaging has been damaged or discarded, Follett will forward new packaging at the customer's expense.

Note: Return freight charges are the responsibility of the customer. If equipment is returned and is damaged because of improper packaging, Follett Products, LLC will not be held responsible.

Credit will be issued when the equipment has been inspected by Follett and deemed suitable to be returned to stock.

Note: 20% restocking charge will be deducted from the credit. If the cost to return the product to stock exceeds 20%, the actual cost will be deducted.

Warranty

Symphony Plus™ ice and water dispensers, Maestro Plus™ and Horizon Elite™ series ice machines

Follett Products, LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 3 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 3 year period are covered under this warranty. Labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated territory.

The compressor shall be covered for an additional 2 years (parts only), for a total of 5 years from the date of installation.

WARRANTY CONDITIONS

- Labor warranty will apply only to equipment sold by the Follett Authorized Distributor in his designated territory.
- Warranty labor must be performed by the local Follett Authorized Distributor or his designated service provider.
- Customer has documented record of preventive maintenance and cleaning of the machine every 6 months according to the instructions in the dispenser Installation, Operations and Service Manual.
- The equipment has been installed and operated in compliance with instructions provided by Follett.
- Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond Follett's control are expressly excluded from this warranty.
- Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
- Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
- Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 80 km (50 miles), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett Products, LLC and are the responsibility of the equipment owner.

Champion™ ice and water dispensers

Follett Products, LLC warrants to the original end user that all parts shall be free from defects in material and workmanship under normal use and service for a period of 2 years from the date of installation. Date of installation shall not exceed 90 days from date of shipment. Parts and labor for repair within this 2 year period are covered under this warranty. Labor warranty will apply only to equipment sold and serviced through a Follett Authorized Distributor in its designated territory.

The compressor shall be covered for an additional 3 years (parts only), for a total of 5 years from the date of installation.

WARRANTY CONDITIONS

- Warranty labor must be performed by the local Follett authorized service agent.
- The equipment has been installed and operated in compliance with instructions provided by Follett.
- Customer has documented record of preventive maintenance and cleaning of the machine every 6 months according to the instructions in the dispenser Installation, Operations and Service Manual.
- Dispenser is used in an application with less than 400 mg/l total dissolved solids in water and less than 200 mg/l hardness (either naturally occurring or treated with reverse osmosis or other TDS reducing technology).
- Dispenser is not to be used with softened water.
- Premature internal filter life due to poor supply water is not covered.
- Malfunctions or damage due to alterations, improper operation, outdoor use, neglect, vandalism, fire, acts of God, or any situation beyond the control of Follett are expressly excluded from this warranty.
- Follett reserves the right to require that any parts covered under this warranty be returned to Follett prepaid and verified as defective upon examination.
- Any damages resulting from shipment of the unit are expressly excluded. Follett advises customers to carefully examine all shipments prior to acceptance and note all potential damage concerns on the appropriate shipping papers.
- Excess labor charges resulting from security clearance procedures, safety training, travel time greater than one hour or 80 km (50 miles), premium time labor; after hours, weekends, holidays, etc., will not be covered by Follett Products, LLC and are the responsibility of the equipment owner.

This warranty is expressly made in lieu of other warranties, expressed or implied, including any implied warranty of merchantability or fitness for a particular purpose except as provided in the warranty with respect to defects in material and workmanship.

Follett Products, LLC will not be liable for any consequential damages, expenses, connecting or disconnecting charges, or any losses or damages resulting from a defect of the machine. Questions concerning this warranty should be directed to Follett US and Canada technical service at +1 877 612-5086, +1 610-252-7301 or Follett Europe technical service at +48 (58) 785-6140, Fax +48 (58) 785-6159.

Ice machines

EXW Incoterms® 2010 – Wislina, Poland


Maestro Plus ice machine bins – E400 series

Flake (UF) or Micro Chewblet™ (UM) ice machines with 34 kg (75 lb) bin storage for undercounter or freestanding applications.

Stainless steel exterior with moderate production and storage capacity in a small footprint.

For additional product information, request form# 1006.

Available accessories are listed on page 11.



UFE/UME414A80

Item number	Width cm (in)	Depth cm (in)	Height ¹ cm (in)	Production capacity kg (lb)		Condensing unit ²	Voltage	Approx. ship wt kg (lb)	List price
				32 C air 21 C water (90/70 F)	21 C air 10 C water (70/50 F)				
UFE414A80	59.7 (23.50)	66.0 (26.00)	83.8 (33.00)	148 (325)	193 (425)	A – SC	230/50/1	88 (194)	€7,312
UME414A80	59.7 (23.50)	66.0 (26.00)	83.8 (33.00)	148 (325)	193 (425)	A – SC	230/50/1	88 (194)	€7,312

¹ 83.8 cm (33.00") with leveling feet for undercounter use. 99.1 cm (39.00") with bullet legs for freestanding application.

² Condensing unit: A – SC = Air – self-contained

Ice Machine Model Number Configurations

Example: MCE425ABT

MC	E	4	25	A	B	T
Ice Type	Voltage	Ice Production (approx.)	Refrigerant Type	Condenser	Application	Configuration
MC Maestro Plus Chewblet™ (414) MM Maestro Plus Micro Chewblet™ (414) MF Maestro Plus Flake (414) HC Horizon Elite Chewblet (710)	E 230/50/1 (icemaking head) <i>Self-contained only.</i>	4 181 kg (400 lb) 7 700 lb (318 kg)	14 R290 25 R404a 10 R404a	A Air-cooled, self-contained W Water-cooled, self-contained	H Harmony™ B Ice storage bin J Drop-in	S RIDE™ (RIDE remote ice delivery equipment) T Top-mount

Maestro Plus flake ice machines for ice storage bins – E400 series

Flake ice machines for top mount on ice storage bins.

Refer to Follett ice storage, ice transportation and ice handling form# 8590 for capacities and sizes of bins available.

For additional product information, request form# 1002 or 1003.

Available accessories are listed on page 11.



Top mount

Item number	Width cm (in)	Depth cm (in)	Height cm (in)	Production capacity kg (lb)		Condensing unit¹	Voltage	Approx. ship wt kg (lb)	List price
				32 C air	21 C air				
				21 C water (90/70 F)	10 C water (70/50 F)				
E414 series top mount ice machines									
MFE414ABT	57.7 (22.70)	61.6 (24.25)	54.0 (21.25)	148 (325)	193 (425)	A – SC	230/50/1	58 (127)	€8,488

¹ Condensing unit: A – SC = Air – self-contained

Maestro Plus Chewblet ice machines for ice storage bins – E400 series

Ice machines for top mount or RIDE (ice-through-a-tube) configurations.

RIDE ice machines include 3 m (10') of insulated ice transport tube. Factory approval required for lengths over 6.1 m (20').

Refer to Follett ice storage, ice transportation and ice handling form# 8590 for capacities and sizes of bins available.

For additional product information, request form# 1001, 1002 or 1003.

Available accessories are listed on page 11.



Top mount



RIDE

Item number	Width cm (in)	Depth cm (in)	Height cm (in)	Production capacity kg (lb)		Condensing unit ²	Voltage	Approx. Ship wt kg (lb)	List price
				32 C air	21 C air				
				21 C water (90/70 F)	10 C water (70/50 F)				
E414 series top mount ice machines									
MCE414ABT ¹	57.7 (22.70)	61.6 (24.25)	54.0 (21.25)	148 (325)	193 (425)	A – SC	230/50/1	58 (127)	€8,488

E414 series RIDE ice machines

MCE414ABS ¹	18.80 (47.8)	22.75 (57.8)	17.10 (43.4)	148 (325)	193 (425)	A – SC	230/50/1	58 (127)	€10,104
------------------------	--------------	--------------	--------------	-----------	-----------	--------	----------	----------	---------

¹ For Micro Chewblet ice, replace the second character of the model number with "M". Example: MME414ABT.

² Condensing unit: A – SC = Air – self-contained

Maestro Plus Chewblet ice machines for countertop ice and beverage dispensers – E400 series

Ice machines for top mount or RIDE (ice-through-a-tube) configurations.


Top mount ice machine **requires stainless steel top kit**, sold separately. See US Price List, form# 4025.

RIDE ice machines include 3 m (10') of insulated ice transport tube and universal RIDE model adapter kit (item# 01054444). Factory approval required for ice transport tube lengths over 6.1 m (20'). See below for approved dispensers.

All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

For additional product information, request form# 1001, 1002 or 1003.

Available accessories are listed on page 11.



Top mount

RIDE

Item number	Width cm (in)	Depth cm (in)	Height cm (in)	Production capacity kg (lb)		Condensing unit ¹	Voltage	Approx. ship wt kg (lb)	List price
				32 C air 21 C water (90/70 F)	21 C air 10 C water (70/50 F)				
414 series top mount ice machines									
MCE414AHT	57.7 (22.70)	61.6 (22.25)	54.0 (21.25)	148 (325)	193 (425)	A – SC	230/50/1	77 (170)	€8,488
414 series RIDE ice machines									
MCE414AHS	47.8 (18.80)	57.8 (22.75)	43.4 (17.10)	148 (325)	193 (425)	A – SC	230/50/1	77 (170)	€10,104

¹ Condensing unit: A – SC = Air – self-contained

Approved for RIDE model – ice and beverage dispensers manufactured by others¹

Coca-Cola Freestyle 7000 ^{2,4} / 7100 ^{3,4} / 9000 ⁴ / 9100 ⁴	Lancer 4500-22N	Servend MD175
Cornelius DB/DF/ED150BC Series	Lancer 4500-30N	Servend MD200
Cornelius DB/DF/ED175BC Series	Lancer FS-16N	Servend MD250
Cornelius DB/DF/ED200BC Series	Lancer FS-22N	Servend MDH302
Cornelius DB/DF/ED250BC Series	Lancer FS-30N	Servend MDH402
Cornelius DB/DF/ED300BC Series	Lancer FS-44N	Servend SV175
Cornelius IDC215/255 and Pro Fast Gate	Lancer Sensation and TouchPoint	Servend SV200
Cornelius IDC Pro	Pepsi Spire 3.0 ⁵ / 5.0 ⁵ / 4.1 ⁵	Servend SV250
Cornelius Flavor Fusion/Overload	Servend MD150	


Maestro Plus Chewblet ice machines for drop-in beverage dispensers – E400 series

Ice machines for top mount or RIDE (ice-through-a-tube) configurations.

RIDE ice machines include 3 m (10') of insulated ice transport tube. Factory approval required for lengths over 6.1 m (20').

For additional product information, request form# 1001.

Available accessories are listed on page 11.



RIDE

Item number	Width cm (in)	Depth cm (in)	Height cm (in)	Production capacity kg (lb)		Condensing unit ²	Voltage	Approx. Ship wt kg (lb)	List price
				32 C air	21 C air				
				21 C water (90/70 F)	10 C water (70/50 F)				
E414 series RIDE ice machines									
MCE414AJS ¹	57.7 (22.70)	61.6 (24.25)	54.0 (21.25)	148 (325)	193 (425)	A – SC	230/50/1	58 (127)	€10,104

¹ For Micro Chewblet ice, replace the second character of the model number with "M". Example: MME414ABT.

² Condensing unit: A – SC = Air – self-contained

Horizon Elite Chewblet ice machines for ice storage bins – E710 series

Ice machines for top mount or RIDE (ice-through-a-tube) configurations.

RIDE ice machines include 3 m (10') of insulated ice transport tube. Maximum run length of ice transport tube is 22.9 m (75').

Micro Chewblet ice – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon Elite model number with "M". Example HCE710ABT becomes HME710ABT. Add €207 to list price.

For additional product information, request form# 8225.

Refer to form# 2925 for capacities and sizes of bins available.

Available accessories are listed on page 11.



Top mount



RIDE

Item number	Width cm (in)	Depth cm (in)	Height cm (in)	Production capacity kg (lb)		Condensing unit ¹	Voltage	Approx ship wt kg (lb)	List price
				32 C air 21 C water (90/70 F)	21 C air 10 C water (70/50 F)				
E710 series top mount ice machines									
HCE710ABT	57.7 (22.70)	62.2 (24.50)	54.0 (21.25)	266 (586)	345 (1759)	A – SC	230/50/1	87 (190)	€11,844
E710 series RIDE ice machines									
HCE710ABS	57.7 (22.70)	62.2 (24.50)	54.0 (21.25)	266 (586)	345 (1759)	A – SC	230/50/1	87 (190)	€12,600

¹ Condensing unit: A – SC = Air – self-contained

Horizon Elite Chewblet ice machines for countertop ice and beverage dispensers – E710 series

Ice machines for RIDE (ice-through-a-tube) configurations.

RIDE model ice machine that automatically fill countertop ice and beverage dispensers, **no stainless steel top required**^{*}. All parts required for installation are included with the ice machine. Refer to specification sheet, for approved applications. See below list for specific model. See page 10 for approved dispensers.

RIDE ice machines include 3 m (10') of insulated ice transport tube. For additional tube lengths, see page 10. Maximum run length of ice transport tube is 22.9 m (75').

All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required.

Micro Chewblet ice – For smaller Chewblet ice (approximately 3/8" long), replace second character of Horizon Elite model number with "M". Example HCE710AHS becomes HME710AHS. Add €207 to list price.

For additional product information, request form# 8225.

Available accessories are listed on page 11.



RIDE

Item number	Width cm (in)	Depth cm (in)	Height cm (in)	Production capacity kg (lb)		Condensing unit	Voltage	Approx. ship wt kg (lb)	List price
				32 C air 21 C water (90/70 F)	21 C air 10 C water (70/50 F)				
E710 series RIDE ice machines									
HCE710AHS [†]	57.7 (22.70)	62.2 (24.50)	54.0 (21.25)	266 (586)	345 (1759)	A – SC ¹	115/60/1	87 (190)	€12,600

¹ Condensing unit: A – SC = Air – self-contained

Approved for RIDE model – ice and beverage dispensers manufactured by others¹

Coca-Cola Freestyle 7000 ² / 7100 ^{2,3} / 9000 ² / 9100 ²	Follett Symphony Plus™ 110CM	Pepsi Spire 3.0 ⁴ / 5.0 ⁴ / 4.1 ⁴	Servend SV250
Cornelius DB/DF/ED150BC Series	Lancer 4500-22N	Servend MD150	
Cornelius DB/DF/ED175BC Series	Lancer 4500-30N	Servend MD175	
Cornelius DB/DF/ED200BC Series	Lancer FS-16N	Servend MD200	
Cornelius DB/DF/ED250BC Series	Lancer FS-22N	Servend MD250	
Cornelius DB/DF/ED300BC Series	Lancer FS-30N	Servend MDH302	
Cornelius IDC215/255 and Pro Fast Gate	Lancer FS-44N	Servend MDH402	
Cornelius IDC Pro	Lancer Sensation/TouchPoint	Servend SV175	
Cornelius Flavor Fusion/Overload	Lancer Bevariety	Servend SV200	

¹ All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required. See table below for table of approved dispensers for top mount ice machines.

² Consult with Coca-Cola and Follett to qualify application prior to ordering.

³ Top kit MSP30SC required with Coca-Cola Freestyle 7100. Top adapter IC Code 46751 and ice kit IC Code 46430 must also be ordered from Coca-Cola.

⁴ RIDE application is approved only for Pepsi Spire 3.0, 5.0 and 4.1 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0 and 4.1, ordered separately. For manual fill versions of Pepsi Spire 3.0, 5.0 and 4.1, contact factory.

Top kits for RIDE model Horizon Elite ice machines for use with countertop ice and beverage dispensers

Top kit accessory item number	Ice machine model	Dispenser	Dispenser model number	Dispenser series width	List price
Required Horizon Elite RIDE model stainless steel adapter kits¹					
HSF26SC ²	Available for all models that end in HS.	Coca-Cola	Freestyle 9100	26"	€489
MSP24SC ³		Pepsi	Spire 3.0	24"	€465
MSP30SC ³	Example: HCE710AHS	Pepsi	Spire 5.0 / 4.1	30"	€489

¹ All dispensers must be configured for nugget ice. See dispenser manufacturer for appropriate nugget ice kits, if required. See table below for table of approved dispensers for top mount ice machines.

² Consult with Coca-Cola and Follett to qualify application prior to ordering.

³ RIDE application is approved only for Pepsi Spire 3.0, 5.0 and 4.1 designed for top mount ice machines and requires MSP24SC for 3.0 and MSP30SC for 5.0 and 4.1, ordered separately. For manual fill versions of Pepsi Spire 3.0, 5.0 and 4.1, contact factory.

Ice transport tube

Insulated polywire transport tube for RIDE ice machine installations requiring more than the standard 10' (3 m) length.

Item number	Description	List price
01252477	Ice transport tube kit, 4.6 m (15 ft)	€274
01252485	Ice transport tube kit, 6.1 m (20 ft)	€550
01252493	Ice transport tube kit, 9.2 m (30 ft)	€1,099
01252501	Ice transport tube kit, 12.2 m (40 ft)	€1,649
01252519	Ice transport tube kit, 15.3 m (50 ft)	€2,197
01252527	Ice transport tube kit, 18.3 m (60 ft)	€2,747
01413053	Ice transport tube kit, 22.9 m (75 ft)	€3,572
01252543	Ice transport tube kit, 30.5 m (100 ft)	€4,945

Water treatment accessories for ice machines

Item number	Description	List price
Standard capacity filter system		
00130229	Water filter system (one per ice machine)	€833
00130245	Water filter cartridge – primary, single	€181
00954297	Water filter cartridge – primary, carton of 6	€875
00130211	Water pre-filter cartridge – pre-filter, single	€30
00954305	Water pre-filter cartridge – pre-filter, carton of 12	€288
High capacity filter system		
00978957	High capacity water filter system (one per ice machine)	€1,012
00978965	High capacity water filter cartridge – primary, single	€322
00978973	High capacity water filter cartridge – primary, carton of 6	€1,737
00130211	Water pre-filter cartridge – pre-filter, single	€30
00954305	Water pre-filter cartridge – pre-filter, carton of 12	€288

Other accessories for ice machines

Item number	Description	List price
01336494	Slide-out accessory for Maestro Plus 414A series RIDE model ice machines – allows easy access for service and cleaning without disconnecting utilities	€2,802
AFWALLMTBRKT	Wall mount bracket for Maestro Plus 414A series RIDE model ice machines	€345
00997098	Wall mount bracket for Horizon Elite 710A series RIDE model ice machines	€736
AFR400STND	Ice machine stand for Maestro Plus 414A series – height adjustable from 17.27 cm (6.80") to 21.08 cm (8.30")	€774
00997080	Ice machine stand for Horizon Elite 710A series – height adjustable from 17.27 cm (6.80") to 21.08 cm (8.30")	€1,147
01085455	Wall mount bracket for Horizon Elite 1010A/W and 1410A/W series RIDE model ice machines	€481
01085463	Ice machine stand for Horizon Elite 1010A/W series and 1410A/W series – height adjustable from 17.27 cm (6.80") to 21.08 cm (8.30")	€774
01161843	Kit, Micro Chewblet	€322
01151935	Insulated ice transport tube, EU compliant, purchased in 1.52 m (5') increments	€116/ meter
208592	Tubing, 3/8" OD, to connect wall water valve and water filter (meter)	€4
01147826	SafeCLEAN Plus™, liquid – environmentally responsible ice machine cleaner (1 x 237 ml (8 oz) bottle)	€21
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 237 ml (8 oz) bottles)	€107
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 237 ml (8 oz) bottles)	€345
00132068	SaniSponge™, 4 sanitary sponges with plunger	€16
01075431	SaniSponge, 24 sanitary sponges	€65

Ice and water dispensers

EXW Incoterms® 2010 – Wislina, Poland

Champion™ ice and water dispensers

Countertop dispensers with integral air-cooled ice machine. Champion 7 models have a storage capacity of 3.2 kg (7 lb) and are designed to serve up to 50 people. Champion 15 models have a storage capacity 6.8 kg (15 lb) and are designed to serve up to 75 people. All models produce up to 45.4 kg (100 lb) of Chewblet compressed nugget ice in a 24-hour period.


For additional information request form# 8940 for E7CI models or 8945 for E15CI models.

See page 16 for additional accessory information.


Notes:

Intended for commercial use only. Follett can't guarantee freight carrier's ability to deliver to residential locations. Follett service providers may not be bonded to perform on-site warranty repairs in certain areas.

For use in applications with greater than 10 mg/l but less than 400 mg/l total dissolved solids in water and less than 100 mg/l hardness (either naturally occurring or treated with reverse osmosis or other hardness reducing technology). Not recommended for use with softened water



Champion 7
countertop



Champion 15
countertop


Item number	Configuration	Width cm (in)	Depth cm (in)	Height cm (in)	Approx. ship wt kg (lb)	List price
Champion 7 countertop ice and water dispensers						
E7CI114A-IW-NF-ST-00	Countertop ice and water, no filter	37.1 (14.62)	56.8 (22.38)	44.8 (17.62)	42 (92)	€7,706
E7CI114A-IW-NF-ST-RD	Countertop ice and water, rear drain, no filter	37.1 (14.62)	56.8 (22.38)	44.8 (17.62)	42 (92)	€7,706
Champion 7 countertop ice-only dispensers						
E7CI114A-NW-NF-ST-00	Countertop ice-only, no filter	37.1 (14.62)	56.8 (22.38)	44.8 (17.62)	42 (92)	€7,706
E7CI114A-NW-NF-ST-RD	Countertop ice-only, rear drain, no filter	37.1 (14.62)	56.8 (22.38)	44.8 (17.62)	42 (92)	€7,706
Champion 15 countertop ice and water dispensers						
E15CI114A-IW-NF-ST-00	Countertop ice and water, no filter	37.1 (14.62)	56.8 (22.38)	57.2 (22.50)	48 (105)	€8,521
E15CI114A-IW-NF-ST-RD	Countertop ice and water, rear drain, no filter	37.1 (14.62)	56.8 (22.38)	57.2 (22.50)	48 (105)	€8,521
Champion 15 countertop ice-only dispensers						
E15CI114A-NW-NF-ST-00	Countertop ice-only, no filter	37.1 (14.62)	56.8 (22.38)	57.2 (22.50)	48 (105)	€8,521
E15CI114A-NW-NF-ST-RD	Countertop ice-only, rear drain, no filter	37.1 (14.62)	56.8 (22.38)	57.2 (22.50)	48 (105)	€8,521

Symphony Plus ice and water dispensers – E12 series

Countertop ice and water dispensers with 5 kg (12 lb) of storage. Integral ice machine produces up to 176 kg (388 lb) of ice per day¹. Stainless steel cabinet with accent trim. Water station included. SensorSAFE™ infrared dispensing or lever dispensing.

For additional product information, request form# 1000.

Available accessories are listed on page 14.



E12CI414A-L

Item number	Configuration	Dispense	Width cm (in)	Depth cm (in)	Height cm (in)	Condenser	Ice machine location	Approx. ship wt kg (lb)	List price
E12CI414A-S ¹	Countertop	SensorSAFE	41.9 (16.12)	59.7 (23.50)	82.6 (32.50)	air-cooled	integral	91 (199)	€9,229
E12CI414A-L ¹	Countertop	Lever	41.9 (16.12)	59.7 (23.50)	82.6 (32.50)	air-cooled	integral	91 (199)	€9,229


¹ Production data at 21 C air / 10 C water for Symphony Plus series.

Symphony Plus ice-only dispensers – E12 series

Countertop ice dispensers with 5 kg (12 lb) of storage. Ice-only; no water. Integral ice machine produces up to 176 kg (388 lb) of ice per day¹. Stainless steel cabinet with accent trim. Lever dispensing.

For additional product information, request form# 1000.

Available accessories are listed on page 14.



E12CI414A-LI

Item number	Configuration	Dispense	Width cm (in)	Depth cm (in)	Height cm (in)	Condenser	Ice machine location	Approx. ship wt kg (lb)	List price
E12CI414A-LI ¹	Countertop	Lever	41.9 (16.12)	59.7 (23.50)	82.6 (32.50)	air-cooled	integral	91 (199)	€9,229

¹ Production data at 21 C air / 10 C water for Symphony Plus series.

Water treatment accessories for Symphony Plus ice and water dispensers

Item number	Description	List price
Standard capacity filter system		
00130229	Water filter system (one per ice machine)	€833
00130245	Water filter cartridge – primary, single	€181
00954297	Water filter cartridge – primary, carton of 6	€875
00130211	Water pre-filter cartridge – pre-filter, single	€30
00954305	Water pre-filter cartridge – pre-filter, carton of 12	€288
High capacity filter system		
00978957	High capacity water filter system (one per ice machine)	€1,012
00978965	High capacity water filter cartridge – primary, single	€322
00978973	High capacity water filter cartridge – primary, carton of 6	€1,737
00130211	Water pre-filter cartridge – pre-filter, single	€30
00954305	Water pre-filter cartridge – pre-filter, carton of 12	€288

Other accessories for Symphony Plus ice and water dispensers

Item number	Description	List price
AF10LBLEGS	10.16 cm (4.00") leg kit for E12CI series	€187
01089572	Pressurized water sanitizing kit for use with Follett dispensers that have a Follett water filtration system ¹	€65
01089580	Pressurized water sanitizing kit for use with Follett dispensers that do not have a Follett water filtration system	€158
01147826	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (1 x 237 ml (8 oz) bottle)	€21
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 237 ml (8 oz) bottles)	€107
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 237 ml (8 oz) bottles)	€345
01075431	SaniSponge, 24 pack of sanitary sponges	€65


¹ Applicable Follett water filter systems include 00130229, 00978957, 01050442

Ice transport tube


- Always replace tubing with like tubing. Example: Braided with braided.
- Contact factory to confirm appropriate tubing for your specific dispenser

01151935	Insulated ice transport tube, EU compliant, purchased in 1.52 m (5') increments	€116 / meter
----------	---	--------------


Champion ice and water dispensers




Champion 7 countertop



Champion 7 undercounter



Champion 15 countertop



Optional base stand

Countertop dispensers with integral air-cooled ice machine. Champion 7 models have a storage capacity of 3.2 kg (7 lb) and are designed to serve up to 50 people. Champion 15 models have a storage capacity 6.8 kg (15 lb) and are designed to serve up to 75 people. All models produce up to 45.4 kg (100 lb) of Chewblet compressed nugget ice in a 24-hour period.

For additional information request form# 8940 for E7CI models, 8900 for E7UC/UD models or 8945 for E15CI models.

See page 16 for additional accessory information.

Notes:

Intended for commercial use only. Follett can't guarantee freight carrier's ability to deliver to residential locations. Follett service providers may not be bonded to perform on-site warranty repairs in certain areas.

For use in applications with greater than 10 mg/l but less than 400 mg/l total dissolved solids in water and less than 100 mg/l hardness (either naturally occurring or treated with reverse osmosis or other hardness reducing technology). Not recommended for use with softened water.

Models with a Claris filter are recommended and provided at no extra charge.

Item number	Configuration	Width cm (in)	Depth cm (in)	Height cm (in)	Approx. ship wt kg (lb)	List price
Champion 7 countertop ice and water dispensers						
E7CI114A-IW-CL-ST-00	Countertop ice and water, internal Claris® filter	37.1 (14.62)	56.8 (22.38)	44.8 (17.62)	42 (92)	€7,706
Champion 7 countertop ice-only dispensers						
E7CI114A-NW-CL-ST-00	Countertop ice-only, internal Claris filter	37.1 (14.62)	56.8 (22.38)	44.8 (17.62)	42 (92)	€7,706
Champion 7 undercounter ice and water dispensers						
E7UC114A-IW-NF-ST-00	Undercounter ice and water, no filter	37.1 (14.62)	56.8 (22.38)	85.1 (33.50)	54 (120)	€8,656
E7UC114A-IW-CL-ST-00	Undercounter ice and water, internal Claris filter	37.1 (14.62)	56.8 (22.38)	85.1 (33.50)	54 (120)	€8,656
E7UD114A-IW-NF-ST-00	Undercounter-ADA ice and water, no filter	37.1 (14.62)	56.8 (22.38)	80.0 (31.50)	54 (120)	€8,656
E7UD114A-IW-CL-ST-00	Undercounter-ADA ice and water, internal Claris filter	37.1 (14.62)	56.8 (22.38)	80.0 (31.50)	54 (120)	€8,656
Champion 7 undercounter ice-only dispensers						
E7UC114A-NW-NF-ST-00	Undercounter ice-only, no filter	37.1 (14.62)	56.8 (22.38)	85.1 (33.50)	54 (120)	€8,656
E7UC114A-NW-CL-ST-00	Undercounter ice-only, internal Claris filter	37.1 (14.62)	56.8 (22.38)	85.1 (33.50)	54 (120)	€8,656
E7UD114A-NW-NF-ST-00	Undercounter-ADA ice-only, no filter	37.1 (14.62)	56.8 (22.38)	80.0 (31.50)	54 (120)	€8,656
E7UD114A-NW-CL-ST-00	Undercounter-ADA ice-only, internal Claris filter	37.1 (14.62)	56.8 (22.38)	80.0 (31.50)	54 (120)	€8,656
Champion 15 countertop ice and water dispensers						
E15CI114A-IW-CL-ST-00	Countertop ice and water, internal Claris filter	37.1 (14.62)	56.8 (22.38)	57.2 (22.50)	48 (105)	€8,521
Champion 15 countertop ice-only dispensers						
E15CI114A-NW-CL-ST-00	Countertop ice-only, internal Claris filter	37.1 (14.62)	56.8 (22.38)	57.2 (22.50)	48 (105)	€8,521

Champion ice and water dispenser accessories

Item number	Description	Net price
01453661	Base stand, to convert countertop (CI) model to freestanding	€924
00956318	15.24 cm (6.00") legs, for optional base stand	€338
00956300	10.16 cm (4.00") legs, for countertop (CI)	€338
01535343	Drip tray drain kit for countertop (CI) Champion models (includes 4.00" (10.16 cm) legs) – not for use with Champion 7UC/7UD models	€524
01535335	Drip tray drain kit for base stand accessory (does not include legs) – not for use with Champion 7UC/7UD models	€524
01535327	Kit to add internal Claris filter to -NW or -IW models – not for use with -HW models	CONTACT FACTORY
01536093	Kit to convert -NW models to -IW models	CONTACT FACTORY
01548635	Filter cartridge, replacement Claris, Champion	€107
01147826	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (1 x 237 ml (8 oz) bottle)	€21
01149954	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (6 x 237 ml (8 oz) bottles)	€107
01149962	SafeCLEAN Plus, liquid – environmentally responsible ice machine cleaner (carton of 24 x 237 ml (8 oz) bottles)	€345

Claris is a registered trademark of the ACLARIS Water Innovations GmbH in Switzerland.

Incoterms is a trademark of the International Chamber of Commerce.

CHAMPION, HORIZON ELITE, MAESTRO PLUS, MICRO CHEWBLET, SAFECLEAN PLUS, SANISPONGE, SENSORSAFE and SYMPHONY PLUS are trademarks of Follett Products, LLC.

CHEWBLET, FOLLETT and RIDE are registered trademarks of Follett Products, LLC, registered in the US.

Follett reserves the right to change specifications at any time without obligation. Certifications may vary depending on country of origin.

Mokry Dwór 26C 83-021 Wiślina, Poland
Phone: +48 (58) 785-6140 | Fax: +48 (58) 785-6159
folletteurope.com

801 Church Lane | Easton, PA 18040, USA
1.610.252.7301 | Fax: +1.610.250.0696 | follettice.com

FOLLETT®

2435-20240401 | © Follett Products, LLC